




DETAIL AT 2




DETAIL AT 3




DETAIL AT 4




DETAIL AT 5




DETAIL AT 8



DETAIL AT 9




DETAIL AT 10




DETAIL AT 6


25X3 F. I 300 LONG BENT TO SHAPE WITH SPLIT ENDS AND FIXED TO WDN FRAME



DETAIL AT 12



DETAIL AT 11



FIXING DETAIL OF WDN STOPPER TO FRAME

# SCHEDULE OF FITTINGS

SL. NO.	TYPE OF DOOR (FOR ONE LEAF ONLY)	S/S BUTT HINGE 100 LONG PER LEAF	S/S ALDROP ROD DIA 16 MM SIZE 200-300 MM LONG	S/S TOWER BOLT DIA 10 MM SIZE 200 LONG AT TOP	S/S TOWER BOLT 150 LONG AT BOTTOM	S/S BOW / D TYPE HANDLE 150 LONG	300 LONG F.I. HOLD FAST (FOR ONE DOOR)	WDN STOPPER OUT OF 35X35X100 LONG WITH 35mm LONG BUTT HINGE	SS DOOR STOPPER CSS 141 OF MAKE CROWN OR EQUIVALENT	REMARKS
1	DOOR SINGLE SHUTTER WITH OUT FLY PROOF	3	1	1	1	1	6@	1	1	@ ADD 2 IN CASE OF 2400 HT
2	DOOR DOUBLE SHUTTER WITH OUT FLY PROOF	3	1	1	1	1	6@	2	2	
3	DOOR SINGLE SHUTTER WITH FLY PROOF	3	2	1	1	1	6@	1	1	
4	DOOR DOUBLE SHUTTER WITH FLY PROOF	3	2	1	1	1	6@	2	2	

**NOTE** :- SS ALDROP ROD DIA 16 MM SIZE 300 MM LONG SHALL BE PROVIDED FOR MAIN ENTRANCE DOOR AND 200 MM LONG SHALL BE PROVIDED IN THE INTERNAL DOORS.

S No	DATE	DESCRIPTION	INITIAL
REVISIONS			
PANELLED DOORS WITH WOODEN FRAMES			
DETAILS			
Date	20-06-2022	CHIEF ENGINEER (NAVY)	Sheet No
Drawn	NK Vikram	VISAKHPATNAM ZONE	5 / 5
Tcd	—		
Ckd	K S Vani		
Scale		DRG NO : CEVZ / 2022 / TD-03	
AAD (Arch)		JT DIR (ARCH)	DIRECTOR (ARCH) FOR CHIEF ENGINEER