




CAP
INDIAN BRONZE - 1B 086 - 1



CAP
INDIAN BRONZE - 1B 086 - 2



CAP
METALLIC BURUGUNDY - CG 015 - 3



BRACKET



RING



BRACKET - 150 MM




BRACKET - 100 MM




RING




WALL TO WALL
BRACKET



CAP
NATURAL - SW 001 - 1



CAP
ELM - SW 002 - 2




CAP
WALL NUT - SW 003 - 3

STAINLESS STEEL (SS) DRAPERY ROD WITH
BRACKET & RING


TYPE - 'A'

DETAILS OF WOODEN DRAPERY ROD
(SEASONED ITALIAN WOOD) WITH
RING & BRACKET


TYPE - 'C'



THREE BRANCH FINAL - 1




CLUB FINAL - 2




PEACOCK FINAL - 3



RING



STD. BRACKET



DOUBLE BRACKET
(LENGTH 215 TO 225 MM)

STAINLESS STEEL (SS) DRAPERY ROD
WITH BRACKET & RING

TYPE - 'B'

SL NO.	NOTES
1	CONTRACTOR TO CHECK & VERIFY ALL DIMENSIONS BEFORE EXECUTION OF THE WORK.
2	FIGURED DIMENSIONS SHALL BE FOLLOWED.
3	ALL DIMENSIONS ARE GIVEN IN MILLIMETRES UNLESS OTHERWISE SPECIFIED.
4	ALL STAINLESS STEEL SECTIONS / ITEMS OF DRAPERY SHALL BE PRE POLISHED AS PER I S PROVISIONS.
5	ALL WOODEN MEMBERS / ITEMS OF DRAPERY ROD SHALL BE POLISHED.
6	TYPE - 'A' DRAPERY SHALL BE PROVIDED IF NOT MENTIONED IN MAIN DRGS.
7	DR - MARKED IN MAIN DRGS. INDICATES DRAPERY ROD.
8	CURTAIN RINGS SHOWN ARE ONLY FOR PRESENTATION OF DRG. AND NOT FORM PART OF LUMP SUM TENDER.
9	STAINLESS STEEL DRAPERY RODS SHALL BE OF S S 302 GRADE.
10	ALL STAINLESS STEEL DRAPERY RODS SHALL BE OF 25 MM Ø AND MIN. 1.6 MM TH.
11	ALL STAINLESS STEEL DRAPERY RODS SHALL BE OF 25 MM Ø AND 1.6 MM TH. MIN.
12	S S BRACKETS SHALL BE FIXED TO WALL WITH RAWL PLUGS USING S S SCREWS MIN. 75 MM LONG.
13	SIZE OF S S BRACKETS SHALL NOT BE LESS THAN THE SIZES MENTIONED IN DRG.
14	PROVIDE ONE OR MORE CENTRE SUPPORT BRACKETS IN CASE LENGTH OF OPENING IS MORE THAN 1200 MM.
15	ALL SURFACES OF S S MEMBERS SHALL BE SMOOTH AND FAIR FINISH.
16	DRAPERY ROD SHALL HAVE A BEARING OF 100 MM ON BOTH SIDES OF OPENING.

S No	DATE	DESCRIPTION	INITIAL
REVISIONS			
TYPICAL DETAILS OF DRAPERY / CURTAIN RODS			
DATE	CHIEF ENGINEER (NAVY)		Sheet No
DRN	K. USHA	VISAKHAPATNAM ZONE	1/1
TCD			
CKD			
SCALE	REF. DRG NO : CEVZ / 2022 / TD - 25		
AAD (ARCH)		JT. DIR. (ARCH)	DIRECTOR (ARCH) FOR CHIEF ENGINEER