



- SL NO
- NOTES
- 1 CONTRACTOR TO CHECK AND VERIFY ALL THE DIMENSIONS BEFORE EXECUTION OF THE WORK.
 - 2 FIGURED DIMENSIONS SHALL BE FOLLOWED.
 - 3 ALL DIMENSIONS ARE GIVEN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
 - 4 EXECUTIVE AUTHORITY SHALL CHECK THIS DRG. BEFORE TAKING EXECUTION IN HAND.
 - 5 FOR LIST OF DRGS. REFER DRG. NO. CEVZ/2022/LD-2110 SHEET NO.1R/1
 - 6 ALL DRAWINGS OF ARCHITECTURAL, STRUCTURAL, ELECTRICAL AND SANITARY PLUMBING ETC. FORMING PART OF THE CONTRACT SHALL BE READ IN CONNECTION WITH EACH OTHER. ANY DISCREPANCY FOUND TO BE BROUGHT TO THE NOTICE OF SITE ENGINEER BEFORE EXECUTION.
 - 7 DR - INDICATES DRAPERY ROD TYPE - 'D' OF INDIAN BRONZE - 18 086-1 OF TD CEVZ/2022/LD-25 SHEET 1/1.
 - 8 WALLS BELOW FFL SHALL BE AS PER FOUNDATION DETAILS.
 - 9 ALL ALUMINIUM WINDOWS SHALL BE PROVIDED WITH ALUMINIUM GRILLS AS PER TO DRAWING.
 - 10 SLOPE OF TOILET FLOOR SHALL BE MAINTAINED TOWARDS NT/TF FOR PROPER DRAINAGE.
 - 11 100 TH WALL TO REST DIRECTLY ON PCC SUB BASE / RCC.
 - 12 ALL WALLS TO BE TAKEN UPTO SOFFIT OF RCC SLAB / BEAM UNLESS OTHERWISE SPECIFIED.
 - 13 ALL WINDOW CILLS SHALL BE PROJECTED OUTSIDE AS PER TYPICAL DETAIL DRGS.
 - 14 CILL SHALL HAVE 75MM BEARING ON EITHER SIDE OF OPENING IRRESPECTIVE OF WHATEVER SHOWN IN THE DRAWING.
 - 15 ALL SANITARY PIPES / RWPS (RAIN WATER PIPE) ARE NOT SHOWN IN THE ELEVATIONS/SECTIONS AND TO BE PROVIDED AS PER DETAIL DRGS.
 - 16 WHEREVER REF. DIMENSIONS NOT GIVEN IN PLANS FOR WINDOWS AND VENTILATORS, THAT SHALL BE PLACED IN THE MIDDLE OF RESPECTIVE BAYS.
 - 17 ALL EXTERNAL WALLS SHALL BE 200 TH AND ALL INTERNAL WALLS SHALL BE 100 TH PCC SOLID BLOCK WALLS UNLESS OTHERWISE MENTIONED.
 - 18 (RS) INDICATES FOR ROLLING SHUTTER OF OPENING SIZE - 2000 X 2400. ALL OTHER DETAILS ARE AS PER MANUFACTURER'S SPECIFICATION.
 - 19 FRD - DENOTES FIRE RATED DOOR, REFER TD - CEVZ/2022/LD-07 SHEET NO.1/1
 - 20 FOR LEVELS (NGL, MGL, TBM, FFL) REFER B/R SITE PLANS.
 - 21 FOR CRUMPLE JOINT READ EXPANSION JOINT WHEREVER MENTIONED.

SL NO	DATE	DESCRIPTION	INITIAL
REVISIONS			
PROVISION OF DEFICIENT 287 SINGLE INLIVING ACCN ASSOCIATED FACILITIES FOR DSC AT NAVAL DOCKYARD, VISAKHAPATNAM (BD NO AMWP 46/2020)			
GROUND FLOOR PLAN, ENLARGED (DETAIL) PLAN OF RATION STORE, COMPANY STORE, TAILOR SHOP, BOOT MAKER SHOP, SPORTS STORE, BERBER SHOP AND CLOTHING STORE			
DATE	21 OCT 2022	CHIEF ENGINEER (NAVY)	SHEET NO
DRN	SUVRO	VISAKHAPATNAM ZONE	1R / 24
TCD			
CKD			
SCALE	1:100	REF DRG. NO. CEVZ/2022/LD-2110 (SA-CH/DH)	
AAD (ARCH)		DIR (ARCH) FOR CHIEF ENGINEER	