

AMDT SHEET FOR PROVISION OF DEFICIENT 287 SINGLE INLIVING ACCN ASSOCIATED FACILITIES FOR DSC AT NAVAL DOCKYARD, VISAKHAPATNAM
(BD NO AMWP 46/2020)

1. DO NOT SCALE FROM THE DRAWINGS.
2. ALL DIMENSIONS ARE IN MILLIMETRES AND LEVELS IN METRES
UNLESS NOTED OTHERWISE. ALL DIMENSIONS TO BE VERIFIED

S.NO	DRAWING NO & SHEET NO	LOCATION	FOR	READ
1.	DRG NO:CEVZ/2022/WD2110(S)-SA/CHDH SHEET NO:4R/20	(a) SECTION AT 2-2		
		(b) TYPICAL PLAN OF PILE CAP (SQUARE/RECT. SHAPE) SHOWING REINFORCEMENT DETAIL (FOR DIAM. OF BARS REFER SCH.)	2L VERTICAL STIRRUPS ALONG LENGTH	2L VERTICAL STIRRUPS ALONG WIDTH
		(c) SECTION FOR PILE CAP 'PC4' ONLY (LIFT PIT AREA)		
		(d) PLAN OF PILE 'P1', 'P2', 'P3', 'P4', 'P5' & 'P6'	# 10@ 150cc (b) HELICAL TIES	(b) # 10 HELICAL TIES @ 150MM PITCH IN NR AND @ 100MM PITCH IN CR
		(e) PILE CAP PLAN (PC3, PC3A & PC8)		

SL NO	DATE	DESCRIPTION	INITIAL
REVISIONS			
PROVISION OF DEFICIENT 287 SINGLE INLIVING ACCN ASSOCIATED FACILITIES FOR DSC AT NAVAL DOCKYARD, VISAKHAPATNAM (BD NO AMWP 46/2020)			
AMENDMENT SHEET - 1			
DATE	19.01.2023	CHIEF ENGINEER (NAVY) VISAKHAPATNAM ZONE	SHEET NO 1 / 2
DRN	SUB RATHEESH K		
CKD	-		
SCALE	-	REF DRG NO : CEVZ / 2022 / WD / 2110 (S) - AMDT	
 RENSHI RAMAN LT COL SO I (DESIGN)		 SRINIVAS NALLA, IDSE CE (NF) DIR (DESIGN) FOR CHIEF ENGINEER	