

**Office of the Civil Surgeon Cum Chief Hospital Superintendent,**  
**District Hospital Waidhan, District Singrauli (MP)**

**ONLINE PRAPOSALS from BIDDERS FOR**

**Supply Of Medicine /Material/Implant For Ayushman Bharat Niramaym  
Patient in DISTRICT HOSPITAL SINGRAULI (M.P.)**

**BID NO.498656**

**Date : 21/04/2026**

**Corrigendum No. 15753 Date :21/04/2026**

**(NON-TRANSFERABLE)**

**ADDRESS:** Civil Surgeon Cum Hospital Superintendent ,Distt.  
Hospital Singrauli (M.P.)486886

**PHONE :** 9425841409,7974660565

**EMAIL:** [CSurgeonsinmp@mp.gov.in](mailto:CSurgeonsinmp@mp.gov.in)

**WEBSITE:** <http://mptenders.gov.in>

- |   |   |              |
|---|---|--------------|
| 01. निविदा प्रपत्र एवं शर्तें (Technical Bid) | - | PDF Format   |
| 02. वित्तीय ऑफर ( Finacial Bid)               | - | Excel Format |

*R. Vaidh*  
28/4/26  
RMO  
DH WAIDHAN

*Waidhan*  
27/4/26  
सिविल सर्जन सह मुख्य अस्पताल अ.स.  
जिला चिकित्सालय वैठन  
जिला सिंगरीली ( म.प. )

**कार्यालय सिविल सर्जन सह मुख्य अस्पताल अधीक्षक जिला चिकित्सालय  
वैढन जिला -सिंगरौली (म0प्र0)**

**निविदा प्रपत्र**

जिला चिकित्सालय वैढन में आयुष्मान भारत योजना के हितग्राहियों एवं अन्य मरीजों के लिए आर्थोपेडिक इम्प्लांट्स सर्जिकल सामग्री की प्रदायगी हेतु इच्छुक निविदाकारों (एजेसियों/फर्मों) से <http://mptenders.gov.in> पर निम्नानुसार निविदा शर्तों पर ऑनलाइन निविदाये आमंत्रित की जाती है।

S.No.	Works Department Stage	Start		Last	
		Date	Time	Date	Time
1	Publishing Date	01-05-2026	11:00 Am		
2	Pre Bid Meeting	05-05-2026	2:00 Pm		
3	Document Download /Sale Start Date	01-05-2026	11:30 Am		
	Bid Submission Start Date	01-05-2026	12:30 Pm	21-05-2026	05:30 Pm
	Bid Opening Date (Technical)	22-05-2026	12:30 Pm	21-05-2026	05:30 Pm
	Bid Opening Date (Financial)				
		After Technical Bid Verification			

टेक्निकल बिड मूल्यांकन में निविदाकार को स्वयं उपस्थित रहना होगा। यदि निविदाकार द्वारा कोई प्रतिनिधि भेजा जाता है तो निविदाकार द्वारा प्रतिनिधि को तदाशय का आर्थोरिटी लेटर देना होगा। निविदाकार द्वारा आर्थोरिटी लेटर एवं पहचान पत्र के आधार पर प्रतिनिधि के टेक्नीकल बिड मूल्यांकन में बैठने की अनुमति प्रदान की जा सकेगी। अन्यथा की स्थिति में प्रतिनिधि को अनुमति प्रदान नहीं की जावेगी।

**निविदा शर्तें :-**

01. ऑनलाइन निविदा प्रपत्र का मूल्य रु. 1000/- Non Refundable होगा एवं EMD रु. 50000/- (शब्दों में- पचास हजार रुपये मात्र) ऑनलाइन जमा कराना होगी ऑफलाइन ईएमडी मान्य नहीं की जावेगी।
02. <http://mptenders.gov.in> पर ऑनलाइन प्रस्तुत की गई निविदा ही मान्य की जावेगी ऑफलाइन निविदा /बिड किसी भी दशा में स्वीकार नहीं की जावेगी।
03. निविदाकार फर्म /एजेसी को टेक्निकल बिड निविदा प्रपत्र A को भरना एवं वांछित समस्त दस्तावेज स्वयं सत्यापित कर निविदा के साथ लगाया जाना अनिवार्य होगा, टेक्निकल बिड में पात्र निविदाकारों की फाईनेशियल बिड खोली जावेगी। टेक्निकल बिड में किसी भी प्रकार की कांट-छांट होने पर निविदा निरस्त करने का पूर्ण अधिकार निविदा समिति /सिविल सर्जन को होगा। निविदाकार द्वारा निविदा प्रपत्र A एवं वांछित दस्तावेज प्रस्तुत नहीं करने पर निविदा स्वतः निरस्त मानी जावेगी।
04. जिला चिकित्सालय सिंगरौली आयुष्मान भारत योजना के हितग्राहियों एवं अन्य मरीजों के लिए आर्थोपेडिक इम्प्लांट, सर्जिकल सामग्री आदि की प्रदायगी हेतु सफल निविदाकार के साथ 02 वर्ष के लिये अनुबंध निष्पादित किया जावेगा। निविदाकार के द्वारा फाईनेशियल बिड में अंकित की गयी दरें अनुबंध अवधि तक यथावत रहेगी। अतः निविदाकार फाईनेशियल बिड में राशि अंकित करने के पूर्व सेवा शर्तों को ध्यानपूर्वक पूर्ण अध्ययन कर With Out GST दरें कोड/निविदत्त करें।

05. कार्य संतोषजनक पाये जाने पर दोनो पक्षों की आपसी सहमति से अनुबंध 01 वर्ष की अवधि अथवा सिविल सर्जन ,जिला चिकित्सालय वैडन जिला सिंगरौली द्वारा तय अवधि के लिये पुनः बढ़ाया जा सकेगा। परन्तु निविदाकार द्वारा निविदत्त एवं निविदा समिति द्वारा सामग्री /कार्य की स्वीकृत दरों में किसी भी प्रकार की वृद्धि नहीं की जावेगी।
06. आर्थोपेडिक इम्प्लांटस एवं सर्जिकल सामग्री की निविदा हेतु निर्माता कंपनी के अधिकृत विक्रेता ही निविदा हेतु पात्र होंगे। निर्माता कंपनी द्वारा जारी अद्यतन ऑथराइजेशन पत्र की छायाप्रति टेक्निकल बिड के साथ संलग्न करना अनिवार्य होगा तथा अन्यथा निविदा अमान्य कर दी जावेगी।
07. निविदाकार को कार्यालय द्वारा आदेशित सामग्री जिला चिकित्सालय सिंगरौली में अपने वाहन अथवा साधन से सही हालत में पहुंचनी होगी ,इस पर होने वाला व्यय निविदाकार को स्वयं वहन करना होगा। सामग्री के परिवहन हेतु विभाग द्वारा कोई अतिरिक्त भुगतान नहीं किया जावेगा।
08. निविदाकार को कार्यालय द्वारा आदेशित सामग्री जिला चिकित्सालय सिंगरौली स्पेशिफिकेशन /क्वालिटी का पूर्ण ध्यान रखकर सप्लाई करना होगा। गुणवत्ता में कमी पाये जाने अथवा सामग्री निर्धारित क्वालिटी की नहीं पाये जाने अथवा एक्सपायरी सामग्री पाये जाने पर सप्लाई को वापिस करने का पूर्ण अधिकार सिविल सर्जन को रहेगा। जिसके विरुद्ध निविदाकार द्वारा प्रस्तुत किया गया कोई भी दावा अथवा दलील स्वीकार नहीं की जावेगी।
09. सप्लाई की गयी सामग्री गुणवत्ताहीन अथवा निर्धारित क्वालिटी की नहीं पाये जाने पर ऐसी सप्लाई का भुगतान किसी भी दशा में नहीं किया जावेगा।
10. निविदाकार को आकस्मिक परिस्थितियों में आवश्यकता पडने पर आवश्यक सामग्री की सप्लाई समय 24X7 तत्काल उपलब्ध करानी होगी। सामान्य परिस्थितियों में जारी कय आदेश में वर्णित दिवसों में सप्लाई उपलब्ध करानी होगी।
11. आयुष्मान भारत योजना के हितग्राहियों के आवश्यकतानुसार उपचार/ऑपरेशन हेतु आर्थोपेडिक इम्प्लांटस /सर्जिकल सामग्री को निविदाकार को त्वरित /नियत समयावधि में उपलब्ध कराना होगा।यथाकरण निविदाकार फर्म/कंपनी का व्यवसायिक प्रतिष्ठान/दुकान जिला चिकित्सालय सिंगरौली के 50 किमी की परिधि में स्थापित होनी चाहिये। तदाशय से निविदाकार के उक्त व्यवसायिक प्रतिष्ठान /दुकान का म.प्र. दुकान एवं स्थापना अधिनियम 1958 के तहत कराया गया। अद्यतन पंजीयन टेक्निकल बिड के साथ संलग्न करना अनिवार्य होगा।
12. निविदाकार को निविदा के साथ CDSCO (central Drugs Standard Control Organization) अथवा राज्य सरकार द्वारा जारी निर्माता कंपनी के वैद्य Manufacturing License की प्रति संलग्न करना अनिवार्य होगी।
13. निविदाकार को निविदा प्रपत्र के साथ निर्माता कंपनी का वैद्य GMP Compliance Certificate संलग्न करना अनिवार्य है।
14. निविदा में औषधियों की दरें निविदत्त करने की स्थिति में निविदाकार को MPFDA(Madhya Pradesh Food And Drug Administration )द्वारा जारी वैद्य औषधि लाइसेन्स संलग्न करना अनिवार्य है।
15. निविदाकार फर्म का विगत 3 वर्ष (वित्तीय वर्ष 2022-23,2023-24 एवं 2024-25) का औसत टर्नओवर रु.10 लाख (03 वर्षों का न्यूनतम रु. 30 लाख ) से कम नहीं होना चाहिये। टर्नओवर के लिये निविदाकार को निविदा के साथ सी.ए.द्वारा तदाशय से जारी प्रमाणीकरण एवं उक्त वर्षों की आडिट रिपोर्ट (बैलेन्सशीट/प्राफिट लॉस स्टेटमेंट) प्रस्तुत करना होगा।
16. वित्तीय निविदा में उल्लेखित सामग्री की सूची अनुमानित आवश्यकता के आधार पर है जिसके कय आदेश वास्तविक आवश्यकता एवं बजट उपलब्धता के अनुसार जारी किये जावेंगे,सूची में अंकित सभी सामग्री के कय आदेश हेतु अस्पताल प्रबंधन बाध्य नहीं होगा। तत्संबंध में निविदाकर्ता द्वारा प्रस्तुत किया गया कोई दावा अथवा दलील स्वीकार नहीं की जावेगी।
17. निविदा स्वीकृति उपरान्त सफल निविदाकार को 500/- रूपये के स्टाम्प पर अनुबंध निष्पादित करना अनिवार्य होगा।
18. फर्म /एजेन्सी को अनुबंध निष्पादित होने के 07 दिवस के अन्दर धरोहर राशि के रूप में सिविल सर्जन सह मुख्य अस्पताल अधीक्षक /सचिव रोगी कल्याण समिति जिला चिकित्सालय सिंगरौली के नाम से रु.100000/- (शब्दों में -रु.एक लाख मात्र )की Performance Security Bank

- Gaurantee अथवा एफडी अथवा समतुल्य राशि रो.क.स. समिति के खाते में जमा कराना होगी, जो अनुबंध समाप्ति उपरान्त फर्म / एजेन्सी को रिलीज की जावेगी।
19. समय पर सामग्री उपलब्ध न कराने अथवा निष्पादित अनुबंध की शर्तों का पालन न किये जाने अथवा उल्लंघन पाये जाने पर निविदाकार पर दण्डात्मक / वित्तीय शरित अधिरोपित करने, धरोहर राशि राजसात करने अथवा अनुबंध समाप्त करने का पूर्ण अधिकार सिविल सर्जन को रहेगा।
  20. फर्म / एजेन्सी द्वारा उपलब्ध करायी गयी सामग्री की गुणवत्ता संतोषजनक नहीं पाये जाने, सामग्री नियत समयावधि में सप्लाई न करने की स्थिति में तत्काल अनुबंध समाप्ति का पूर्ण अधिकार सिविल सर्जन को होगा।
  21. यदि निविदाकार किसी कारणवश कार्य छोड़ना चाहते हैं तो उक्त कार्य की प्राथमिकता को दृष्टिगत रखते हुये निविदाकार को 60 दिवस पूर्व इसकी लिखित सूचना सिविल सर्जन को प्रस्तुत करना होगी। बिना सूचना दिये कार्य छोड़ने अथवा आदेशित की गयी सामग्री की सप्लाई बाधित करने पर निविदाकार द्वारा जमा की गयी धरोहर राशि राजसात / जप्त करने एवं यथास्थिति अनुसार वैधानिक कार्यवाही अथवा ब्लैकलिस्टेड करने का पूर्ण अधिकार सिविल सर्जन को होगा। जिसके विरुद्ध निविदाकार द्वारा प्रस्तुत किया गया कोई भी दावा अथवा दलील स्वीकार नहीं की जावेगी।
  22. मरीजों की इमरजेन्सी / आपात आवश्यकता की स्थिति में दूरभाष पर मांग बताई जावेगी जिसकी आपूर्ति तत्काल / यथाशीघ्र करना अनिवार्य होगा।
  23. निविदा प्रपत्र में संशोधन होने की स्थिति में उसे ऑनलाइन [www.mptenders.gov.in](http://www.mptenders.gov.in) पर देखा जा सकेगा।
  24. निविदाकार द्वारा उक्त कार्य का पूर्ण या आंशिक हस्तान्तरण कभी भी किसी भी स्थिति में किसी भी अन्य एंजेन्सी / फर्म अथवा संस्था को नहीं किया जावेगा। ऐसी स्थिति में धरोहर राशि जप्त अथवा राजसात कर अनुबंध समाप्त करने का पूर्ण अधिकार सिविल सर्जन को होगा।
  25. निविदा समिति को बिना कोई कारण बताये निविदा प्रक्रिया निररत करने का पूर्ण अधिकार होगा, जिसके विरुद्ध निविदाकार के द्वारा प्रस्तुत किया गया कोई दावा अथवा स्वीकार नहीं की जावेगी।
  26. किसी भी विवाद की स्थिति में निविदाकार के अंतिम निर्णय कलेक्टर / अध्यक्ष, रोगी कल्याण समिति कार्यकारिणी जिला चिकित्सालय सिंगरौली का मान्य करना होगा।
  27. न्यायलयीन संबंधी कार्यवाही की स्थिति में क्षेत्र जिला न्यायालय सिंगरौली होगा।

*[Handwritten Signature]*  
27/4/26

निविदा आमंत्रण आंधारिटी  
सिविल सर्जन राह मुख्य अधीक्षक  
जिला चिकित्सालय - सिंगरौली (MOPRO)

**निविदा प्रपत्र-A-Technical Bid**

(पूर्ण रूप से भरकर हस्ताक्षरित कर अपलोड करें)

निविदाकार द्वारा तकनीकी बिड हेतु प्रस्तुत की जाने वाली चेकलिस्ट

निविदा प्रपत्र मूल्य रु.1000/-

स.क्र.	तकनीकी मापदण्ड हेतु अनिवार्य दस्तावेज	निविदाकार के द्वारा टिक किया जावे।		परीक्षण समिति द्वारा टिक किया जावे।	
		हाँ	नहीं	हाँ	नहीं
1	तकनीकी निविदा फार्म की हस्ताक्षरित की प्रति				
2	टेण्डर फीस एवं EMD जमा किये जाने की प्रति				
3	फर्म /कंपनी की जी.एस.टी. रजिस्ट्रेशन की छायाप्रति				
4	फर्म/कंपनी का गुमशता पंजीयन(म.प्र.दुकान एव स्थापना अधिनियम 1958 में पंजीयन)				
5	फर्म/कंपनी का MPFDA द्वारा जारी वैध औषधि लाइसेंस की छायाप्रति				
6	निविदाकार फर्म/कंपनी द्वारा जारी अद्यतन ऑर्थराइजेशन पत्र (अधिकृत विक्रेता) की छायाप्रति				
7	निर्माता कंपनी का CDSCO अथवा राज्य सरकार द्वारा जारी का वैध Manufacturing License की प्रति				
8	निर्माता कंपनी का GMP Compliance Certificateकी प्रति				
9	चार्टर्ड एकाउन्टेन्ट्स द्वारा जारी फर्म का वित्तीय वर्ष 2022-23 ,2023-24,2024-25 का टर्नओवर सर्टिफिकेट एवं ऑडिट रिपोर्ट				
10	100 रुपये के नॉन-ज्यूडीशियल स्टाम्प पर निर्धारित घोषणा पत्र				

नोट: 1. समस्त दस्तावेज स्वयं स्थापित किये जावे।

2. सरल क्रमांक 01 से 10 तक के संबंधित दस्तावेजों की छायाप्रतियाँ अनिवार्यतः संलग्न की जावें।

मैं घोषणा करता हूँ कि निविदा में उल्लेखित समस्त शर्तों (क.1 स 27तक) का मेरे द्वारा भली-भाँति अध्ययन कर लिया गया है, जो स्वीकार है। मेरे द्वारा निविदा प्रपत्र के साथ जो भी जानकारी भरी है एवं दस्तावेज प्रस्तुत किये गये हैं, सत्य एवं मेरे पूर्ण संज्ञान में हैं। दस्तावेज कूट रचित पाये जाने अथवा शर्तों का उल्लंघन पाये जाने पर निविदा समिति/सिविल सर्जन (निविदा आमंत्रण आर्थोरिटी)को मेरी निविदा निरस्त करने अथवा गुप्त पर किसी भी प्रकार की कार्यवाही करने का पूर्ण अधिकार होगा। इसके विरुद्ध मेरे द्वारा कोई दावा अथवा अपील प्रस्तुत नहीं की जावेगी।

निविदाकर्ता फर्म/कंपनी प्रमुख के हस्ताक्षर .....

निविदाकर्ता फर्म/कंपनी प्रमुख का नाम.....

फर्म/कंपनी का नाम एवं पूरा पता एवं सील.....

Key -Person का नाम एवं मोबाइल नंबर.....

### Item list Implants Distt Hospital Singrauli

ITAM DESCRIPTION PART A-IMPLANTS	
	<b>I. Screws and Plate</b>
	<b>A. Cannulated Cancellous Screw System</b>
1	4.0mm Cannulated Cancellous Bone Screws, Fully Threaded-all sizes till size 100mm (Stainless Steel)
2	4.0 mm Cannulated Cancellous Bone Screws, Short Thread- all size still size 100 mm (Stainless Steel)
3	4.5 mm Cannulated Cancellous Bone Screws, Short Thread- all size still size 100 mm (Stainless Steel)
4	Washer for 4mm CCScrew (Stainless Steel)
5	6.5 mm Solid Cancellous Bone Screws, 32mm thread-all sizes till size 140 mm (Stainless Steel)
6	6.5 mm Solid Cancellous Bone Screws, Fully Threaded -all sizes till size 140 mm (Stainless Steel)
7	6.5/7.3mm Cannulated Cancellous Bone Screws, 16mmthread-all sizes till size 140mm ( StainlessSteel)
8	6.5/7.3mm Cannulated Cancellous Bone Screws,32 mm thread-all sizes till size 140mm(Stainless Steel)
9	6.5/7.3 mm Cannulated Cancellous Bone Screws, FullyThreaded -all sizes till size 140 mm(Stainless Steel)
10	Washer for 6.5/7.3 mm CC Screw (StainlessSteel)
11	Spiked Washer for 4mm/6.5mm Screw (StainlessSteel)
	<b>B.3.5mm Screw and Plate System:</b>
12	3.5 mm Cortex Bone Screws- Self Tapping-all sizes till size 100mm (Stainless Steel)
13	3.5 mm Solid Cancellous Bone Screws, Self-Tapping Fully Threaded - all sizes till size 100 mm (Stainless Steel)
14	3.5mm Solid Cancellous Bone Screws, Self-Tapping 16mm Thread-all sizes till Size 100mm (Stainless Steel)
15	3.5 mm Solid Cancellous Bone Screws, Self-Tapping 32mm Thread- all sizes till size 100 mm (Stainless Steel)
16	3.5mm Locking Screws,self-tapping- all sizes till size 100mm(StainlessSteel)
17	3.5mm Narrow DCP-4 holes to 18 holes (Stainless Steel)
18	3.5mm Narrow LC-DCP-4 holes to 18 holes (Stainless Steel)
19	3.5mm Narrow LCP - 4 holes to 18 holes (Stainless Steel)
20	3.5mm Broad DCP-4 holes to 18 holes (Stainless Steel)
21	3.5mm Broad LC- DCP-4 holes to 18 holes (Stainless Steel)
22	3.5mm Broad LCP-4 holes to 18 holes (Stainless Steel)
23	3.5mm Hook Plate for proximal Ulna - all sizes (Stainless Steel)
	<b>C.4.5mm Screw and Plate System:</b>
24	4.5mm Cortex Screws , Self -Tapping - all sizes till 100mm (Stainless Steel)
25	4.5 mm Solid Cancellous Bone Screws, Fully Threaded -all sizes till size 100 mm (Stainless Steel)
26	4.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
27	4.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
	5mm Locking Screws, self - tapping – all size still size 100mm



28	(StainlessSteel)
29	4.5mm Narrow DCP (Stainless Steel)
30	4.5mm Broad DCP (Stainless Steel)
31	4.5mm Narrow LC-DCP (Stainless Steel)
32	4.5mm Broad LC-DCP DCP (Stainless Steel)
33	4.5mm Narrow LCP (Stainless Steel)
34	4.5mm Broad LCP (Stainless Steel)
35	4.5mm Proximal Ulna Hook Plate (Stainless Steel)
	<b>D.3.5 mm Semi-Tubular non locking Plates - All Sizes</b>
36	3.5mm Cortex Screws, Self-Tapping-all sizes till100mm (Stainless Steel)
37	3.5 mm Solid Cancellous Bone Screws , Fully Threaded - all sizes till size 100 mm (Stainless Steel)
38	3.5 mm Solid Cancellous Bone Screws, 16mm Thread-all sizes till size 100 mm (Stainless Steel)
39	3.5mm Solid Cancellous Bone Screws , 32mm Thread - all sizes till size100mm (Stainless Steel)
	<b>E. 1/3 Tubular non locking plate- 3.5 mm-All Sizes</b>
40	3.5mm Cortex Screws, Self-Tapping- all sizes till 100mm (Stainless Steel)
41	3.5 mm Solid Cancellous Bone Screws , Fully Threaded -all sizes till size 100 mm (Stainless Steel)
42	3.5mm Solid Cancellous Bone Screws,16mm Thread - all sizes till size 100 mm (Stainless Steel)
43	3.5 mm Solid Cancellous Bone Screws, 32mm Thread-all sizes till size 100 mm (Stainless Steel)
	<b>F 3.5 mm Reconnon locking Plate-all sizes</b>
44	3.5mm Cortex Screws , Self-Tapping - all sizes till 100mm (Stainless Steel)
45	3.5 mm Solid Cancellous Bone Screws, Fully Threaded - all sizes till size 100 mm (Stainless Steel)
46	3.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
47	3.5 mm Solid Cancellous Bone Screws, 32 mm Thread - all sizes till size 100 mm (Stainless Steel)
	<b>G. 3.5mm Semi-Tubular locking Plates- All Sizes</b>
48	3.5 mm Semi-Tubular locking Plates - All Sizes( Stainless Steel)
	<b>H. 1/3 Tubular locking plate - 3.5 mm - All Sizes</b>
49	1/3 Tubular locking plate - 3.5mm - All Sizes (Stainless Steel)
	<b>I.3.5mm Recon locking Plate - all sizes</b>
50	3.5mm Cortex Screws , Self - Tapping - all sizes till 100mm (Stainless Steel)
51	3.5 mm Solid Cancellous Bone Screws, Fully Threaded - all sizes till size 100 mm (Stainless Steel)
52	3.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
53	3,5 mm Solid Cancellous Bone Screws, 32mm Thread- all sizes till size 100 mm (Stainless Steel)
54	3.5mmLockingScrews,self-tapping-all sizes till size100 mm(Stainless Steel)
	<b>J. 4.5 mm Semi -Tubular non locking Plates - All Sizes</b>
55	4.5mm Semi-Tubular non locking Plates - All Sizes (Stainless Steel)
	<b>K. 1/3 Tubular non locking plate - 4.5mm - All Sizes</b>

56	1/3 Tubular non locking plate - 4.5 mm - All Sizes (Stainless Steel)
	<b>L. 4.5 mm Recon Non - locking Plate - all sizes</b>
57	4.5mm Recon Non - locking Plate-all sizes (Stainless Steel)
	<b>M. 3.5 mm Straight Pelvic Reconstruction Plates - all Sizes</b>
58	3.5 mm Straight Pelvic Reconstruction Plates - all Sizes (Stainless Steel)
	<b>N. 3.5mm Locking Round - hole Reconstruction Plate</b>
59	3.5 mm Locking Round - hole Reconstruction Plate (Stainless Steel)
	<b>O. Pelvic J- Plates - 3.5 mm - all sizes</b>
60	Pelvic J-Plates - 3.5 mm - all sizes(Stainless Steel)
	<b>P. Pelvic Spring Plate 3.5- all sizes</b>
61	Pelvic Spring Plate 3.5-all sizes (Stainless Steel)
	<b>Q. Symphyseal Plate 3.5 - 4 holes to 6 holes ; any type</b>
62	Symphyseal Plate 3.5 - 4 holes to 6 holes ; any type (Stainless Steel)
	<b>R. 4.5 mm Semi - Tubular Locking Plates - All Sizes</b>
63	4.5 mm Semi -Tubular Locking Plates - All Sizes (Stainless Steel)
	<b>S. 1/3 Tubular Locking plate - 4.5 mm - All Sizes</b>
64	1/3 Tubular Locking plate - 4.5 mm - All Sizes (Stainless Steel)
	<b>T. 4.5 mm Recon Locking Plate- all sizes</b>
65	4.5 mm Cortex Screws , Self-Tapping - all sizes till 100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, Fully Threaded - all sizes till
66	size 100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size
67	100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 32mm Thread-all sizes till size
68	100 mm (Stainless Steel)
	5mm Locking Screws, self - tapping- all sizes till size 100 mm
69	(Stainless Steel)
	<b>U. T- Buttress, Non-Locking Plates - 4.5mm- all sizes</b>
70	T-Buttress ,Non- Locking Plates - 4.5 mm- all sizes (Stainless Steel)
	<b>V. L-Buttress Plates , Non-Locking ,4.5 mm- allsizes - for Right / Left Leg</b>
71	4.5mm Cortex Screws, Self-Tapping- all sizes till 100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws , Fully Threaded - all sizes till size100 mm
72	(Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 16mm Thread-all sizes till size
73	100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 32mm Thread- all sizes till size
74	100 mm (Stainless Steel)
	<b>W. T- Buttress , Locking Plates - 4.5 mm - all sizes</b>
75	T- Buttress, Locking Plates - 4.5 mm - all sizes (Stainless Steel)
76	T- Buttress, Locking Plates - 4.5mm - all sizes (Titanium)
	<b>X. L- Buttress Plates, Locking, 4.5mm-all sizes - for Right / Left Leg</b>
77	4.5mm Cortex Screws,Self-Tapping- all size still 100mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, Fully Threaded -all sizes till
78	size 100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 16mm Thread-all sizes till size
79	100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 32mm Thread- all sizes till size

80	100 mm (Stainless Steel)
81	5mm Locking Screws, self - tapping – all sizes till size 100 mm (Stainless Steel)
	<b>II. Anatomical Plate and Screws</b>
	<b>A. Hip Osteotomy Plate</b>
82	Hip osteotomy plate 90o (Stainless Steel)
83	Hip osteotomy plate 100o (Stainless Steel)
84	Hip osteotomy plate 110o (Stainless Steel)
85	Hip osteotomy plate 120 <sup>o</sup> (Stainless Steel)
86	Hip osteotomy plate 130 <sup>o</sup> (Stainless Steel)
87	3.5 mm Locking Screws, self-tapping – all sizes till size 100mm (Stainless Steel)
88	5mm Locking Screws, self-tapping – all sizes till size 100mm (Stainless Steel)
	<b>B. Proximal femoral locking compression plate, with combi hole right/left – all sizes</b>
89	4.5mm Cortex Screws, Self-Tapping – all sizes till 100 mm (Stainless Steel)
90	4.5mm Solid Cancellous Bone Screws , Fully Threaded – all sizes till size 100 mm (Stainless Steel)
91	4.5 mm Solid Cancellous Bone Screws, 16mm Thread – all sizes till size 100 mm (Stainless Steel)
92	4.5mm Solid Cancellous Bone Screws, 32mm Thread – all sizes till size 100mm (Stainless Steel)
93	5mm Locking Screws, self-tapping – all sizes till size 100mm (Stainless Steel)
	<b>C. Distal Humeral Anatomical Plate</b>
94	LCP Distal Humeral Plate, extra articular, all sizes , Right and Left (Stainless Steel)
95	LCP 3.5/ 2.7 Distal Humeral Plate, Dorsolateral , Right /Left, all sizes (Stainless Steel)
96	LCP 3.5/2.7 Distal Humeral Plate , Medial , Right/Left , all sizes (Stainless Steel)
97	LCP 3.5 Olecranon Plate – all sizes (Stainless Steel)
98	3.5 mm Cortex Bone Screws- Self Tapping – all sizes till size 100mm (Stainless Steel)
99	3.5mm Solid Cancellous Bone Screws, Self-Tapping Fully Threaded – all sizes till size 100 mm (Stainless Steel)
100	3.5 mm Solid Cancellous Bone Screws, Self-Tapping 16mm Thread – all sizes till size 100 mm (Stainless Steel)
101	3.5 mm Solid Cancellous Bone Screws, Self-Tapping 32mm Thread – all sizes till size 100 mm (Stainless Steel)
102	3.5mm Locking Screws, self - tapping – all sizes till size 100 mm (Stainless Steel)
103	2.7mm Locking Screws, self- tapping – all sizes till size 100mm (Stainless Steel)
	<b>D. LCP Radial Head Plate-All Sizes</b>
104	2.7mm Locking Screws, self-tapping – all sizes till size 100 mm (Stainless Steel)
	<b>E. PHILOS - all sizes</b>
105	3.5mm Locking Screws, self-tapping – all sizes till size 100mm (Stainless Steel)

106	3.5mm Cortical Screws, self-tapping –all size still size 100 mm (Stainless Steel)
107	3.5 mm Cancellous Locking Screws, Self Tapping- 20 mm to 100 mm (Stainless Steel)
108	<b>F. LCP Superior Anterior Clavicle Plates 3.5mm - all sizes, Right / Left</b> 2.7mm Locking Screws, self-tapping – all sizes till size 100 mm (Stainless Steel)
109	3.5 mm Locking Screws, self-tapping – all sizes till size 100 mm (Stainless Steel)
110	3.5mm Cortical Screws, self-tapping – all sizes till size 100 mm (Stainless Steel)
111	<b>G. LCP Clavicle Hook plate - all sizes</b> 3.5 mm Locking Screws, self - tapping – all sizes till size 100 mm (Stainless Steel)
112	3.5mm Cortical Screws , self - tapping – all sizes till size 100mm (Stainless Steel)
113	<b>H. Lateral clavicle plate – all sizes</b> 2.7mm Locking Screws, self - tapping – all sizes till size 50 mm (Stainless Steel)
114	3.5mm Locking Screws, self-tapping – all sizes till size 50 mm (Stainless Steel)
115	3.5mm Cortical Screws , self - tapping –all sizes till size 50 mm (Stainless Steel)
116	<b>I. Distal Radius Volar , low profile , Plates 3.5 mm - Right / Left</b> Small T-Plate , 3.5 mm- Right Angled- all configuration and sizes (Stainless Steel)
117	Small T-Plate, 3.5mm- Oblique Angled - all configuration and sizes (Stainless Steel)
118	3.5mm Locking Screws , self- tapping – all sizes till size 50 mm (Stainless Steel)
119	3.5mm Cortical Screws, self- tapping – all sizes till size 50mm (Stainless Steel)
120	<b>J. Distal Radius DORSAL, Low profile, Plates 2.4 mm- Right/Left</b> Small T-Plate, 3.5mm - Right Angled - all configuration and sizes (Stainless Steel)
121	Small T-Plate, 3.5mm - Oblique Angled - all configuration and sizes (Stainless Steel)
122	<b>K. Locking Distal Radius 2.4 mm plating System - all size sand configuration</b> Dorsal Plates (Stainless Steel)
123	Volar plates (Stainless Steel)
124	2.4 mm Locking Screws , self - tapping– all sizes till size 50 mm (Stainless Steel)
125	2.7mm Cortical Screws, self- tapping – all sizes till size 50 mm (Stainless Steel)
126	<b>L. LCP Proximal Tibial Plate 3.5, (Raft Plate) Low Bend - All Sizes - Right / Left</b> <b>(Stainless Steel)</b> LCP Proximal Tibial Plate 3.5, (Raft Plate) Low Bend-All Sizes-Right / Left (Stainless Steel)
127	<b>M. LCP Medial Distal Tibia Plate low bend- 3.5mm - Right/Left, all sizes</b> 3.5 mm Locking Screws, self-tapping–all sizes till size 100 mm(Stainless Steel)
128	3.5mm Cortical Screws , self- tapping–all sizes till size 100 mm (Stainless Steel)

*10/11/15*

129	<b>N. LCP Posterior Medial Proximal Tibial Plate 3.5 mm - all sizes</b> 3.5mm Locking Screws, self-tapping- all sizes till size 100mm (Stainless Steel)
130	3.5mm Cortical Screws, self-tapping - all sizes till size 100mm (Stainless Steel)
131	<b>O. LCP Proximal Lateral Tibia Plates-4.5mm (Hockey Plate) - All Sizes- RIGHT / LEFT(Stainless Steel)</b> LCP Proximal Lateral Tibia Plates-4.5mm(Hockey Plate)- All Sizes- RIGHT / LEFT (Stainless Steel)
132	<b>P. LCP Proximal Lateral Tibia T Plates - 4.5mm (T- Plate) - All Sizes- RIGHT / LEFT</b> 4.5 mm Cortex Screws , Self-Tapping-all sizes till 100mm (Stainless Steel)
133	4.5 mm Solid Cancellous Bone Screws, Fully Threaded - all sizes till size 100 mm (Stainless Steel)
134	4.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
135	4.5 mm Solid Cancellous Bone Screws, 32mm Thread- all sizes till size 100 mm (Stainless Steel)
136	5mm Locking Screws, self - tapping - all sizes till size 100mm (Stainless Steel)
137	6.5 mm Cancellous Locking Screws, Self tapping-all sizes 40 mm till 120mm (Stainless Steel)
138	<b>Q. LCP Distal Femur Plates - All Sizes - RIGHT&amp;LEFT</b> 4.5mmCortexScrews, Self-Tapping- allsizestill100mm(StainlessSteel)
139	4.5 mm SolidCancellous Bone Screws, Fully Threaded - all sizes till size 100 mm (Stainless Steel)
140	4.5 mm SolidCancellous Bone Screws, 16mm Thread- all sizes tillsize 100 mm (Stainless Steel)
141	4.5 mm SolidCancellous Bone Screws, 32mm Thread- all sizes tillsize 100 mm (Stainless Steel)
142	5mmLockingScrews, self-tapping-allsizestillsize 100mm(StainlessSteel)
143	6.5 mm Cancellous Locking Screws, Self tapping- all sizes40mm till 120mm (Stainless Steel)
144	<b>R. LCP- Osteotomy Plate for Distal Femur - all sizes ( Stainless Steel)</b> LCP-Osteotomy Plate for Distal Femur-all sizes(Stainless Steel)
145	<b>S. LCP- Osteotomy Plate for Proximal Tibia - all sizes</b> 4.5mm Cortex Screws, Self-Tapping- allsizestill100mm(StainlessSteel)
146	4.5mm Cortex Screws,Self-Tapping- allsizestill100mm(Titanium)
147	4.5mmSolid Cancellous Bone Screws, Fully Threaded-all sizestillsize100 mm (StainlessSteel)
148	4.5mm Solid Cancellous Bone Screws, Fully Threaded-all sizestillsize100 mm (Titanium)
149	4.5 mm Solid Cancellous Bone Screws, 16mm Thread- all sizes till size 100 mm (Stainless Steel)
150	4.5 mm Solid Cancellous Bone Screws, 16mm Thread-all sizes till size 100 mm (Titanium)
151	4.5 mm Solid Cancellous Bone Screws, 32mm Thread- all sizes till size 100 mm (Stainless Steel)
	4.5 mm Solid Cancellous Bone Screws, 32mm Thread-all sizes till size

*10/15*

152	100 mm (Titanium)
	5mm Locking Screws, self-tapping—all sizes till size
153	100mm (Stainless Steel)
154	5mm Locking Screws, self-tapping—all sizes till size 100mm (Titanium)
	<b>T. LCP 3.5 Antero lateral Distal Tibia Plate right / left , all sizes</b>
155	3.5 mm Cortex Bone Screws- Self Tapping-all sizes till size 100mm (Stainless Steel)
156	3.5 mm Solid Cancellous Bone Screws, Self-Tapping Fully Threaded - all sizes till size 100 mm (Stainless Steel)
157	3.5mm Solid Cancellous Bone Screws, Self-Tapping 16mm Thread-all sizes till Size 100mm (Stainless Steel)
158	3.5 mm Solid Cancellous Bone Screws, Self-Tapping 32mm Thread- all sizes till size 100 mm (Stainless Steel)
159	3.5mm Locking Screws, self-tapping—all sizes till size 100 mm (Stainless Steel)
	<b>U. Anatomical fibular locking plate, 2.7mm/3.5mm, right /left—all sizes</b>
160	2.7mm Locking Screws, self-tapping—all sizes till size 50mm (Stainless Steel)
161	3.5mm Locking Screws, self-tapping— all sizes till size 50mm (Stainless Steel)
162	3.5mm Cortical Screws, self-tapping—all sizes till size 50mm (Stainless Steel)
	<b>V. Locking Calcaneal Plate 3.5mm- Right/Left all sizes</b>
163	2.7mm Locking Screws, self- tapping—all sizes till size 100mm (Stainless Steel)
164	3.5mm Locking Screws, self- tapping—all sizes till size 100mm (Stainless Steel)
165	3.5mm Cortical Screws, self- tapping – all sizes till size 100mm (Stainless Steel)
166	<b>W. Herbert Screw</b> All sizes (Stainless Steel)
	<b>III. Intra medullary Interlocking Nails</b>
	<b>A. Antegrade Femoral Nail (AO type) Trochanteric Entry Nail - All Sizes - All Diameter and Length</b>
167	Standard and Recon locking options in neck (right /left) (Stainless Steel)
168	With 2 Proximal Locking Bolts and 2 distal locking bolts (Stainless Steel)
169	EndCap (Price separate) (Stainless Steel)
170	<b>B. Piriformisentry femoral nail – all sizes diameters and lengths</b> With 2 Proximal Locking Bolts and 2 distal locking bolts (Stainless Steel)
171	With 2 Proximal Locking Bolts and 2 distal locking bolts (Titanium)
172	EndCap (Price separate) (Stainless Steel)
173	EndCap (Price separate) (Titanium)
	<b>C. Proximal Femoral Nail with helical blade -SHORT-all Diameter and Length.</b>
174	Single Helical Blade in the Neck and 1 or 2 distal locking bolt options (Stainless Steel)
175	Neck Shaft Angle options of 125°, 130°, 135° (Stainless Steel)
176	End Cap (Price separate) (Stainless Steel)
	<b>D. Proximal Femoral Nail with helical blade- LONG- all Diameter and Length,</b>
	Single Helical Blade in the Neck and 2 distal locking bolts (Stainless Steel)

19/10/20

177	Steel)
178	Neck Shaft Angle options of 125°,130°,135°(Stainless Steel)
179	End Cap (Price separate)(Stainless Steel)
180	<b>E. Proximal Femoral Nail with lag screw and set screw - SHORT- all Diameter and Length</b> Neck Shaft Angle options of 125°,130°,135° and 1 or 2 distal locking bolts (Stainless Steel)
181	Trochanteric Entry Nail (Stainless Steel)
182	End Cap (Stainless Steel)
183	<b>F. Proximal Femoral Nail with lag screw and set screw -LONG- all Diameter and Length</b> Neck Shaft Angle options of 125°,130°,135°and 1 or 2 distal locking bolts (Stainless Steel)
184	Trochanteric Entry Nail(Stainless Steel)
185	End Cap (Stainless Steel)
186	<b>G. Distal Femoral Nail- all diameter and Length, with End cap</b> 2 Distal Bolts and 2 proximal bolts (Stainless Steel)
187	EndCap (Price separate)(Stainless Steel)
188	<b>H. Humerus Antegrade Interlocking Nail ,all size and diameter</b> 2DistalBoltsand2/3proximalbolts(StainlessSteel)
189	End Cap (Price separate)(StainlessSteel)
190	<b>I. Proximal humeral nail right / left – all sizes</b> 2Distal Bolts and 2/3 proximal bolts (Stainless Steel)
191	End Cap (Price separate)(Stainless Steel)
192	<b>J. Tibia interlocking nail, all diameter and Length</b> 2Distal Bolts and 2proximal bolts(StainlessSteel)
193	End Cap(Price separate)(Stainless Steel)
194	<b>K. Tibia Interlocking nail with extreme distal locking bolts ( ETN design) all diameter and length</b> 3Distal locking bolts in 2 different planes(Stainless Steel)
195	2 proximal locking bolts (Stainless Steel)
196	EndCap (Price separate)(Stainless Steel)
197	<b>L. Expert tibial nail design with multiple locking options in different planes for both proximal and distal locking – all sizes and sides</b> EndCap (Price separate)(Stainless Steel)
198	<b>M. Unreamed tibial nails– all diameter and length</b> 2Distal Bolts and 2proximal bolts (Stainless Steel)
199	EndCap (Price separate) (Stainless Steel)
200	<b>N. Ankle arthrodesis nail–all diameter and length</b> 2Distal Bolts and 2 proximal bolts (Stainless Steel)
201	<b>IV. DHS/DCS/ CONDYLAR BLADE PLATE</b> <b>A. DHS/DCS (LCP barrel plate)</b> 130° DHS Plates, Long Barrel, all sizes (Stainless Steel)
202	135°DHS Plates, Long Barrel, all sizes (Stainless Steel)
203	140°DHS Plates, Long Barrel, all sizes(StainlessSteel)
204	145°DHS Plates, Long Barrel, all sizes(Stainless Steel)
205	150°DHS Plates, Long Barrel, all sizes (Stainless Steel)
206	130°DHSPlates, Short Barrel, all sizes (Stainless Steel)
207	135°DHSPlates, Short Barrel, all sizes (Stainless Steel)
208	140°DHSPlates, Short Barrel, all sizes (Stainless Steel)

*19/10/20*

242	THREAD
	Self drilling and Tapping Schanz Pin - all diameter and length - LONG
243	THREAD, Cancellous Pitch
	Self drilling and Tapping Schanz Pin -all diameter and length - LONG
244	THREAD
245	Clamps-Singlepin
246	Clamps-doublepin
247	Clamps-rod/rod
248	Open Clamp
249	Tubular ROD
250	Spanner
251	Wrench
252	<b>C. Ex- fix for different anatomical bones with all components (eg. Tibia, Femur, Humerus, Knee spanning, Elbow spanning)</b>
253	<b>D. Ex-fix assembly for wrist</b>
	<b>E. JESS Construct</b>
254	JESS - for Club Foot
255	JESS - for wrist
256	JESS -for Fingers
257	Radial distractor system
	<b>F. Universal Mini External Fixator System (UMEX)</b>
258	Assembly different anatomical bones with all component
259	Assembly for club foot
260	Assembly for wrist
	<b>G. Limb Reconstruction System</b>
261	LRS/Rail road fixators - for Femur
262	LRS/ Rail road fixator for Tibia
263	Hydroxy apatite coated Self drilling and Tapping Schanz Pin for LRS- all diameter and length- SHORT THREAD
264	Hydroxy apatite coated Self drilling and Tapping Schanz Pin for LRS-all diameter And length-LONGTHREAD
265	Modular LRS system for both tibia and femur including hip
266	<b>H. Radial distractor system</b>
267	<b>I. C- clamp for pelvis</b>
	<b>J. Ilizarov metal constructs</b>
268	For small bones
269	Long bones
	<b>K. Ilizarov carbon frame constructs</b>
270	for small bones
271	Long bones
272	<b>L. Ilizarov rings with six axis frame compatible with computer software with six struts for precise angular correction</b>
	<b>VI Prosthesis/Cement</b>
273	Austin Moore prosthesis - all sizes
274	Bipolar hip-Non modular Prosthesis -all sizes
275	Uncemented Bipolar Modular Prostheses with partially coated metaphyseal stems -all Size
276	Uncemented Bipolar Modular Prostheses with fully coated stems-all Sizes

209	145°DHSPlates, Short Barrel, all sizes (Stainless Steel)
210	150°DHSPlates, Short Barrel, all sizes (Stainless Steel)
211	DHS Trochanter Stabilizing Plates (Stainless Steel)
212	DHSdouble angle Barrel plate-All angles and all Sizes (Stainless Steel)
213	12.5mmDHS/DCS Screws- all sizes (Stainless Steel)
214	12.5mmDHS /DCS Blade-all sizes (Stainless Steel)
215	DCS 95°,Short Barrel Plate,all sizes (Stainless Steel)
216	DCS95°,Long Barrel Plate,all sizes (Stainless Steel)
217	DHS/ DCS Compression Screw SS
218	4.5mm Cortical Screw all Sizes (10 mm to 100 mm) (Stainless Steel)
	<b>B. Condylar blade plates</b>
219	95°Condylar Plates-all Sizes of blade and length of the plate (Stainless Steel)
220	95° double angled Condylar Plates-all Sizes of blade and length of the plate (Stainless Steel)
221	120°Condylar Plates- all Sizes of blade and length of the plate(Stainless Steel)
222	120°double angled Condylar Plates- all Sizes of blade and length of the plate (Stainless Steel)
223	130°Condylar Plates - all Sizes of blade and length of the plate (Stainless Steel)
224	130°double angled Condylar Plates-all Sizes of blade and length of the plate (Stainless Steel)
225	135°Condylar Plates- all Sizes of blade and length of the plate (Stainless Steel)
226	135°double angled Condylar Plates-all Sizes of blade and length of the plate (Stainless Steel)
227	4.5mm Cortical Sere wall Sizes (10mm to 100mm) (Stainless Steel)
	<b>V.EXTERNAL FIXATOR/ LRS / Ilizarov EXTERNAL FIXATOR</b>
	<b>A. External Fixator Assembly Components for Long Bones</b>
228	Self drilling and Tapping Schanz Pin- all diameter and length- SHORT THREAD, Cancellous pitch
229	Self drilling and Tapping Schanz Pin- all diameter and length-SHORT THREAD
230	Self drilling and Tapping Schanz Pin- all diameter and length- LONG THREAD, Cancellous Pitch
231	Self drilling and Tapping Schanz Pin- all diameter and length - LONG THREAD
232	Clamps- Single pin
233	Clamps - double pin
234	Clamps-rod to rod
235	Olive wire
236	Ilizarove wire (Bayonet type)
237	Open Clamp
238	TubularROD
239	Spinner
240	Wrench
241	<b>B. External Fixator Assembly Components for Forearm Bones</b> Self drilling and Tapping Schanz Pin- all diameter and length- SHORT THREAD, Cancellous pitch
	Self drilling and Tapping Schanz Pin- all diameter and length - SHORT

277	Cemented Bipolar Modular Prostheses-all Sizes
278	Cement Gun Disposable Nozzle
279	Hardinge's cement Restrictor
280	Bone Cement- all make (CMW1, CMW3, Palacos, SmartSet, with antibiotics etc) 20 GMS
281	Bone Cement-all make(CMW1,CMW3,Palacos, Smart Set,with antibioticsetc)40GMS
282	Bone Cement- allmake (CMW1, CMW3, Palacos, Smart Set, without antibiotics etc) 20 GMS
283	Bone Cement- all make (CMW1, CMW3,Palacos,SmartSet, without antibiotics etc) 40 GMS
284	Pulse Lavage with Hip and knee nozzle
285	Saggital Saw Blade- for TKR-(105mmx25mmx1.2mm) which canfit in to Stryker System 6/7, Arthrex -600 battery operated Saw
286	Reciprocating Saw Blade-Double Sided, Offset (70x0.64x12.6mm) for TKR-which can fit into Stryker System 6/7, Arthrex 600
287	<b>VII. Knee Prosthesis / Cement</b> TKR Primary
288	TKR: Semi constrained
289	TKR: Constrained
290	TumorProsthesis
291	Bone Cement-all make(CMW1,CMW3,Palacos,SmartSet, with antibiotics etc) 20GMS
292	Bone Cement- all make (CMW1,CMW3,Palacos, Smart Set, with antibiotics etc)40GMS
293	Bone Cement- all make (CMW1, CMW3, Palacos, Smart Set, without antibiotics etc) 20 GMS
294	Bone Cement- all make (CMW1, CMW3, Palacos , Smart Set ,without antibiotics etc)40 GMS
295	Pulse Lavage with Hip and knee nozzle
296	Hardinge's cement Restrictor
297	<b>VIII. Hip Prosthesis /Cement THR: Uncemented</b>
298	THR: Cemented
299	Tumor Prosthesis
300	Thompson Prosthesis for Hip
301	Bone Cement-all make(CMW1,CMW3,Palacos, Smart Set, withantibiotics etc) 20GMS
302	Bone Cement-all make(CMW1,CMW3,Palacos, SmartSet, with antibiotics etc)40GMS
303	Bone Cement- all make (CMW1, CMW3, Palacos, Smart Set, without antibiotics etc) 20 GMS
304	Bone Cement- all make (CMW1, CMW3, Palacos, SmartSet, without antibioticsetc ) 40 GMS
305	Pulse Lavage with Hip and knee nozzle
306	Cement Gun Disposable Nozzle
307	Hardinge's cement Restrictor
308	<b>IX. Shoulder Prosthesis / Cement</b> Unipolar shoulder prosthesis – all sizes
	Bipolar modular shoulder prosthesis with trochanter attachment system

*lalan*

309	- all sizes and offsets
310	Bipolar shoulder prosthesis with trochanter attachment system--all sizes and offsets
311	Bone Cement- all make (CMW1, CMW3, Palacos, Smart Set, with antibiotics etc)20 GMS
312	Bone Cement-all make (CMW1,CMW3,Palacos, Smart Set,with antibiotics etc) 40GMS
313	Bone Cement- all make (CMW1, CMW3, Palacos, Smart Set, without antibiotics etc) 20 GMS
314	Bone Cement- all make (CMW1, CMW3, Palacos, Smart Set, without antibiotics etc) 40 GMS
315	Pulse Lavage with Hip and knee nozzle
316	Cement Gun Disposable Nozzle
	<b>X . IMPLANTS FOR PERIPROSTHETIC FRACTURES</b>
317	Periprosthetic plates for proximal femur (stainless Steel)
318	Periprosthetic plates for distal femur (stainless Steel)
319	Periprosthetic plates for femur with trochanter extension (stainless Steel)
320	Periprosthetic plates for proximal tibia (stainless Steel)
321	Cables to fix the periprosthetic plate (stainless Steel)
322	Cable button sand rings and screws for periprosthetic plates (stainless Steel)
	XII. Miscellaneous
386	Rush Nail-all diameter and length
387	Enders Nail-all diameter and length
388	Square nail for radius - all diameter and length
389	Square nails for ulna-all diameter and length
390	Steinmann Pin: all diameter(3.5mm/4mm/ 4.5mm/5mm) and length
391	Denham's pin : all diameter (4.5mm /5mm)and all length
392	Bohler's Stirrup : all sizes
393	Stainless Steel Wire-roll/coil-all gauges
394	Kirschner Wires with TrocarTip-0.6mm TO 3.0MM dia-different lengths-stainless steel
395	Kirschner Wire swith Double Tip-0.6 mm TO 3.0MM dia-different lengths-stainless steel
396	Kirschner Wires with Threaded Tip- 1.0mmto 2.0 mm dia., with threaded tip-stainless steel
397	Titanium Elastic Nail (TENS) all dia and all length
398	HTO Plate and Screw Construct (Stainless Steel)
399	Bone Substitutes
400	Artificial bone grafts
401	Biodegradable antibiotic cement/graft
402	PRP kits
403	BMAC Kits
404	Con ray moore prosthesis for elbow- all sizes
405	Cemented fixed Radial head prosthesis--all sizes
406	Uncemented fixed radial head prosthesis--all sizes
407	Uncemented modular Radial head prosthesis with porous coated stem--all sizes
408	Bone Drill Machine
409	Gigli Saw Wire with Handle

*Handwritten signature and date*  
 28/11/26