

ENGINEERING DEPARTMENT
UNIVERSITY OF DELHI
DELHI-110007

REF.NO. CE/

/DU/M- 93 (2026-27)

Dated-

NOTICE INVITING e-TENDER

1. Online bids are invited from the registration contractor with C.P.W.D./ M.E.S./ Railways/ Delhi PWD/Delhi University in appropriate Categories and class with two bid systems for **Repairing work inside, G.I. fitting work , and renovation work at bath/ toilet inside Warden House, D.S. Kothari Hostel, University of Delhi Manual / Offline bids will not be accepted.**
2. Tender documents may be downloaded from Delhi University website www.du.ac.in (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app> as per the schedule as given in as under.

Publishing Date	14-05-2026 (06:00 PM)
Bid Document Download / Sale Start Date	14-05-2026 (06:00 PM)
Estimate Cost	Rs.9,70,248/-
EMD (The EMD should be submitted in the office of Chief Engineer before the last date and time of submission Of bid over e-portal.	Rs.19,405/-
Tender Fee	Rs.500/-
Completion Time	20 Days
Bid Submission start date	14-05-2026 (06:00 PM)
Bid Submission end date	28-05-2026 (01:00 PM)
Technical Bid Opening date	29-05-2026 (01:00 PM)
Financial Bid Opening Date	To be intimated later on website

3. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>.

Bidders/Contractors are advised to follow the instructions provided in the 'Instructions to the Contractors/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>'.

Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

4. Not more than one tender shall be submitted by one contractor or contractors having business relationship. Under no circumstance will father and his son(s) or other close relations who have business relationship with one another (i.e when one or more partner(s)/director(s) are common) be allowed to tender for the same contract as separate

competitors. A breach of this condition will render the tenders of both parties liable to rejection.

5. Bidder who has downloaded the tender from the Central Public Procurement Portal (CPPP) website <https://eprocure.gov.in/eprocure/app>, <https://eprocure.gov.in/epublish/app> shall not tamper/modify the tender form including downloaded price bid template in any manner. In case if the same is found to be tampered/modified in any manner, tender will be completely rejected and EMD would be forfeited and Bidder is liable to be banned from doing business with University of Delhi.
6. Intending Bidders are advised to visit University of Delhi website www.du.ac.in and CPPP website <https://eprocure.gov.in/eprocure/app> at least 3 days prior to closing date of submission of tender for any corrigendum / addendum/ amendment.
7. **Mode of payment for tender /quotation fee:** - The bidder shall furnish the tender /quotation fee of **Rs.500/-** online in the following manner:

STEPS TO BE FOLLOWED FOR ONLINE PAYMENT

(Tender Fee/EMD/Performance Guaranty etc. for Tenders of Engineering Department)

The Agencies are advised to follow the steps given below for online payment of Quotation/ Tender fee.

STEP 1 : Connect to “misconlinefee.du.ac.in”

STEP 2 : Click on “Miscellaneous fee”

MISCELLANEOUS FEE

Name (Name of Agency)

Email

Mobile

Fee

Item Count (Item count should always be 1)

Please provide details of the fee (exam type, paper no. etc)

STEP 3 : The fees selection for Rs 150 is “Tender Fee (upto 1 lakh Tender Value)(Chief Engineer,)” ;for Rs. 500 “Tender fee (more than 1 lakh upto 20 lakhs tender value)(Chief Engineer,)” and for Rs 1000 ”Tender fee (more than 20 lakhs Tender Value) (Chief Engineer,)”

STEP 4 : fill up the above details and Type tender ID in “**Please provide details of the fee (exam type, paper no. etc)**” column (eg.Tender ID 2019_DU_123456_1)

STEP 5 : click on “save”

STEP 6 : follow the instructions as per site

***Note*- The e-mail address and mobile number should be functional as after saving the above OTP will be received above mentioned details. In case the payment receipt is not displayed after payment, confirmation/ payment receipt can be received after through “Track your Payment” option.**

Deposit the prescribed Quotation/Tender fee etc. (as inscribed on the Tender /bid) online at the payment Gateway before the bid closure time & date. In case if are unable to get the receipt after payment, you may click on the option “track my payment”.

8. **BID Security / EMD:** The bidder should submitted the EMD of **Rs.19,405/-** to the office of The Chief Engineer, before the last date and time of submission of bid over e-portal . The bidder should obtain the receipt of the deposition of original EMD as per annexure “B” (the receipt copy is to be furnished and to be filed by the bidder before submission to the concerned office.)
 - (a) FDR/TDR issued by any Nationalized/Scheduled Bank drawn in favour of “Registrar, University of Delhi, payable at Delhi,
9. Bids will be opened as per date/time as mentioned above. After online opening of Technical-Bid the financial bid of eligible bidders will be opened and the date and time will be mentioned on the e-portal.

(The copy of receipt of depositing of Original EMD from the office of the Chief Engineer, Engineering Department, University of Delhi, Delhi-110007 in the prescribed Performa attached as below)

Receipt of deposition of original EMD

Receipt no. / date

- 1. **Name of work:** Repairing work inside, G.I. fitting work , and renovation work at bath/ toilet inside Warden House, D.S. Kothari Hostel, University of Delhi
- 2. **Estimated cost: Rs.9,70,248/-**
- 3. **EMD Cost: Rs.19,405/-**
- 4. **Tender ID No.**
- 5. **Ref. No.**

Last ate of submission of bid upto Hrs.

- 1. Name of contractor
- 2. Form of EMD
- 3. Amount of Earnest Money Deposit
- 4. Date of submission of EMD and time

Signature,
Name and Designation of EMD receiving officer along with office stamp
(to be filled by EMD receiving officer)

Content:

1. Instructions for online bid submission
2. Eligibility Requirements
3. Technical Bid
4. Price Bid Undertaking and schedule / BOQ
5. Scope of work
6. Conditions
7. Special Conditions
8. List of specific make

Instructions for Online Bid Submission:

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “**Online bidder Enrollment**” on the CPP Portal which is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC’s to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "online" to pay the tender fee / EMD as applicable and enter details of the instrument.
- 4) Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- 5) Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 6) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 7) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage

encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- 8) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 9) Upon the successful and timely submission of bids (ie after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 10) The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.

Eligibility Requirements:-

1. The bidder / contractor should have registration with CPWD/ MES/ Railways/ Delhi PWD/Delhi University in appropriate category & class.
2. The bidder should not be black listed from any authorities
3. The bidder should have the following documents
 - i. PAN Card
 - ii. Latest Income Tax Return (Assessment Year 2024-2025 or onwards)
 - iii. GST Registration
 - iv. GST Return **(From March 2026 or onwards)**
 - v. ESIC Registration along with copy of latest EPF returns/ECR **(From March 2026 or onwards)**
 - vi. EPFO Registration along with copy of latest EPF returns/ECR **(From March 2026 or onwards)**
 - vii. Registration with Labour Department from Central Govt. (Establishment profile)
 - viii. Power of attorney / Authority letter in case person other than the bidder has signed the tender documents.
4. Technical bid and price bid undertaking form should be duly filled in.
5. The bidder/ contractor should submit the Tender Fee and Earnest Money Deposit as per the details given in the NIT. The scanned copy of acknowledgement / receipt of online payment should be uploaded along with other documents.
6. The bidder should upload the scanned copies of all the documents during online bid submission.
7. The official of DU will visit the site of works carried out by agency before opening the financial bid
8. The bidder / contractor should upload the copy of three similar works each of value not less than 40% or two similar works each costing not less than 60% one similar work of value not less than 80% of this tender value i.e. on **Rs.9,70,248** /- executed in last 7 years ending provision day of last date of submission of bids

Technical Bid Documents:

Scanned copies (true copies) of the following documents are to be uploaded / furnished by the bidder / contractor along with Technical Bid

1. Copy of registration with CPWD/ MES/ Railways/ Delhi PWD /Delhi University in appropriate category & class.
2. Undertaking stating the bidder/ contractor has not been black listed from any authorities.
3. Copies of the following documents.
 - i. PAN Card
 - ii. Latest Income Tax Return / Clearance (Assessment Year 2024-2025 or onwards)
 - iii. GST Registration
 - iv. GST Return **(From March 2026 or onwards)**
 - v. ESIC Registration and latest return/ ECR **(From March 2026 or onwards)**
 - vi. EPFO Registration and latest return/ ECR **(From March 2026 or onwards)**
 - vii. Registration with Labour Department from Central Govt. (Establishment profile)
 - viii. Power of attorney / Authority letter in case person other than the bidder has signed the tender documents.
 - ix. Price Bid Undertaking duly filled and signed.
 - x. **Copy of acknowledgement /receipt of online for payment of tender fees.**
 - xi. The official of DU will visit the site of works carried out by agency before opening the financial bid
 - xii. The bidder / contractor should upload the copy of three similar works each of value not less than 40% or two similar works each costing not less than 60% one similar work of value not less than 80% of this tender value i.e. on **Rs.9,70,248/-** executed in last 7 years ending provision day of last date of submission of bids

N.B. The bidder / contractor who fail to comply with any of the above requirements / documents will be disqualified and their financial bid will not be considered / opened.

PRICE BID

- (a) Price bid undertaking
- (b) Schedule of price bid in the form of BOQ_XXXX .xls

PRICE BID UNDERTAKING

From: (Full name and address of the Bidder)_____

To,

Dear Sir/Madam,

1. I submit the Price Bid for **“Repairing work inside, G.I. fitting work , and renovation work at bath/ toilet inside Warden House, D.S. Kothari Hostel, University of Delhi and related activities as envisaged in the Bid document.**
2. I have thoroughly examined and understood all the terms and conditions as contained in the Bid document, and agree to abide by them.
3. I offer to work at the rates as indicated in the price Bid, BOQ inclusive of all applicable taxes.
4. I am / we are not blacklisted in any authorities/ Departments.

Yours Faithfully,

Signature of the Authorized Representative

[Validate](#)[Print](#)[Help](#)[Percentage BoQ](#)

Tender Inviting Authority: Engineering Department, University of Delhi.

Name of Work: Repairing work inside, G.I. fitting work, and renovation work at bath/ toilet inside Warden House, D.S. Kothari Hostel, University of Delhi

Contract No: CE/ET- 72 /DU/M- 93 (2026-27) dated:- 14-05-2026

Bidder Name :

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	4	5	6	53	55
1	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	2	each	109.02	218.04	INR Two Hundred & Eighteen and Paise Four Only
2	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, fixing with butt hinges of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid separately) Second class teak wood 35 mm thick shutters	12	sqm	4000.93	48011.16	INR Forty Eight Thousand & Eleven and Paise Sixteen Only
3	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thick : Second class teak wood	8	sqm	3233.47	25867.76	INR Twenty Five Thousand Eight Hundred & Sixty Seven and Paise Seventy Six Only
4	Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws : 35 mm thick shutters with ISI marked M.S. pressed butt hinges bright finished of required size Second class teak wood	7	sqm	4721.29	33049.03	INR Thirty Three Thousand & Forty Nine and Paise Three Only

5	Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete. With 2nd class teak wood beading 62X19 mm	6	sqm	1273.02	7638.12	INR Seven Thousand Six Hundred & Thirty Eight and Paise Twelve Only
6	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding	125	kg	213.18	26647.50	INR Twenty Six Thousand Six Hundred & Forty Seven and Paise Fifty Only
7	Providing and fixing chromium plated brass curtain rod having wall thickness of 1.25mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete :25 mm dia	25	metre	511.36	12784.00	INR Twelve Thousand Seven Hundred & Eighty Four Only
8	Distemping with 1st quality acrylic distemper, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two Coat	650	sqm	87.62	56953.00	INR Fifty Six Thousand Nine Hundred & Fifty Three Only
9	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	520	sqm	151.84	78956.80	INR Seventy Eight Thousand Nine Hundred & Fifty Six and Paise Eighty Only
10	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	150	sqm	100.02	15003.00	INR Fifteen Thousand & Three Only
11	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement	70	sqm	1233.72	86360.40	INR Eighty Six Thousand Three Hundred & Sixty and Paise Forty Only

	mixed with pigment of matching shade complete. `					
	Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer	2	each	3853.62	7707.24	INR Seven Thousand Seven Hundred & Seven and Paise Twenty Four Only
13	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : Kitchen sink without drain board 610x510 mm bowl depth 200 mm	1	each	6758.07	6758.07	INR Six Thousand Seven Hundred & Fifty Eight and Paise Seven Only
14	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	15	each	493.12	7396.80	INR Seven Thousand Three Hundred & Ninety Six and Paise Eighty Only
15	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15mm nominal bore	16	each	558.79	8940.64	INR Eight Thousand Nine Hundred & Forty and Paise Sixty Four Only
16	Providing and fixing uplasticised PVC connection pipe with brass unions : 30 cm length 15 mm nominal bore	12	each	82.71	992.52	INR Nine Hundred & Ninety Two and Paise Fifty Two Only
17	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Semi rigid pipe 32 mm dia	8	each	101.09	808.72	INR Eight Hundred & Eight and Paise Seventy Two Only
18	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid	1	each	7790.42	7790.42	INR Seven Thousand Seven Hundred & Ninety and Paise Forty Two Only

19	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1	each	6584.68	6584.68	INR Six Thousand Five Hundred & Eighty Four and Paise Sixty Eight Only
20	Providing and fixing soil, waste and vent pipes : 100 mm dia Sand cast iron S&S pipe as per IS: 1729					
20.01	100 mm dia Sand cast iron S&S pipe as per IS: 1729	17	metre	1120.80	19053.60	INR Nineteen Thousand & Fifty Three and Paise Sixty Only
20.02	75 mm diameter : Sand cast iron S&S pipe as per IS: 1729	15	metre	1016.54	15248.10	INR Fifteen Thousand Two Hundred & Forty Eight and Paise Ten Only
21	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.					
21.01	100 mm dia Sand cast iron S&S as per IS - 1729	5	each	582.34	2911.70	INR Two Thousand Nine Hundred & Eleven and Paise Seventy Only
21.02	75 mm dia Sand cast iron S&S as per IS - 1729	7	each	487.91	3415.37	INR Three Thousand Four Hundred & Fifteen and Paise Thirty Seven Only
22	Providing and filling the joints with spun yarn, cement slurry and cement mortar 1:2 (1 cement : 2 fine sand) in S.C.I./ C.I. Pipes :					
22.01	75 mm dia pipe	7	each	163.66	1145.62	INR One Thousand One Hundred & Forty Five and Paise Sixty Two Only
22.02	100 mm dia pipe	5	each	192.80	964.00	INR Nine Hundred & Sixty Four Only

23	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :					
23.01	15 mm dia nominal bore	50	metre	564.78	28239.00	INR Twenty Eight Thousand Two Hundred & Thirty Nine Only
24	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :					
24.01	15 mm nominal bore	7	each	395.87	2771.09	INR Two Thousand Seven Hundred & Seventy One and Paise Nine Only
25	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required :					
25.01	15 mm nominal bore	8	each	807.05	6456.40	INR Six Thousand Four Hundred & Fifty Six and Paise Forty Only
26	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite stone slab colour black, Cherry/Ruby red Area of slab over 0.50 sqm	5	sqm	4997.62	24988.10	INR Twenty Four Thousand Nine Hundred & Eighty Eight and Paise Ten Only

27	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 100x100 mm size P type With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4	each	2633.57	10534.28	INR Ten Thousand Five Hundred & Thirty Four and Paise Twenty Eight Only
28	Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform	5	sqm	902.31	4511.55	INR Four Thousand Five Hundred & Eleven and Paise Fifty Five Only
29	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	100	kg	104.94	10494.00	INR Ten Thousand Four Hundred & Ninety Four Only
30	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	1	cum	11194.85	11194.85	INR Eleven Thousand One Hundred & Ninety Four and Paise Eighty Five Only
31	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	40	sqm	1066.94	42677.60	INR Forty Two Thousand Six Hundred & Seventy Seven and Paise Sixty Only

32	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	650	sqm	24.47	15905.50	INR Fifteen Thousand Nine Hundred & Five and Paise Fifty Only
33	Providing and fixing bright finished brass handles with screws etc. complete: 125 mm	20	each	249.72	4994.40	INR Four Thousand Nine Hundred & Ninety Four and Paise Forty Only
34	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete : 250x16 mm	8	each	188.47	1507.76	INR One Thousand Five Hundred & Seven and Paise Seventy Six Only
35	Disposal of moorum/building rubbish/malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge. Note - item to be applicable in urban areas having directions for restricted hours for movement/ plying of load carrying motor vehicle of 3.5 cum or more.	12	cum	480.76	5769.12	INR Five Thousand Seven Hundred & Sixty Nine and Paise Twelve Only
36	Providing and fixing bright finished brass door latch with necessary crews etc. complete : 250x16x5 mm	12	each	299.68	3596.16	INR Three Thousand Five Hundred & Ninety Six and Paise Sixteen Only
37	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	15	each	118.37	1775.55	INR One Thousand Seven Hundred & Seventy Five and Paise Fifty Five Only
38	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	2	each	1564.54	3129.08	INR Three Thousand One Hundred & Twenty Nine and Paise Eight Only
39	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of nominal thickness 4 mm (weight not	4	sqm	1061.20	4244.80	INR Four Thousand Two Hundred & Forty Four and Paise

	less than 10kg/sqm)					Eighty Only
40	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	80	sqm	151.69	12135.20	INR Twelve Thousand One Hundred & Thirty Five and Paise Twenty Only
41	Applying priming coat: With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	40	sqm	72.63	2905.20	INR Two Thousand Nine Hundred & Five and Paise Twenty Only
42	Providing and fixing 100 mm sand cast Iron grating for gully trap.	15	each	51.81	777.15	INR Seven Hundred & Seventy Seven and Paise Fifteen Only
43	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1 cement : 4 fine sand)	10	sqm	532.91	5329.10	INR Five Thousand Three Hundred & Twenty Nine and Paise Ten Only
44	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete : 25 to 40 mm nominal bore	6	each	887.28	5323.68	INR Five Thousand Three Hundred & Twenty Three and Paise Sixty Eight Only
45	Cutting holes up to 30x30 cm in walls including making good the same: With common burnt clay F.P.S. (non modular) bricks	6	each	405.55	2433.30	INR Two Thousand Four Hundred & Thirty Three and Paise Thirty Only

46	<p>Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge.</p> <p>Note: Measurement and payment: The pre-measurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/Sqmm²). 50 mm average thickness in 3 layers.</p>					
46.01	12 mm average thickness	5	sqm	378.16	1890.80	INR One Thousand Eight Hundred & Ninety and Paise Eighty Only
46.02	25 mm average thickness in 2 layers	5	sqm	571.49	2857.45	INR Two Thousand Eight Hundred & Fifty Seven and Paise Forty Five Only
46.03	50 mm average thickness in 3 layers	5	sqm	1142.98	5714.90	INR Five Thousand Seven Hundred & Fourteen and Paise Ninety Only

47	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)					
47.01	For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)	50	kg	516.57	25828.50	INR Twenty Five Thousand Eight Hundred & Twenty Eight and Paise Fifty Only
47.02	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)	45	kg	617.32	27779.40	INR Twenty Seven Thousand Seven Hundred & Seventy Nine and Paise Forty Only

48	<p>Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)</p>	7	sqm	1464.61	10252.27	INR Ten Thousand Two Hundred & Fifty Two and Paise Twenty Seven Only
49	<p>P/F costum built cupboard, The shutters are to be made from 18 mm thick HDHMR board (from brands like Action Tesa, Green ply, or Centuary or equivalent) and covered on both side with 1mm sunmica (from same brands or equalent) A complete wooden frame is required for the shutter made from 75mm x 40 mm second class teak wood, including any necessary intermediate supports. The wooden frame must be polished with french spirit . The scope includes a applying and fitting all required hardware and fixtures (Godrej) 25 mm curvo wardrobe Multipurpose lock). All work must be completed according to the instructions of The Engineer-in Charge.(Note: for the purpose of payments, only the front face area of the cupboard will be measured in square meters, internal details will not be measured separately)</p>	9	sqm	7727.00	69543.00	INR Sixty Nine Thousand Five Hundred & Forty Three Only

50	Providing and fixing a custom -built cupboard with total overall depth of 600 mm. The main structure of the cupboard, including the sides, top , bottom, shelves and shutters shall be fabricated using 18mm thick HDHMR (one side prelamined) board of approved brands such as Action Tesa, Greenply or Centuary. The rear panel shall be made from 8.00 mm thick HDHMR (one sie prelaminted), the exterior must be covered with sunmica as well the sumica shall be of approved brand only. The scope includes supplying and installing all necessary hardware fittings and fixtures, such as hinges, handles, Godrej , Multipurpose Locks, Stoppers, Screws, and other accessories. The entire works shall be carried out as pe the instructions of the Engineer-in Charge, ensuring proper alignment, finishing, and durability (Note:- for the purpose of payment, only the front face area of the cupboard will be measured in square meters internal details will not be measured separately)	7	sqm	19069	133483.00	INR One Lakh Thirty Three Thousand Four Hundred & Eighty Three Only
Total in Figures	.				970248.48	INR Nine Lakh Seventy Thousand Two Hundred & Forty Eight and Paise Forty Eight Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words				INR Zero Only		

Scope of work:-

1. Dismantling cistern
2. glazed shutters
3. M.S. wire gauge
4. M.S. grills
5. white cement based putty
6. Painting with synthetic enamel paint
7. Stainless Steel
8. bib cock
9. Repairs to plaster of thickness 12 mm

CONDITIONS

Name of Work:- : **Repairing work inside, G.I. fitting work , and renovation work at bath/ toilet inside Warden House, D.S. Kothari Hostel, University of Delhi**

1. All materials to be used on the work shall be of reputed makes/ISI marked, as per the sample approved by the Engineer In charge.
2. If the agency fail to complete the work within the specified /schedule time. The University reserve the right to reject their bid
3. Time allowed for the work from the day after the date of written order to commence the work will be **20 days**
4. Water and electricity required for the work will be allowed to the contractor for use and 1.5% of the full cost of work done will be recovered
5. Cement required for the works will have to be arranged by the contractor, and his own cost.
6. All taxes as applicable shall be deducted from the bills of contractors.
7. The contractor will have to get samples of material and all fittings approved by the Engineer-in Charge or his representative before using them at site.
8. The successful contractor will have to execute or agreement with the University Authorities on the University Printed Form which can be seen before tendering in the office of the undersigned. Clause 10 CC shall not be applicable for this work.
9. Before tendering, the bidder shall visit the site and satisfy himself as to the local conditions, the accessibility of the site of full extent and implication of the operation, the nature of the ground and supply conditions affecting labour and execution of the contract. No claim on these issues will be entertained.
10. Inconvenience of Public: The Contractor shall not deposit materials on any site which will cause inconvenience to the public. The contractor may require to remove any materials which are considered to be dangerous or inconvenient to the public or cause them to be removed, at the contractor's cost as per direction of Engineer-in-charge. Works must be executed as per prevailing rules norms and guidelines of all statutory authorities.
11. In case of error in description of any DSR item given in the attached schedule, the description given in the CPWD schedule of rates 2023 shall be final & no claim on account of error shall be entertained.
12. All existing services and ground of the plot (like storm water drains, water supply lines, sewer lines and approach roads etc.) will be kept by contractor in good order. Any damage to lawns, services, existing structure etc. during execution of work will have to be made good by the contractor at his own cost.
13. The contractor will co-operate with the other agencies working at the site/or in the surrounding area.
14. The successful contractor or his representative should be made available at work site execution every day during the execution of the work who will receive day to day instructions from the Engineer-In-Charge or his representative.
15. The contractor has to make his own arrangement of T&P required for execution of the work and no claim will be admissible on this account.
16. The contractor should submit the following documents along with the tender:
 - (a) Registration in Labour Department from Central Govt.
 - (b) Registration with (a) EPFO (b) ESIC.

17. The contractor shall obtain a valid license under the Contract Labour (R & A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971, before the commencement of the work and continue to have a valid license until the completion of the work. The contractor shall also abide by the provisions of the Child Labour (Prohibition and Regulation) Act, 1986. The contractor shall also comply with the provisions of the building and the other construction workers (Regulation of Employment & Conditions of Service) Act, 1996 and the building and other Construction Workers Welfare Cess Act, 1996.
Any failure to fulfill these requirements shall attract the penal provisions of this contract arising out of the resultant non-execution of the work. No labour below the age of fourteen years shall be employed on the work.
18. Before commencement of the work, the contractor shall submit completion program of the assigned work so as to inform the Executive Engineer in advance. The work shall be executed without inconvenience to the beneficiaries.
19. In case the work site is not made available to the contractor according the program, no claim will be admissible on this account.
20. All doors, windows, floors, furniture, electrical fitting and other articles shall be protected from Splashes and droppings of white/colour washing, distempering, painting etc. on wall, floors, doors, window, furniture etc. the same shall be removed by the contractor at his own cost failing which the Engineer in charge shall have the right to get this work done at the risk and cost of the contractor.
21. The contractor shall have to get the site of work cleared during execution and / or on completion of work as per directions and to the satisfaction of Engineer in charge.
22. Conditional tenders / quotations will not be accepted and will be rejected outright.
23. Variation in excess of the work shall not be allowed without prior approval of the competent authority. It shall be the responsibility of the contractor to ensure that cost of the work is not increased beyond the award value.
24. The tender shall remain open for acceptance of the period of 60 days from the date of opening of tenders. If any bidder withdraws his tender before the said period or makes any modification in the terms and conditions of the tender which are not acceptable to the University, then the University without prejudice to any right or remedy be at liberty to forfeit the earnest money.
25. The University authorities reserve the right to reject any or all the tenders without assigning any reason.
26. The contractor shall sign all pages of the tender documents including these conditions. Incomplete tenders are likely to be rejected.
27. The Contractor shall be required to deposit an amount equal to 5% of the tendered value of the work as performance guarantee in the form of irrevocable bank guarantee bond of any scheduled bank or state bank of in accordance with the form prescribed or n the form of Govt. Security, fixed deposit receipt etc. as in the case of recovery of security deposit within 15 days of the issue of letter of intent but before award or work. This period can be further extended by the Engineer-In-Charge up to a maximum period of 7 days on written request of the contractor.
28. The work is to be executed as per layout given by the Engineer-in-charge and the contractor shall restrict the work accordingly.
29. After the award of work and agreement will be as per the general condition of contract of work of University of Delhi, which can be seen from the office of University Engineer.
30. If the contract has not carried out the work as per the CPWD specification no claim of payment is acceptable.
31. At the time of billing the contractor will have to submit an Affidavit\undertaking regarding payment of labour has been done after the completion of work.

32. Watch and ward of the materials at site and E.I. will be the responsibility of the contractor till full testing of all the fittings are completed and handed over to the department in full and nothing extra will be paid on this account.
33. The Contractor shall be fully responsible for the safe custody and proper storage of material at site to the satisfactions of the Engineer-in-Charge for which nothing extra will be paid.
34. If any damage is done to the building during the checking existing conduit, junction boxes etc. same will have to be made good by the contractor for which nothing extra will be paid.
35. The work shall be carried out as per latest CPWD specifications with relevant IS codes for works at Delhi, with up to date correction slips unless otherwise specified in the nomenclature of the individual item of work
36. Persons executing the electrical work shall have the electrical license as required according to Indian Electricity rules
37. The board shall be rigidly fixed to the wall by means of bolts and nuts without causing damaged to the buildings.
38. All electric connection shall have to be done by the contractor and installation energized and set in working order before they can be accepted by Engineer-in Charge.
39. The contractor will be fully responsible for any accident during execution of work including third party.
40. All earth continuity conductors shall be connected to metal boards and their mountings by means suitable lugs (Crimping type)
41. The Arbitration shall be conducted in accordance with the provisions of the arbitrator and conciliation Act, 1996 (26 of 1996) or any statutory modifications or reenactment thereof and the rules made there under and for the time being in force shall apply to the arbitration proceeding. It is also a term of the contract that, if any fees are payable to the arbitrator these shall be paid equally by both the parties
42. The agency will have the insurance policy of the workers and third party for the minimum period of one year /contract period whichever is later
43. CPWD norms/ amendment issued time to time will be followed rigidly into too for extra item/ deviation/ Substituted items etc.

(Executive Engineer)

SPECIAL CONDITION

Clause 12 shall be read as under:

CLAUSE 12. The Engineer -in charge shall have power to make any alterations in , omissions from, additions to or substitutions for , the original specifications , drawings, designs and instructions, that may appear to him to be necessary during the progress of the work , and the contractor shall carry out the work in accordance with and instructions which may be given to him in writing signed by the Engineer -in charge , and such alterations, omissions, additions or substitutions shall not invalidate the contract and any altered , additions or substituted work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work. The time of the completion of the work shall be extended in the proportion that the altered, additional or substituted work bears to the original contract work, and the certificate of the Engineer -in charge shall be conclusive as to such to proportion. Over and above this, a further period to the extent of 25 per cent of the time as extended shall be allowed to the contractor. The rates for such additional, altered or substituted work under this clause shall be worked out accordance with the following provisions in their respective order:

- (i) If the rates for the additional , altered , substituted work are specified in the contract for the work, the contractor is bound to carry out the additional , altered or substituted work, at the same rates are as specified in the contract for the work .
- (ii) If the rates for the additional, altered, substituted work are not specifically provided in the contract for the work, the rates will be derived from rates for a similar class of work as are specified in the contract for the work.
- (iii) If the altered , additional or substituted work includes any work for which no rates is specified in the contract for the work cannot be derived from the similar class of work in the contract , than such work shall be carried out the rates entered in C.P.W.D. Schedule of Rates for Delhi 2023 Minus/ plus which the total Bidder amount bears to the estimated cost of the entire work put to tender.
- (iv) It the rates for the altered , additional or substituted work cannot be determined in the manner specified in sub- clause (i) to (iv)above then the contractor shall, within 7 days of the date of receipt of order to carry out the work , inform the Engineer - In charge of the rate which it is his intention to charge for such class of work, supported by analysis of the rate or rates claimed, and the Engineer - in charge shall determine the rate or rates on the basis of prevailing market rates, and pay the contractor accordingly. However the Engineer - in charge by notice in writing, will be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable . But under no circumstances, the contractor shall suspend the work on the plea of non- settlement of rates of items falling under the clause.
- (v) CPWD norms/ amendment issued time to time will be followed rigidly into too for extra item/ deviation/ Substituted items etc.

(Executive Engineer)

**LIST OF RECOMMENDED MAKES OF MATERIAL
(CIVIL WORK)**

The materials of the following make of first/ standard quality shall only be used in the work. In case of is established through that the brands specified below are not available in the market, the contractor shall submit proposal for alternative make for the approval of the University Engineer. However, tests prescribed in CPWD specifications with upto date correction slips should be carried out in all cases.

No.	Material Name	Manufacturers/Model/Make Name
	CONCRETE/ RCC WORK	
1	CEMENT (Ordinary Portland Cement and Cement (P.P.C.) 43 Grade)	ACC, AMBUJA, ULTRATECH, JK CEMENT, BIRLA, WONDER, SHREE
2	READY MIXED CEMENT CONCRETE	ACC, ULTRA TECH, NDCON, SHRI RAM RMC, NUVOCO, VK RMC or any other RMC Plant with BIS Certification in accordance to IS 4926 (latest edition) to be approved by Engineer-in-Charge after inspection of facility.
3	ADMIXTURES FOR PCC/RCC/MORTAR	FOSROC, SIKA, BASF, MAPEI, CHRYSO (SAINT GOBAIN)
4	WHITE CEMENT	BIRLA WHITE, J.K. WHITE, ULTRA TECH
5	CURING COMPOUND	FOSROC, SIKA, CICO, BASF
6	EXPANSION JOINTS	VEXCOLT, SANFIELD, BIZZAR, MIGUA, HERCULES
7	STEEL (TMT FE-500D or OTHER GRADE)	TATA STEEL LTD., RINL, JINDAL STEEL & POWER LTD (PANTHER), JSW STEEL LTD (NEO), SAIL.
8	STRUCTURAL STEEL SECTIONS INCLUDING HOLLOW SECTIONS	TATA, JINDAL STEEL & POWER LTD, RINL, SAIL, APL APOLLO
9	STEEL SECTION FOR DOOR/WINDOW FRAME	TATA, JINDAL STEEL & POWER LTD, APL APOLLO
10	S.S. STAIRCASE RAILING	DORMA, JINDAL LIFESTYLE, DORSET, TECHNORAIL, RINOX, KICH
11	CLAMP SYSTEM FOR STONE CLADDING	HILTI, FISHER, BOSCH, AXEL, WUERTH
12	DASH, ANCHORING FASTENERS	HILTI, FISCHER, BOSCH, AXEL, WUERTH
13	HIGH TENSILE STEEL TENDONS FOR PT WORK	TATA, USHA MARTIN, DP WIRES
14	WELDING RODS	ADVANI, ESAB, ADOR
15	REBARRING CHEMICAL	FOSROC, 3M INDIA, WUERTH, HILTI
16	AAC BLOCK ADHESIVE	WEBER (WEBERWALL JOINSBOND), ULTRATECH (XTRALITE), MYK LATICRETE, FERROUSCRETE
17	AAC BLOCKS	ULTRATECH, BUILTECH, MAGICRETE, R.S. GREEN, AEROCON, FINECRETE, CLAVECON, FERROUSCRETE
18	STONE ADHESIVE	ARDEX ENDURA, WEBER, MYK LATICRETE, MAPEI, FERROUSCRETE
19	STONE SURFACE SEALER/IMPREGNATION & CLEANING AGENTS	ARDEX ENDURA, WEBER, MYK LATICRETE, MAPEI
20	POLYMER MODIFIED MORTAR	SIKA, FOSROC, MYK ARMENT, ULTRATECH, WEBER, FERROUSCRETE
21	MICRO CONCRETE	SIKA, FOSROC, BASF, MYK ARMENT, ULTRATECH, FERROUSCRETE
22	GRC JALI	UNISTONE, BIRLA WHITE, DALAL
23	EXPOSED BRICKWORK BRICKS	JINDAL MECHNO BRICKS, THE BRICKSTORE (JAYALARAM BRICKS), UNISTONE, PRAYAG CLAY PRODUCTS (VARANASI)
24	FACTORY HOT PRESSED LAMINATED/FACTORY VENEERED POLISHED DOOR	GREEN, DURO, CENTURY, GREENLAM, GREENPANEL, MERINO
25	FLUSH DOOR (BLOCKBOARD CONSTRUCTION)	GREEN, DURO, CENTURY, GREENLAM, GREENPANEL, MERINO, ARCHIDPLY
26	VENEERED/LAMINATED PARTICLE BOARD/MDF/HDF/HDHMR BOARD	GREEN, GREENLAM, GREENPANEL, CENTURY, BHUTAN TUFF, MERINO, ARCHIDPLY
27	BLOCK BOARD, PLYWOOD (PINE BOARD)	GREEN, DURO, CENTURY, MERINO, ARCHIDPLY, BHUTAN TUFF
28	LAMINATE/HPL/COMPACT LAMINATE	EURO DÉCOR, GREENLAM, CENTURY, MERINO

29	VENEERED PLY	EURO DÉCOR, CENTURY, DURO, GREEN, GREEN LAM, GREEN PANEL, MERINO, ARCHIDPLY, BHUTAN TUFF
30	SS 316 HARDWARE/FITTINGS/JOINERIES FOR DOOR WINDOWS, WARDROBES, MODULAR KITCHENS	DORMA, HAFELE, HETTICH, GEZE
31	SS 304 HARDWARE/FITTINGS/JOINERIES FOR DOOR WINDOWS, WARDROBES	DORSET, HETTICH, GEZE, DORMA, HAFELE
32	HYDRAULIC DOOR CLOSER, FLOOR SPRING	DORMA, HAFELE, YALE, DORSET
33	WOOD ADHESIVE	FEVICOL, 3M, SIKA
34	FIRE CHECK DOOR (ALL TYPES)	SHAKTI HORMANN, PACIFIC, SUKRI, TATA PRAVESH, BHAWANI FIRE, PYROTECH, SAINT GOBAIN, NAVAIR
35	FIRE RESISTANT (WIRED/INTUMESCENT GEL) GLASS	GOBAIN, GLAVER BEL, SCHOTT, PYROGUARD, AIS PYROBEL
36	DOOR FITTINGS & HARDWARE FOR FIRE CHECK DOORS (DOOR CLOSER, PANIC BAR, PANIC TRIM, HINGES, MORTISE DEAD LOCK, HANDLE, FLUSH BOLT, DOOR COORDINATER ETC.)	DORMA, HEFELE, GEZE, HORMANN
37	INTUMESCENT FIRE/SMOKESEAL	ASTRO FLAME, RAVEN, SEALZ, FISCHER
38	PAINT AND PRIMER FOR FIRE CHECK DOOR	VIPER, FRS 880/FRS 881, PROMAT, NULLIFIRA, AKZO NOBEL
39	TOILET CUBICLES	GREENLAM, FUNDERMAX, CENTURY, MERINO
40	ACRYLIC SOLID SURFACE	LG HI-MACS, DUPONT CORION, NEONNEX, LUXOR (DURLAX)
41	VENETIAN/HONEYCOMB/ROLLER BLINDS & CURTAIN TRACKS, DRAPERY RODS	MAC, VISTA, DECK, HUNTER DOUGLAS, D'DÉCOR
42	WPC DOORS & FRAMES	ALSTONE, RAJSHRI, GREENPLY, CENTURY, AMULYA
43	WPC BOARDS & JALI	ALSTONE, RAJSHRI, GREENPLY, CENTURY, AMULYA
44	UPVC WINDOWS	DUROPLAST, ENCRAFT, KOMMERLING, LG-HAUSYS, PABROS
45	ACOUSTICAL WALL PANELING	ANUTONE, ECOTONE, BOLLARD, EARCONS, CREDENCE
46	VITRIFIED TILES AND CERAMIC TILES	KAJARIA, RAK, RESTILE, SOMANY, JOHNSON, KALINGA
47	COMPOSITE MARBLE/QUARTZ STONE	JOHNSON, RESTILE, KAJARIA, UNISTONE, SOMANY
48	CC CHEQUERED/TACTILE TILES	JOHNSON, RESTILE, KAJARIA, UNISTONE, SOMANY
49	TILE ADHESIVE, EPOXY/CEMENTITIOUS TILE GROUT	ARDEX ENDURA, WEBER, MYK LATICRETE, MAPEI, CHRYSO (SAINT GOBAIN), FERROUSCRETE
50	POLYSULPHIDE SEALANT	BASF, FOSROC, SIKA, MAPEI, ARDEX ENDURA, PIDILITE, CHRYSO (SAINT GOBAIN), FERROUSCRETE, MYK ARMENT
51	WOODEN FLOORING	ARMSTRONG, PERGO, MIKASA (GREENLAM), PARADOR (HIL), JUNCKERS, VISTA
52	RAISED/FALSE ACCESS FLOORING SYSTEM	UNITILE, LINDNER, UNIFLOOR, TANKARIA, TATE ACCESS FLOOR SYSTEMS
53	PVC (VINYL) FLOORING	ARMSTRONG (CCIL), WONDERFLOOR, PERGO, LG HAUSYS
54	GYPSUM BOARD	INDIA GYPSUM, LAFARGE, BORAL, GYPROC
55	CALCIUM SILICATE TILES/BOARD FALSE CEILING & FRAMING	AEROLITE, SAINT GOBAIN, HILUX, USG BORAL
56	MINERAL FIBRE/GRG FALSE CEILING SYSTEM	ARMSTRONG, GYPROC, AEROLITE, USG BORAL, DIAMOND
57	TUBULAR & METAL FALSE CEILING SYSTEM	HUNTER DUGLUS, ARMSTRONG, LINDNER, CREDENCE DEXUNE, DURLUM
58	ALUMINIUM BAFFLE FALSE CEILING SYSTEM	HUNTER DUGLUS, ARMSTRONG, LINDNER, DURLUM

59	WOODEN FALSE CEILING SYSTEM	ARMSTRONG, ANUTONE, ECOPHONE, EPITOME
60	DRY WALL SYSTEM-BOARD AND FRAMING	USG BORAL, GYPROC, EVEREST
61	FALSE CEILING SYSTEM-GYPSUM BOARD/TILES	GYPROC, LAFARAGE, INDIA GYPSUM, USG BORAL
62	CEMENT FIBRE BOARDS	EVEREST, BIRLA AEROCON, VISHAKHA, CENTURY (Zykron), SAINT GOBAIN
63	TENSILE FABRIC	BLUE STONE, ENCON, STRUCTURE FLEX, SAINT GOBAIN
64	WATER-PROOF CEMENT PAINT	SNOWCEM, ASIAN
65	SYNTHETIC ENAMEL PAINT	ASIAN (APCOLITE PREMIUM GLOSS/SATIN ENAMEL), ICI (DULUX GLOSS/SATIN), KANSAI NEROLAC (SYNTHETIC ENAMEL HI GLOSS/SATIN ENAMEL SMOOTH FINISH), BERGER (LUXOL HIGH GLOSS/SATIN)
66	PLASTIC/PREMIUM EMULSION PAINT	ICI (DULUX VELVET TOUCH/ DULUX SUPERCLEAN), NEROLAC (BEAUTY GOLD), ASIAN PAINTS (ROYALE LUXURY EMULSION/ROYALE MATT)
67	OIL BOUND DISTEMPER/ACRYLIC WASHABLE DISTEMPER	ASIAN PAINTS (TRACTOR EMULSION), ICI (DULUX PROMISE INTERIOR), NEROLAC (IMPRESSIONS ECOCLEAN/IMPRESSIONS IDEAZ)
68	EPOXY/PU PAINT	ASIAN, ICI, KANSAI NEROLAC
69	TEXTURED EXTERIOR PAINT	ASIAN PAINTS (APEX) ICI (WEATHER SHIELD), KANSAI NEROLAC (EXCEL)
70	EXTERIOR EMULSION/PAINT	ASIAN (ULTIMA PROTEK), ICI (DULUX WEATHERSHIELD MAX), NEROLAC (EXCEL TOTAL)
71	STEEL PRIMER/WOOD PRIMER	BERGER, NEROLAC, ASIAN, ICI
72	EXTERIOR WATERPROOFING PAINT	ASIAN, ICI, NEROLAC
73	ANTI BACTERIAL PAINT	ICI, ASIAN, BERGER
74	MELAMINE & PU POLISH	ASIAN, ICI, NEROLAC, BERGER
75	GYPSUM PLASTER	GYPROC (ELITE-90), ULTRA TECH, USG BORAL, BIRLA WHITE, FERROUSCRETE, MYK LATICRETE
76	WALL PUTTY	JK, BIRLA, ASIAN PAINTS, FERROUSCRETE
77	POWDER COATING	AKZO NOBEL, JOTUN, JENSON & NICHOLSON
78	BITUMASTIC PAINT	BERGER, SHALIMAR, NEROLAC, ASIAN
79	CC/SFRC PRECAST DRAIN COVER/KERB STONE/CHANNEL	KK, NITCO, DALAL TILES, CHELSEA, PAVECON, KJS CONCRETE, UNISTONE
80	FRP DRAIN AND MANHOLE COVER	DUDHI, ASHIRVAD, KK FRP
81	CC PAVERS/GRASS PAVER	NITCO, UNISTONE, ULTRA TILES, KJS CONCRETE, PAVECON, CHELSEA
82	THERMOPLASTIC PAINT/ROAD MARKING PAINT	NEROLAC, ASIAN, SHALIMAR, BERGER, STP LTD
83	C.P. BRASS FAUCETS, FITTINGS FOR TOILETS I/C WELLNESS PRODUCTS AND ACCESSORIES (TOWEL ROD, TOILET PAPER HOLDER, ROB HOOK, SOAP DISH HOLDER, LIQUID SOAP CONTAINER ETC)	JAQUAR, KOHLER, GROHE, ROCA, AMERICAN STANDARD
84	URINAL SENSORS, HAND DRYERS	JAQUAR, KOHLER, ROCA, EURONICS
85	PTMT FITTINGS	PRAYAG, POLYTUF, PRIMA, SUPREME
86	SS PIPES & FITTINGS FOR WATER SUPPLY	JINDAL LIFESTYLE, VIEGA, J PRESS, ALFAPRESS
87	G. I. PIPES	TATA, JINDAL HISAR, SAIL, PRAKASH SURYA
88	G. I. FITTINGS	UNIK, ICS, KS
89	D I PIPES & FITTINGS	KESORAM, ELECTROSTEEL, TATA
90	BRASS/GUNMETAL-ALL/GATE/GLOBE/NRV/FOOT/PRV-VALVES	LEADER, SANT, ZOLOTO, KIRLOSKAR
91	CI-BUTTERFLY/SLUICE/NRV/FOOT/AIR RELEASE-VALVES	LEADER, SANT, ZOLOTO, KIRLOSKAR
92	FLOAT VALVE (BALL TYPE)	PRAYAG, LEADER, ZOLOTO, IBP, ARCO
93	Y TYPE STRAINER	EMERALD, SANT, ZOLOTO, LEADER

94	FORGED STEEL FITTINGS/FLANGES	JOHNSON, VS FORGE, JK FORGING, TRUE FORGE, INDUS, MEC (JAINSONS)
95	PIPE HANGERS/SUPPORTS/CLAMPS	HILTI, FISCHER, EUROCLAMP, GMGR, NECO, EASYFLEX
96	MS PIPES	JINDAL HISAR, TATA, SURYA, APL APOLLO
97	C.I./D.I. MANHOLES COVERS, GRATINGS	BIC, RIF, NECO, ACO
98	PVC WATER STORAGE TANKS	SINTEX, SHEETAL, SUPREME, POLYPLAST
99	CPVC/UPVC PIPES & FITTINGS	ASHIRVAD, FINOLEX, SUPREME, ASTRAL
100	VITREOUS CHINA SANITARYWARE	KOHLER, JAQUAR, ROCA
101	STAINLESS STEEL SINKS	NILKANTH, NIRALI, ROCA, HAFELE
102	EXPOSED PVC CISTERN	KOHLER, ROCA, JAQUAR
103	CENTRIFUGAL CAST (SPUN) IRON (S&S) / HUBLESS PIPES AND FITTINGS	NECO, BIC, PAM-SAINT GOBAIN, SKF
104	CENTRIFUGALLY CAST (SPUN) IRON PIPES (CLASS LA)	NECO, BIC, PAM-SAINT GOBAIN, SKF
105	C.P. BOTTLE TRAPS	JAQUAR, ROCA, KOHLER
106	GRAB BARS AND ACCESSORIES	KOHLER/JAQUAR/EURONICS/DORMAKABA
107	SS/CP BRASS ANTI COCKROACH TRAP/GRATING FOR DRAINAGE PIPES	VIKING, JAYNA, CHILLI, KICH, EURONICS
108	STONEWARE PIPES & GULLY TRAPS	PERFECT, TAYA, PARRY, BURN, ANAND, HIND
109	RCC PIPES	LAKSHMI, SOOD & SOOD, JAIN & CO, PRAGATI CONCRETE, KK, USHA, DIWAN SPUN PIPE
110	HDPE PIPES	ASHIRVAD, SUPREME, ASTRAL
111	PVC PIPES	REX POLYEXTRUSION, SUPREME, PRINCE, SUPREME, ASHIRVAD
112	ALUMINIUM HARDWARE FITTINGS FOR ALUMINIUM WINDOWS & DOORS, FRICTION STAY HINGES ETC.	ALUALPHA, GEZE, ROTO, DR HANN, SECURISTYLE, STAC, SCHUCO
113	ALUMINIUM DOORS & WINDOWS SYSTEM FABRICATORS	JINDAL, HINDALCO, BHORUKA, KALCO, SCHUCO, TECHNAL, SAPA, SHANKAR FENESTRATIONS & GLASS (PABROS)
114	ALUMINIUM EXTRUDED SECTIONS FOR ALUMINIUM WINDOWS/DOORS	JINDAL, HINDALCO, BHORUKA
115	STRUCTURAL GLAZING/ALUMINIUM GLASS PARTITION SYSTEM	KALCO, SCHUCO, TECHNAL, SAPA, SHANKAR FENESTRATIONS & GLASS (PABROS), DORMAKABA, LINDNER, KUBIK, BOTTOMLINE, KALCO
116	EPDM GASKET	HANU, ANAND, ALP, MONA
117	SILICON GASKET	DORSET, HAFELE, JAQUAR, GODREJ, SAINT GOBAIN
118	FLOAT GLASS	SAINT GOBAIN, ASAHI, MODIGUARD SISECAM (TURKEY)
119	TOUGHENED GLASS PROCESSOR	AIS GLASS, SHANKAR TUFF, Art N GLASS, SHEESHMAHAL
120	MASKING TAPE	3M, SUN, WONDER POLYMER
121	REFLECTIVE GLASS	SAINT GOBAIN, ASAHI (INDIA), PILKINGTON, GUARDIAN
122	LOOKING GLASS / MIRROR	ATUL, MODI GUARD, GOLDEN FISH, SAINT GOBAIN
123	ADHESIVE TAPE/STRUCTURAL SEALANT TAPE	NORTON, 3M, PENTA GUN
124	SILICON SEALANT	GE MOMENTIVE, DOW CORNING, WACKER, MAPEI, MC-BAUCHEMIE
125	ROCK WOOL/GLASS WOOL	U.P TWIGA, ROCK WOOL INDIA LTD., LLYOD LTD., ROXUL ROCKWOOL INDIA
126	FROSTED FILM	LG, 3M, GARWARE, DUPONT
127	AUTOMATIC SLIDING DOOR	SCHUCO, SAPABUILDINGSYSTEMS, EUROPEAN FAÇADEPRODUCT (EPF), DORMA KABA
128	PVC WATER STOP/SWELLABLE WATER BAR	SIKA, FOSROC, PENETRON, BASF, VELOSIT
129	PU/EPOXY/CEMENTITIOUS GROUTING COMPOUND	LATICRETE, WEBER, MAPEI, SIKA, FOSROC, CHRYSO (SAINT GOBAIN), VELOSIT
130	HIGH PERFORMANCE EPOXY BASED RESIN ANCHOR SYSTEM	FOSROC, FISHER, HILTI

131	EPOXY MORTAR/PUTTY	FOSROC, SIKA, BASF, LATICRETE, MAPEI, ARDEX ENDURA, CHRYSO (SAINT GOBAIN)
132	SOLVENT BASED SILICONE REPELLENT COATING	FAIRMATE, WACKER, WEBER, MYK ARMENT, MAPEI, DOW CHEMICALS, ZYDEX
133	CRYSTALLINE WATER PROFFING COMPOUND (At doses arrived after testing)	XYPEX, PENETRONE, KRYTON
134	LIQUID APPLIED PU/POLYUREA, HYBRID POLYUREA/ELASTOMERIC WATER PROOFING MEMBRANE (1 COMPONENT/2 COMPONENT)	SIKA, FOSROC, BASF, MAPEI, VELOSIT
135	HDPE/PVC BASED DRAINAGE BOARD	DANODRAIN, SIKA, FOSROC, BASF
136	HDPE WATERPROOFING MEMBRANE	SIKA, FOSROC, BASF, MAPEI, GRACE
137	APP/PVC/SBR BITUTHENE/BITUMINOUS MEMBRANES (INCLUDING SELF ADHESIVE TYPE)	FOSROC, SIKA, BASF, STP, GRACE
138	PU/EPOXY SEALANT FOR CRACKS	SIKA, FOSROC, BASF, MYK ARMENT, MAPEI, WEBER, CHRYSO (SAINT GOBAIN)
139	TWO PART ACRYLIC POLYMER MODIFIED CEMENTITIOUS ELASTOMERIC COATING AND ITS ACCESSORIES	LATICRETE, WEBER, MAPEI, SIKA, FOSROC, CHRYSO (SAINT GOBAIN), VELOSIT