

**Detailed Notice Inviting Tender
(DNIT)**



GOVERNMENT OF HARYANA

Municipal Corporation/Urban Local Bodies

Name of work: Shifting of Milk Dairies in MC Hisar

Estimate Cost: Rs 3461.76 Lakhs

TABLE OF CONTENTS

Sr.	Name of Contents
	INVITATION FOR BIDS
i	Press Notice
ii	Detailed Notice Inviting Tender
iii	Key Dates
	SECTION-1
	Instructions to Bidders (ITB)
	SECTION-2
	Qualification information
	SECTION-3
	Conditions of Contract& Contract Data
	SECTION-4 A
	Detailed Scope of Work (In case of Turn Key works)
	SECTION-4 B
	Technical specification of Works
	SECTION-5
	Drawings
	SECTION-6
	Bill of quantities
	SECTION-7
	Standard Forms Letter of Acceptance and Other Forms

e-Tender NoticePRESS NOTICE**HARYANA Municipal Corporation/Urban Local Bodies****DEPARTMENT**

Notice Inviting Tender No. 20260609-10-08-152315859/Municipal Corporation/Urban Local Bodies Dept/HRY. Dated: 09/06/2026

The **Employer** invites bids from the eligible contractors online on the website: <https://etenders.hry.nic.in> for the work detailed in the table.

Name of Work:	Shifting of Milk Dairies in MC Hisar
Cost of work	Rs 3461.76 Lakhs
Time Limit	21 Months

Tenders to be received till: **05:00** hours on dated **29/06/2026**

1. Pre bid meeting (if applicable) will be held on **19/02/2026** at **12:00** Hrs. in the office of **Municipal Corporation Hisar Malik Chowk**
2. Bidder shall pay Rs. **1180/-** as E-Service fee through Net Banking in favour of **“Society for IT initiative fund for e-Governance” payable at Chandigarh..**
3. For further details and e-tendering schedule please visit website <http://etenders.hry.nic.in>

For and on behalf of **Employer**
Executive Engineer
Municipal Corporation/Urban Local Bodies
Municipal Corporation Hisar
Phone No: 8295088152

DETAIL NOTICE INVITING TENDER

The **Employer** invites the bids from the contractors who have created login ID on the portal <http://works.haryana.gov.in> through online bids on the website for the work detailed in the table below.

Sr. No.	Name of work	Cost of work	Earnest money (For unregistered bidders only) (in Rs.)	Cost of bid document (in Rs.)	Time limit	Date and time for bid Submission.
1	2	3	4	5	6	
1.	Shifting of Milk Dairies in MC Hisar	Rs 3461.76 Lakhs	₹69,23,526.00 for Contractors & ₹34,61,763.00 for Societies	₹21,000.00/-	21 Months	29/06/2026 Upto 05:00 hrs.

- Bidders registered on the portal <https://works.haryana.gov.in> are not required to deposit any earnest money and are required to submit earnest money declaration Form as provided in Section 7 of the bidding document.
- Interested bidders are encouraged to get themselves registered as contractor on the portal <https://works.haryana.gov.in>.
- Interested bidders must have contractor ID on <https://works.haryana.gov.in>.
- Cost of tender document fee: **₹21,000.00/-** (non refundable) (to be submitted online).
- Availability of Bid document and mode of submission:

a.	Tender document is available online on http://etenders.hry.nic.in
b.	Earnest Money :for un-registered bidders – Online. Earnest Money Declaration Form: Bidders registered by Haryana Government – the bidder shall upload a earnest money declaration form as per format given in Section – 7 in the bidding document online, which can be generated from contractor login on Haryana Engineering Works Portal.
c.	Tender document fee ₹21,000.00/- to be paid - Online
d.	Submission of Technical Bid – Online
e.	Submission of Price Bid - Online

Note: Bidding shall be online only and no document shall be accepted in any physical form.

5. In the first instance, Earnest money /Earnest money Declaration Form (as provided in Section 7) shall be opened online and checked for correctness along with tender document fee. If the earnest money declaration form / earnest money are found in order, Technical Bid shall be opened (Online) in the presence of such contractors who choose to be present. The Financial offer shall be opened (Online) only, if the bidders meet the qualification criteria as per the bid document. The date of opening of Financial Bid shall be intimated separately.

Exemption of tender document fees of the Contractors/Agencies:

- “Single tender shall normally not be considered unless there are special circumstances to do so. In such eventuality, decision to accept the single tender shall be as prescribed in the rules. If special circumstances are not present, tenders shall be re-called. If re-tendering again results in a single
 - Tender, its acceptance may be considered with proper justification and reasons”. Where on first call of tender, number of bidders participate in the tender but on Technical evaluation only one participating bidder qualifies, the tender shall be re-invited treating it as single tender.
 - Those bidders shall not be required to pay tender document fees, who choose to submit bids again on tender being re-called on account of single tender being received or single bidder qualifies on first call.
6. Bidders shall have to pay the e-Service Fees of Rs. 1180 in favour of ‘Society for IT initiative fund for e-Governance through Debit Cards & Internet Banking Accounts are required to be paid online directly through Internet Baking Accounts.
7. Last Date/ Time for receipt of bids through e-tendering: **29/06/2026** up-to **05:00** Hrs. (time)
8. The site for the work is available.
9. Only online submission of bids is permitted, therefore; bids must be submitted online on website <https://etenders.hry.nic.in>. The technical qualification part of the bids will be opened online at **Municipal Corporation Hisar** on **30/06/2026** at **09:00** hrs. by the authorized officers. If the office happens to be closed on the date of opening of the bids as specified, the bids will be opened online on the next working day at the same time.
10. The bid for the work shall remain open for acceptance during the bid validity period to be reckoned from the last date of ‘Submission of Online Bids. Bids as submitted online shall be valid for **120** days from the date of bid closing i.e. from last date of submission of online bids. In case the last day to accept the tender happens to be holiday, validity to accept tender will be the next working day.
11. Bidders may bid for any one or more of the works mentioned in the Table above.

12. To qualify for a package of contracts made up of this and other contracts for which bids are invited in the same NIT, the bidder must demonstrate having experience and resources sufficient to meet the aggregate of the qualifying criteria for the individual contracts.
13. Other details can be seen in the bidding documents. The Employer shall not be held liable for any delays due to system failure beyond its control. Even though the system will attempt to notify the bidders of any bid updates, the Employer shall not be liable for any information not received by the bidder. It is the bidders' responsibility to verify the website for the latest information related to the tender.
14. Conditional tenders will not be entertained and are liable to be rejected.
15. In case the day of opening of tenders happens to be holiday, the tenders will be opened on the next working day. The time, mode and place of receipt of tenders and other conditions will remain unchanged.
16. The invitation of this tender can be cancelled without assigning any reason.
17. The societies shall produce an attested copy of the resolution of the Co-operative department for the issuance of tenders.
18. The tender without Earnest money /Earnest money Declaration form and tender document fee will not be opened.
19. The jurisdiction of court will be as defined as in Appendix to ITB.
20. The tender of the bidder who does not satisfy the qualification criteria in the bid documents are liable to be rejected and financial bids will not be opened.
21. The Pre-bid meeting will be held as per the details in Appendix to ITB.
22. The bidders may note that the works are to be carried out strictly as per the applicable laws, permits, rules and regulations. Any damages / penalties imposed by any statutory authority, like NGT etc, on account of noncompliance of any applicable laws, permits, rules and regulations shall have to be borne by the contractor.
23. The undersigned reserves the right to reject any or all of the bids without assigning any reason.

For and on behalf of **Employer**

Executive Engineer

Municipal Corporation/Urban Local Bodies

Municipal Corporation Hisar

Phone No: 8295088152

KEY DATES

1.	Date of Issue of Notice Inviting Bid	:	Date 09/06/2026
2.	Period of availability of Bidding Documents on website http://etenders.hry.nic.in	:	From 09/06/2026 To 29/06/2026
3.	Time, Date of Pre-bid Meeting	:	Date 19/02/2026 at 12:00 hrs
4.	Deadline for Receiving Bids online	:	Date 29/06/2026 at 05:00 hrs
5.	Opening of Bids (Tender Document fee & Earnest Money Declaration Form)	:	Date 30/06/2026 at 09:00 hrs
6.	Time and Date for opening of Part-I of the Bid (Technical Qualification Part)	:	Date 30/06/2026 at 09:00 hrs
7.	Time and Date of opening of Part-II of the Bid (Financial Part) of the Bidders who Qualify in Part I of the Bid.	:	To be intimated.
8.	Last Date of Bid Validity	:	Date 27/10/2026
9.	Officer inviting Bids	:	Executive Engineer Municipal Corporation Hisar Municipal Corporation/Urban Local Bodies

Section 1: Instructions to Bidders(ITB)

Table of Clauses

A. General 1. Scope of Bid 2. Source of Funds 3. Eligible Bidders 4. Qualification of the Bidder 5. One Bid per Bidder 6. Cost of Bidding 7. Site Visit B. Bidding Documents and Evaluation 8. Content of Bidding Documents. 9. Clarification of Bidding Documents and Pre-Bid Meeting. 10. Amendment of Bidding Documents. C. Preparation of Bids 11. Language of Bid 12. Documents Comprising the Bid. 13. Bid Prices 14. Currencies of Bid. 15. Bid Validity 16. Earnest money 17. Alternative Proposals by Bidders. 18. Format and Signing of Bid. D. Online Submission of Bids 19. Bidding Through e-Tendering system. 20. Deadline for Submission of Bids. 21. Late Bids. 22. Withdrawal or modification	E. Bid Opening 23 Bid Opening 24. Process to be Confidential. 25. Clarification of Bids and Contacting the Employer. 26. Examination of bids and Determination of Responsiveness. 27. Correction of Errors. 28. Adjusted in bid. 29. Evaluation and Comparison of Bids. 30. Payment Caping Condition F. Award of Contract 31. Award Criteria 32. Employer's Right to Accept any Bid and to Reject any or all Bids. 33. Notification of Award and Signing of Agreement. 34. Performance Security. 35. Advances 36. Corrupt or Fraudulent Practices. 37. Debarring. 38. Completion of Work. 39. Instructions / Special Qualification Requirements (If any)
--	---

A. General

1. Scope of Bid

1.1 The Employer (Appendix to ITB) on behalf of ‘Authority’ (defined in Appendix to ITB) invites bids for the construction of Works as described in these documents and referred to as “the Works”. The name of the works is provided in the Appendix to ITB. The bidders may submit bids for any or all of the works detailed in the table given in the Notice Inviting Tender. Bid for each work should be submitted separately. The bidders should refer Section 4-A for the detailed scope of work and Section 4-B for Technical Specifications for the work.

1.2 The successful Bidder will be expected to complete the Works by the Intended Completion Date specified in the **Contract data**.

1.3 Throughout these documents, the terms “bid” and “tender” and their derivatives (bidder/tender, bid/tender, bidding/tendering etc.) are synonymous.

1.4 The jurisdiction of court will be as defined as in Appendix to ITB

2. Source of Funds

2.1 The expenditure on this project will be met from the budget provided by the Govt. of Haryana.

3. Eligible Bidders

3.1 The Invitation for Bids is open to all bidders have created contractor Id on the portal <https://works.haryana.gov.in> and eligible bidders meeting the eligibility criteria as defined in ITB.

3.2 The bidders in Joint Ventures are allowed as per the Appendix to ITB.

3.3 Interested bidders who are not registered on Haryana Engineering Works Portal should upload the following documents at the time of bidding:

a. Mandatory Documents

i. Proof of Constitution - Partnership deed (in case of the partnership firm registration); or Certificate of Incorporation (in case of Private limited company, public limited company, Public sector undertaking, Limited Liability Partnership, registration); or Any proof substantiating constitution (in the case of society, trust, AOP, Government department, local authority, statutory body registration.)

ii. PAN Card

iii. GST Certificate

iv. Undertaking of Non-Blacklisting – (Certificate that contractor has not been blacklisted previously)

v. Proof of immovable properties/self-certification that doesn't have any property

vi. Cancelled Cheque / Proof of bank account

vii. Proof of Address

viii. The applicant himself or his employee (at least one) should be a Diploma Holder Engineer (Civil/Electrical/Agri./Hort.) as applicable. Accordingly, self-declaration certificate of applicant and his employee along with copy of Diploma certificate is to be submitted.

- ix. In case for electrical works the applicant or the employee of the applicant should submit valid Wireman License from Chief Electrical Inspector, Haryana
- x. It is mandatory for the contractor to register and utilize the “Call Before You Dig (CBuD)” Mobile Application for all works involving excavation, trenching, or road cutting.

b. Optional Documents

- i. TAN Number Document
- ii. MSME Registration Certificate (If Applicable)
- iii. Form 26AS for last three years (Provided by Income Tax Department)
- iv. LLCs (Limited Liability Company) to upload last audited balance sheet
- v. Change of constitution of agency
- vi. Litigation History (If any)
- vii. List of completed works if any
- viii. List of Abandoned works (if any)
- ix. Any Other relevant documents

In case during examination it is found that any bidder for this category of works has not submitted above mandatory documents or has submitted false documents his bid shall be rejected.

3.4 Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices by the Central Government, the State Government or any public undertaking, autonomous body, authority by whatever name called under the Central or the State Government.

4. Qualification of the Bidder

A) For works put to tender upto Rs. 25.00 Lacs, contractor’s id on Haryana Engineering Works Portal.

B) For works put to tender from Rs. 25.01 Lacs to Rs. 64.00 Lacs, a valid enlistment certificate with proof of ownership/ lease of specified machinery/ manpower as listed in Clause 39 of this document and contractor’s id on Haryana Engineering Works Portal.

(Technical Evaluation shall be carried out as per the requirement specified in Clause 39 in section 1 of this document and financial bid of only responsive qualifying bidders shall be opened)

C) For works put to tender from Rs. 64.01 Lacs onwards, following qualification criteria is required to be fulfilled:-

4.1 All bidders shall provide the Qualification Information as specified in Section-2 of this document, Forms of Bid and the undertaking(s) as specified in Section 7. The undertaking should be of a date after the first invitation of this tender. Initially the scanned copy of undertaking(s) shall have to be submitted in technical bid and before signing the agreement, the original undertaking(s) should be submitted by the bidders to the concerned Executive Engineer. The undertaking(s) in original shall make integral part of the agreement. The bidder should also meet the requirements mentioned in clause 39 .

4.2 All bidders participating in tenders costing more than Rs. 25.00 lacs shall include the following information and documents with their bids in Section 2, Qualification Information unless otherwise stated in the Appendix to ITB:

- (a) Copies of original documents defining the constitution or legal status, place of registration, and principal place of business; written power of attorney of the signatory of the Bid to commit the Bidder;

- (b) Total annual financial turnover of each of the last three years duly certified by Chartered Accountant;
- (c) (i) Experience in works of a similar nature and size for each of the last seven years with certificates from the concerned officer not below the rank of Executive Engineer or equivalent;
- (ii) and details of works in progress or contractually committed with detail of clients who may be contacted for further information on those contracts;
- (d) The undertakings as per the format and language given in Section 7 of the document. The undertakings should be of a date after the invitation of this tender. The bids accompanying with the language deviated from the language of the draft provided in Section 2 shall be treated as non – responsive.

4.3 All care should be taken by the bidder to submit correct information and documents in first place. No cognizance of the documents submitted subsequently by the bidder on his own regarding his technical bid shall be taken. However, clarification can be sought upto the extent of clearing any doubt on the documents already submitted online.

4.4 Joint Ventures are permitted to bid for the work as defined in the Appendix to ITB. Bids submitted by a Joint Venture (JV) shall comply with the following requirements:

- a. There shall be a Joint Venture Agreement (as per the format given in Section-7) specific for these contract packages between the constituent firms, indicating clearly, amongst other things, the proposed distribution of responsibilities both financial as well as technical for execution of the work amongst them. For the purpose of this clause, the most experienced lead partner will be the one defined. A copy of the Joint Venture agreement shall be submitted before any award of work could be finalized.
- b. The bid, and in the case of the successful bidder, the Form of Agreement, etc., shall be signed and / or executed in such a manner as may be required for making it legally binding on all partners (including operative parts of the ensuing Contract in respect of Agreement of Arbitration, etc.). On award of work, the Form of Agreement and Contract Documents shall be signed by all partners of the Joint Venture to conclude Contract Agreement.
- c. Lead partner shall be nominated as being partner-in-charge; and this authorization shall be evidenced by submitting a power of attorney signed by the legally authorized signatories of all the partners.
- d. The partner-in-charge shall be authorized to incur liabilities and to receive instructions for and on behalf of the partners of the Joint Venture, whether jointly or severally, and entire execution of the Contract (including payment) shall be carried out exclusively through the partner-in-charge. A copy of the said authorization shall be furnished in this Bid.
- e. All partners of the Joint Venture shall be liable jointly and severally for the execution of the Contract in accordance with the Contract terms, and a relevant statement to this effect shall be included in the authorization mentioned under sub clause I above as well as in the Form of Tender and the Form of Agreement (in case of a successful bidder).

- f. In the event of default by any partner, in the execution of his part of Contract, the Employer shall be so notified within 30 days by the partner-in-charge, or in the case of the partner-in-charge being the defaulter, by the partner nominated as partner-in-charge of the remaining Joint Venture. The partner-in-charge shall, within 60 days of the said notice, assign the work of the defaulting partner to any other equally competent party acceptable to the Employer to ensure the execution of that part of the Contract, as envisaged at the time of bid. Failure to comply with the above provisions will make the Contractor liable for action by the Employer under the Conditions of Contract. If the Most Experienced i.e. Lead Partner defined as such in the Communication approving the qualification defaults, it shall be construed as default of the Contractor and Employer will take action under the Conditions of Contract.
- g. Not with standing the permission to assigning the responsibilities of the defaulting partner to any other equally competent party acceptable to the Employer as mentioned in sub clause (f) above, all the partners of the Joint Venture will retain the full and undivided responsibility for the performance of their obligations under the Contract and/ or for satisfactory completion of the Works.
- h. The bid submitted shall include all the relevant information as required under the provisions of Sub-Clause 4.5 D of ITB and furnished separately for each partner.

4.5 Qualification Criteria [applicable as per cost of work put to tender]

4.5A To qualify for award of the contract, each bidder in its name should have :-

- i) Minimum average annual financial turnover (as certified by the Chartered Accountant) during the last three years, ending 31st March of the previous financial year, should not be less than 30% of the value of work. The turn over shall be updated to price level of the last financial year at the rate of 8% per year compounded yearly.
- ii) Experience of having successfully completed or substantially completed similar works (i.e. road/bridge/building works/airport runway/PHED/ IWRD works/) as applicable for that type of tender during the last seven years ending last day of month previous to the one in which bids are invited should be either of the following:-
 - (a) Three similar works each costing not less than 40% of the value of work.
or
 - (b) Two similar works each costing not less than 50% of the value of work.
or
 - (c) One similar work costing not less than 80% of the value of work.

The amount of works shall be updated to price level of the last financial year at the rate of 8% per year compounded yearly.

Note 1:- The works may have been executed by the applicant as Prime contractor or as a member of Joint Venture As contractor, he should have acquired the experience of execution of all major items of works under the proposed contract. In case a project has been executed by a Joint Venture, the turnover or experience shall be evaluated in proportion to their participation of the Joint Venture. In case of experience as a sub contractor, the certificate from the Principal Employer

shall have to be furnished.

Note 2:- Substantially completed works means those works which are at least 95% completed as on the date of submission (i.e. gross value of work done upto the last date of submission is 95% or more of the original contract price or enhanced contract price as the case may be) and continuing satisfactorily.

Note 3:- Similar works means road work for road tender, building work for building tender, bridge work for bridge tender and so on.

For these, a certificate from the employer shall be submitted along with qualification information clearly mentioning the name of work, Contract Value, billing amount. Date of commencement of works, satisfactory performance of the Contractor and any other relevant information.

4.5 B Each bidder must produce:

- (i) An affidavit (format affidavit to be attached) in the prescribed format given in this document in Section 7. The affidavit should be of a date later than the date of calling of tender; and
- (ii) Such other certificates as defined in the Appendix to ITB. Failure to produce the certificates shall make the bid non-responsive.

4.5 C To qualify for a package of contracts made up of this and other contracts for which bids are invited in the Notice Inviting Tender, the bidder must demonstrate having experience and resources sufficient to meet the aggregate of the qualifying criteria for the individual contracts.

4.5 D If bidder is a Joint Venture, the partners would be limited to three (including lead partner). Joint Venture firm shall be jointly and severally responsible for completion of the project. Joint Venture must fulfill the following minimum qualification requirement.

- i. The lead partner shall meet not less than 50% of qualification criteria given in sub-clause 4.5 A (i) & (ii) of ITB above.
- ii. Each of the remaining partners shall meet not less than 25% of all the criteria given in sub-clause 4.5 A (i) & (ii) of ITB above.
- iii. The Joint Venture must also collectively satisfy the subject of the criteria of Clause 4.5 B and 4.5 C of ITB for this purpose the relevant figures for each of the partners shall be added together to arrive at the Joint Venture total capacity which shall be 100% or more.
- iv. In the event that the Employer has caused to disqualify under Clause 4.7 of ITB below all of the Joint Venture partners will be disqualified.
- v. Joint Venture Applicants shall provide a certified copy of the Joint Venture Agreement in demonstration of the partners undertaking joint and several liabilities for the performance of any contract entered into before award of work.
- vi. The available bid capacity of the JV as required under Clause 4.6 of ITB below will be applied for each partner to the extent of his proposed participation in the execution of the work. The total bid capacity available shall be more than estimated contract value.

- vii. The Sub-Contractors' experience and resources shall not be taken into account in determining the bidder's compliance with the qualifying criteria.

4.5. E Any other requirement as specified elsewhere in the ITB.

4.6 Bid Capacity Formula for Works put to tender value above Rs. 25.01 Lacs

Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity for construction work is equal to or more than the total bid value. The available bid capacity will be calculated as under:

$$\text{Assessed Available Bid Capacity} = (A * N * 2 - B) \text{ Where}$$

A = Maximum value of financial turnover (as certified by the Chartered Accountant) in any one year during the last three years (updated to price level of the last financial year at the rate of 8% per year compounded yearly).

N = Number of years prescribed for completion of the works for which bids are invited (period up to 6 months to be taken as $\frac{1}{2}$ and more than 6 months as 1 in a year).

B = Value, at the current price level (compounded yearly @8% per year), of existing commitments and on-going works to be completed during the period of completion of the works for which bids are invited.

4.6.1 Bid Capacity Formula for Works put upto tender value of Rs. 25.00 Lacs

- (i) A contractor shall be allotted works up to a maximum of Rs. 50.00 Lacs in a financial year. Where the combined value of ongoing works and the work under tender equals Rs. 50.00 Lacs, the bidder may participate only to the extent of the balance between Rs. 50.00 Lacs and the value of outstanding works. For works up to Rs. 25.00 Lacs, bid capacity shall be calculated as per the following formula:

Formula: Bid Capacity (in Lacs) = Rs. 50.00 Lacs – Value of Outstanding Work(s) (in Lacs)

- (ii) In the next financial year, a contractor may be allotted works up to Rs. 1.00 Crore, subject to having satisfactorily completed works of at least Rs. 50.00 Lacs in any previous year. Where the value of ongoing works plus the tendered work exceeds Rs. 50.00 Lacs but does not exceed Rs. 1.00 Crore, the bidder shall furnish completion certificates for works of Rs. 50.00 Lacs completed within the last three years. The bidder may bid only to the extent of the balance between Rs. 1.00 Crore and the value of outstanding works at the time of bid submission.

Formula: Bid Capacity (in Lacs) = Rs. 1.00 Crore – Value of Outstanding Work(s) (in Lacs)

- (iii) In any financial year, a non-registered contractor may be allotted works up to Rs. 2.00 Crore, subject to having satisfactorily completed work of Rs. 1.00 Crore in any previous year. Where the combined value of ongoing works and work under tender exceeds Rs. 1.00 Crore, the bidder shall submit completion certificates for works of at least Rs. 1.00 Crore executed in the last three years.

Formula: Bid Capacity (in Lacs) = Rs. 2.00 Crore – Value of Outstanding Work(s) (in Lacs)

4.7 Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have:

- made misleading or false representations in the forms, statements, affidavits and attachments submitted in proof of the qualification requirements; and/or
- record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc: and/or.

- participated in the previous bidding for the same work and had quoted unreasonably high bid prices and could not furnish rational justification to the employer.

5. One Bid per Bidder

5.1 Each Bidder shall submit only one Bid for one work. A Bidder who submits more than one Bid for one work will cause the proposals with the Bidder's participation to be disqualified.

6. Cost of Bidding

6.1 The Bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer will, in no case, be responsible or liable for those costs.

7. Site Visit

7.1 The Bidder, at the Bidder's own responsibility and risk is encouraged to visit and examine the Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense. The Bidder acknowledges that prior to the submission of the bid, the Bidder/Contractor has, after a complete and careful examination, made an independent evaluation of the Scope of the Project, Specifications and Standards of design, construction and maintenance, Site, local conditions, physical qualities of ground, subsoil and geology, suitability and availability of access routes to the Site and all information provided by the Employer or obtained, procured or gathered otherwise, and has determined to its satisfaction the accuracy or otherwise thereof and the nature and extent of difficulties, risks and hazards as are likely to arise or may be faced by it in the course of performance of its obligations hereunder. The Employer makes no representation whatsoever, express, implicit or otherwise, regarding the accuracy, adequacy, correctness, reliability and/or completeness of any assessment assumptions, statement or information provided by it and the Bidder confirms that it shall have no claim whatsoever against the Employer in this regard.

B. BIDDING DOCUMENTS

8. Content of Bidding Documents

8.1 The set of bidding documents comprises the documents listed below and addenda issued in accordance with Clause 10 of ITB.

1. Detail Notice Inviting Tender
2. Instructions to Bidders including Appendix to bid
3. Qualification Information and other forms
4. Conditions of Contract (Part I General Conditions of Contract, and Contract Data; Part II Special Conditions of Contract)
5. Technical Specifications
6. Drawings
7. Bill of Quantities
8. Form of Acceptance, Form of Agreement, Issue of Notice to Proceed with the Work,
9. Forms of Securities and Form of Unconditional Bank Guarantee.

8.2 The bidder is expected to examine carefully all instructions, conditions of contract, contract data, forms, terms and specifications, bill of quantities, forms and drawings in the Bid Document. Failure to comply with the requirements of Bid Documents shall be at the bidder's own risk. Pursuant to clause 26 hereof, bids, which are not substantially responsive to the requirements of the Bid Documents, shall be rejected.

9. Clarification of Bidding Documents and Pre-bid Meeting

9.1 A prospective bidder requiring any clarification of the bidding documents may notify the Employer in writing or through email at the Employer's address indicated in the invitation to bid. The Employer will respond to any request for clarification which he receives earlier than 10 days prior to the deadline for submission of bids. Copies of the Employer's response will be put on website including a description of the enquiry but without identifying its source.

9.2 If a pre-bid meeting is to be held, the bidder or his authorized representative is invited to attend it. Its date, time and address are given in the Appendix to ITB.

9.3 The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.

9.4 Minutes of the meeting, including the text of the questions raised (without identifying the source of the enquiry) and the responses given will be uploaded for information of the public or other bidders. Any modifications of the bidding documents listed in Clause 8.1 of ITB, which may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an Addendum pursuant to Clause 10 of ITB and not through the minutes of the pre-bid meeting.

9.5 Non-attendance at the pre-bid meeting will not be a cause for disqualification of a bidder.

10. Amendment of Bidding Documents

10.1 Before the deadline for submission of bids, the Employer may modify the bidding documents by issuing corrigendum.

10.2 Any addendum/corrigendum thus issued shall be part of the bidding documents and put on website only and shall be deemed to have been communicated to all the bidders. The Employer will assume no responsibility in this regard.

10.3 To give prospective bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer shall extend, as necessary, the deadline for submission of bids, in accordance with Clause 20.2 of ITB.

C. PREPARATION OF BIDS

11. Language of Bid

11.1 All documents relating to the Bid shall be in **English** language.

12. Documents Comprising the Bid

12.1 The Bid submitted by the Bidder shall be in two separate parts:

Part I Technical bid This shall be named Technical Qualification Part of Bid and shall comprise of:

- i) The cost of the bidding documents.
- ii) The Earnest money in any of the forms as specified in clause 16 of ITB or Earnest Money declaration form specified in Section-7 as applicable.
- iii) Authorized address and contact details of the Bidder having the following information:
 - a. Address of communication:
Telephone No.(s):
Office:
Mobile No.:
 - b. Facsimile (FAX) No.:
 - c. Electronic Mail Identification (E-mail ID):
- iv) **Qualification information, supporting documents as specified in ITB.**
- v) Any other information/documents required to be completed and submitted by bidders, as specified in the Appendix to ITB, and
- vi) Scanned copy of the affidavit (**on the format given in Section 7 of bid document**).

Part II. Financial Bid:- It shall be named Financial Bid and shall comprise of:

- (i) Priced bill of quantities for items specified in Section 6;

12.2 The following documents, which are not submitted with the bid, will be deemed to be part of the bid.

Section	Particulars
1.	Detail Notice Inviting Tender
2.	Instructions to Bidders
3.	Conditions of Contract
4.	Contract Data
5.	Technical Specifications
6.	Drawings

13. Bid Prices

13.1 The Contract shall be for the whole Works, as described in Clause 1.1 of ITB, based on the priced Bill of Quantities submitted by the Bidder.

13.2 For item rate tenders, the bidder shall fill in item rate at its appropriate place in figures. Items for which no rate or price is entered by the bidder will not be paid for by the employer. Such item, where the bidder does not quote the price or leaves it blank, will be treated as item to be executed free of cost item from the contractor.

13.3 For percentage rate tender, the bidder shall make its due diligence and quote a single percentage above or below HSR items including any premium if applicable and individual rate for NS items which are in the BOQ but not in HSR. *NS Items in the BOQ, for which no rate or price is entered by the bidder will not be paid for by the Employer and considered as nil rate items.*

13.4 All duties, taxes (excluding GST) , royalties, compensation, cost and other levies payable by the Contractor under the Contract or to execute item(s) of work or for any other cause, shall be included in the rates, prices, and total Bid price submitted by the Bidder online. The GST amount shall be reimbursed on production of proof of deposit of GST with Govt. for the previous payment.

13.5 The rates and prices quoted by the bidder are subject to adjustment during the performance of the Contract in accordance with the provision of Clause 42 A of the Conditions of Contract.

14. Currencies of Bid

14.1 The unit rates and the prices shall be quoted by the bidder entirely in Indian Rupees.

15. Bid Validity

15.1 Online Bids shall remain valid for a period of not less than 120 days after the deadline date for bid submission specified in ITB. A bid valid for a shorter period shall be rejected by the Employer as non-responsive.

15.2 In exceptional circumstances, prior to expiry of the original time limit, the Employer may request that the bidders may extend the period of validity for a specified additional period. The request and the bidders' responses shall be made in writing or by email. A bidder may refuse the request without forfeiting his Earnest money. A bidder agreeing to the request will not be required or permitted to modify his bid, but will be required to extend the validity of his Earnest money for a period of the extension, and in compliance with Clause 16 of ITB in all respects.

16. Earnest money and Earnest money declaration Form

16.1. The Bidder who does not have contractor id on HEWP can not participate in tendering process. Bidders who have contractor ID but have not registered on HEWP can participate in tendering process by paying the earnest money through online payment on the portal. Bidders who have contractor Id and are registered on HEWP and also have deposited one time deposit are eligible for participation in the tender by annexing bid specific Earnest Money Declaration Form generated from HEWP.

16.2. The bidder who is registered as contractor with Haryana Government and is availing the exemption available for earnest money, shall upload bid specific Earnest Money Declaration form duly downloaded from HEWP.

16.3 Any bid from the registered bidders not accompanied by an acceptable Earnest Money Declaration form (in case exemption is availed) as above or not secured as indicated in Sub-Clauses 16.1 above shall be rejected by the Employer as non-responsive.

16.4. The successful bidder shall be de-registered with forfeiture of his/its one time deposit of EMD exemption amount on HEWP and further barred from participation in future bidding for a period of 2 years, in case of failure to submit the Performance Bank Guarantee as per Clause 34 of this document.

17. Alternative Proposals by Bidders

17.1 Bidders shall submit offers that comply with the requirements of the bidding documents, including the Bill of Quantities and the basic technical design as indicated in the drawings and specifications. Conditional offer or alternative proposals will be rejected as non-responsive.

18. Format and Signing of Bid

Deleted

D. ONLINE SUBMISSION OF BIDS

19. Bidding through E-Tendering System

Instructions to bidder on Electronic Tendering System

These conditions will over-rule the conditions stated in the tender documents, wherever relevant and applicable.

19.1 Registration of bidders on eProcurement Portal:-

All the bidders intending to participate in the tenders processed online are required to get registered on the centralized e – Procurement Portal i.e. <https://etenders.hry.nic.in>. Please visit the website for more details.

19.2 Obtaining a Digital Certificate:

19.2.1 The Bids submitted online should be encrypted and signed electronically with a Digital Certificate to establish the identity of the bidder bidding online. These Digital Certificates are issued by an Approved Certifying Authority, by the Controller of Certifying Authorities, Government of India.

19.2.2 A Digital Certificate is issued upon receipt of mandatory identity (i.e. Applicant's PAN Card) and Address proofs and verification form duly attested by the Bank Manager / Post Master / Gazetted Officer. Only upon the receipt of the required documents, a digital certificate can be issued. For more details please visit the website – <https://etenders.hry.nic.in>.

19.2.3 The bidders may obtain Class-II or III digital signature certificate from any Certifying Authority or Sub-certifying Authority authorized by the Controller of Certifying Authorities or may obtain information and application format and documents required for the issue of digital certificate from the authority.

19.2.4 The bidder must ensure that he/she comply by the online available important guidelines at the portal <https://etenders.hry.nic.in> for Digital Signature Certificate (DSC) including the e-Token carrying DSCs.

19.2.5 Bid for a particular tender must be submitted online using the digital certificate (Encryption & Signing), which is used to encrypt and sign the data during the stage of bid preparation. In case, during the process of a particular tender, the user loses his digital certificate (due to virus attack, hardware problem, operating system or any other problem) he will not be able to submit the bid online.

Hence, the users are advised to keep a backup of the certificate and also keep the copies at safe place under proper security (for its use in case of emergencies).

19.2.6 In case of online tendering, if the digital certificate issued to the authorized user of a firm is used for signing and submitting a bid, it will be considered equivalent to a no-objection certificate/power of attorney /lawful authorization to that User. The firm has to authorize a specific individual through an authorization certificate signed by all partners to use the digital certificate as per Indian Information Technology Act 2000. Unless the certificates are revoked, it will be assumed to represent adequate authority of the user to bid on behalf of the firm in the department tenders as per Information Technology Act 2000. The digital signature of this authorized user will be binding on the firm.

19.2.7 In case of any change in the authorization, it shall be the responsibility of management / partners of the firm to inform the certifying authority about the change and to obtain the digital signatures of the new person / user on behalf of the firm / company. The procedure for application of a digital certificate however will remain the same for the new user.

19.2.8 The same procedure holds true for the authorized users in a private/Public limited company. In this case, the authorization certificate will have to be signed by the directors of the company.

19.3 Pre-requisites for online bidding:

In order to bid online on the portal <http://etenders.hry.nic.in>, the user machine must be updated with the latest Java & DC setup. The link for downloading latest java applet & DC setup are available on the Home page of the e-tendering Portal.

19.4 Online Viewing of Detailed Notice Inviting Tenders:

The bidders can view the detailed N.I.T and the time schedule (Key Dates) for all the tenders floated through the single portal e-Tender system on the Home Page at <http://etenders.hry.nic.in>

19.5 Download of Tender Documents:

The tender documents can be downloaded free of cost from the e-Tender portal <http://etenders.hry.nic.in>

19.6 Key Dates:

The bidders are strictly advised to follow dates and times as indicated in the online Notice Inviting Tenders. The date and time shall be binding on all bidders. All online activities are time tracked and the system enforces time locks that ensure that no activity or transaction can take place outside the start and end dates and the time of the stage as defined in the online Notice Inviting Tenders.

19.7 Online Payment of eService fee & Bid Preparation & Submission (PQQ/ Technical & Commercial /Price Bid):

i) Online Payment e-Service fee:

The online payment for eService fee can be done using the secure electronic payment gateway by bidders/ Vendors online directly through Debit Cards & Internet Banking Accounts. The secure electronic payments gateway is an online interface between contractors and Debit card / online payment authorization networks.

ii) PREPARATION & SUBMISSION Of online APPLICATIONS/BIDS:

Detailed Tender documents may be downloaded from e-Tenders website (<http://etenders.hry.nic.in>) and tender mandatorily be submitted online. Scan copy of Documents to be submitted/uploaded for Prequalification or Technical bid under online. The required documents (refer to DNIT) shall be prepared and scanned in different file formats (in PDF /JPEG/MS WORD format such that file size is not exceed more than 10 MB) and uploaded during the on-line submission of Technical Bid.

FINANCIAL or Price Bid PROPOSAL shall be submitted mandatorily online in the Excel Format.

19.8 ASSISTANCE TO THE BIDDERS:-

In case of any query regarding process of e-tenders and for undertaking training purpose, the intended bidder can also avail the following and can contact service provider as per below:

Office Timings of Help-desk support for Single e-TenderPortal of Government of Haryana- Technical Support Assistance will be available over telephone Monday to Friday (09:00 am. To 5:00 pm) 0172-2700275 also contact to help desk team of Delhi (24 x 7) as given below
0120-4001002
0120-4200462
0120-4001005
0120-6277787

All queries would require to be registered at our official email support as under (only those queries which are sent through email along with appropriate screen shots or error description will be considered as registered with the Help-desk)

- (a) Technical:- Support e proc (at) nic (dot) in
- (b) Policy Related:- cphp-doc(at) nic (dot) in

Important Note:-

- (a) Any intending bidder can contact the helpdesk on or before prior to 4 hours of the scheduled closing date & time of respective Tender event.
- (b) For queries pertaining to e-Payment, please contact the help desk atleast 2 business days prior to the closing date & time of Tender event.
- (c) Help-desk support will remain closed during lunch break i.e. from 1:30 PM upto 2:15 PM on each working day.

Schedule for Training

Haryana e-Tender Help Desk Office will remain closed on Saturday, Sunday and National Holidays.

NOTE:- Bidders participating in online tenders shall check the validity of his/her Digital Signature Certificate before participating in the online Tenders at the portal <http://etenders.hry.nic.in>.

For help manual please refer to the 'Home Page' of the e-Tender website at <https://etenders.hry.nic.in> and click on the available link 'How to ...?' to download the file.

20. Deadline for Submission of Bids

20.1 Complete Bids in two parts as per clause 19 above must be submitted by the Bidder online not later than the date and time indicated in the Appendix to ITB.

20.2 The Employer may extend the deadline for submission of bids by issuing an amendment in accordance with Clause 10.3 of ITB. In such case all rights and obligations of the Employer and the bidders previously subject to the original deadline will then be subject to the new deadline.

21. Late Bids

21.1 Any Bid received by the Employer after the deadline prescribed in Clause 20 will be returned unopened to the bidder.

22. Withdrawal or modification

22.1 No bid shall be modified or withdrawn after the deadline of submission of bids.

22.2 Withdrawal or modification of a bid between the deadline for submission of bids and the expiration of the original period of bid validity specified in clause 15.1 above or as extended pursuant to Clause 15.2 may result in the forfeiture of the Earnest money pursuant to Clause 16 or invite action as per Earnest Money declaration undertaking.

E. Bid Opening and Evaluation

23. Bid Opening

23.1 The Employer inviting the bids or its authorized representative will open the bids online in the presence of the bidders or their representatives who choose to attend at time, date and the place specified in Appendix to ITB. The bids shall be evaluated by committee generated online by the system.

23.2 In the event of the specified date for the Opening of bids being declared a holiday for the Employer, the Bids will be opened at the appointed time and location on the next working day.

23.3 The file containing the Part-I of the bid will be opened first.

23.4 The amount, form and validity of the cost of bidding document and earnest money furnished with each bid will be announced. If the cost of bidding document and earnest money furnished does not conform to the amount and validity period as specified in the Invitation for Bid, and has not been furnished in the form specified in Clause 16, the remaining technical bid will not be opened and will be disqualified for opening of financial bid. Similarly for registered bidders, bid not accompanied by the Earnest Money declaration form, shall be rejected and technical bid will not be opened.

23.5 The Employer will also prepare minutes of the Bid opening, including the information disclosed in accordance with Clause 23.4 of ITB.

23.6

(i) Subject to confirmation of the earnest money, the bids accompanied with valid earnest money/earnest money declaration form will be taken up for evaluation with respect to the Qualification Information and other information furnished in Part I of the bid pursuant to Clause 12.1.

(ii) The technical bid will be evaluated on the basis of the documents submitted online by the bidder and no modification of his technical bid will be sought from the bidder. No cognizance of the documents submitted subsequently by the bidder on his own regarding his technical bid shall be taken. However, clarification can be sought upto the extent of clearing any doubt the documents already submitted online.

(iii) The bidders will respond in not more than 7 days of issue of the clarification letter, which will also indicate the date, time and venue of opening of the Financial Bid.

(iv) Immediately, on receipt of these clarifications the Evaluation Committee will finalize the list of responsive bidders whose financial bids are eligible for consideration.

23.7 The Employer shall hoist the result of technical evaluation of bids alongwith the reasons for rejection of Part-I of the bid (Technical bid) on the website. Thereafter, the employer shall wait for 7 days before opening the financial bid of the qualified bidders so as to give the disqualified bidders and opportunity to avail, if they so desire, any remedy available under the Law.

23.8 Part II (Financial Bid) of bids of only those bidders will be opened online, who have qualified in Part I of the bid. The bidders' names, the Bid prices, the total amount of each bid, and such other details as the Employer may consider appropriate will be notified by the Employer at the time of bid opening.

23.9 The Employer shall prepare the minutes of the online opening of Part-II of the Bids.

24 Process to be Confidential

Information relating to the examination, clarification, evaluation, and comparison of bids and recommendations for the award of a contract shall not be disclosed to bidders or any other persons not officially concerned with such process until the award to the successful Bidder has been announced. Any attempt by a Bidder to influence the Employer's processing of bids or award decisions may result in the rejection of his Bid.

25 Clarification of Bids and Contacting the Employer

25.1 No Bidder shall contact the Employer on any matter relating to its bid from the time of the bid opening to the time the contract is awarded **except as specified in clause 25.3 here under**. If the bidder wishes to bring additional information to the notice of the Employer, it should do so in writing.

25.2 Any attempt by the bidder to influence the Employer's bid evaluation, bid comparison or contract award decision may result in the rejection of his bid.

25.3 To assist in the examination, evaluation, and comparison of Bids, the Employer may, at his discretion, ask any Bidder for clarification of his Bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by email, but no change in the price or substance of the Bid shall be sought, offered, or permitted.

26. Examination of Bids and Determination of Responsiveness

26.1 During the detailed evaluation of "Part-I of Bids", the Employer will determine whether each Bid

- (a) meets the eligibility criteria defined in Clauses 3 and 4;
- (b) has been properly signed;
- (c) is accompanied by the required securities; and
- (d) is substantially responsive to the requirements of the bidding documents.

During the detailed evaluation of the "Part-II of Bids", the responsiveness of the bids will be further determined with respect to the remaining bid conditions, i.e., priced bill of quantities.

26.2 A substantially responsive "Financial Bid" is one which conforms to all the terms, conditions, and specifications of the bidding documents, without material deviation or reservation. A material deviation or reservation is one

- (a) which affects in any substantial way the scope, quality, or performance of the Works;
- (b) which limits in any substantial way, inconsistent with the bidding documents, the Employer's rights or the Bidder's obligations under the Contract; or
- (c) whose rectification would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

26.3 If a Bid is not substantially responsive, it will be rejected by the Employer, and may not subsequently be made responsive by correction or withdrawal of the non-conforming deviation or reservation.

27. Correction of Errors.

27.1. "Financial Bids" determined to be substantially responsive will be checked by the 'Employer' for any errors. Errors will be corrected by the Employer as follows:

- (a) Where there is a discrepancy between the unit of any item mentioned in BOQ, from that in HSR, the unit mentioned in HSR shall prevail and the total resulting from multiplying the quoted rate by the quantity, shall be taken in to account.

27.2. The amount stated in the “Financial Bid” will be corrected by the Employer in accordance with the above procedure and the bid amount adjusted in the following manner.

- (a) If the Bid price increases as a result of these corrections, the amount as stated in the bid will be the ‘bid price’ and the increase will be treated as rebate;
- (b) If the bid price decreases as a result of the corrections, the decreased amount will be treated as the ‘bid price’.

28. Adjusted in bid price pursuant to clause 27 above, shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount the Bid will be rejected, and action as per provisions of Earnest Money Declaration Form shall be initiated or Earnest Money shall be forfeited as applicable.

29. Evaluation and Comparison of Bids

29.1 The Employer will evaluate and compare only the bids determined to be substantially responsive in accordance with Clause 26 of ITB.

29.2 In evaluating the Bids, the Employer will determine for each Bid the evaluated Bid Price by adjusting the Bid Price as follows:

- (a) adjustments to reflect discounts or other price offered in Financial bid submitted online.

29.2.1 After adjustment, if the lowest bid price of 2 or more bidders is found to be exactly same, the average annual turnover worked out in Clause 4.5 shall be the governing factor for deciding the successful bidder. During evaluation of technical bid, the bidder having higher average annual turnover shall be preferred bidder.

29.3 If the Bid of the successful Bidder is seriously unbalanced in relation to the Engineer’s estimate of the cost of work to be performed under the contract, the Employer may require the Bidder to produce detailed price analysis for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices. After evaluation of the price analysis, the Employer may require that the amount of the Performance Security set forth in Clause 34 of ITB be increased at the expense of the successful Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract. The amount of the increased Performance Security shall be decided at the sole discretion of the Employer, which shall be final, binding and conclusive on the bidder. The amount of additional performance security shall be equal to an amount arrived at as below: -

There will be no additional bank guarantee for the bid price quoted upto 10% below DNIT amount. The additional performance security shall be equal to percentage below beyond 10% below DNIT. For clarity if a bidder has quoted price 13% below DNIT, the performance security shall be 5% and additional performance security shall be 3% i.e. total 8% of the quoted price. Similarly if a bidder has quoted price 14% below DNIT, the performance security shall be 5% and additional performance security shall be 4% i.e. total 9% of the quoted price and so on

29.4 Validity of above Additional performance Security shall be valid until a date 28 days from the date of issue of the certificate of completion.

29.5 The Employer reserves the right to accept or reject any variation or deviation. Variations and deviations and other factors, which are in excess of the requirements of the Bidding documents or otherwise result in unsolicited benefits for the Employer, shall not be taken into account in Bid evaluation.

29.6 The estimated effect of the price adjustment conditions under Clause 47 of the *Conditions of Contract*, during the period of implementation of the Contract, will not be taken into account in Bid evaluation.

29.7 To ensure a structured and timely technical evaluation process, the following time limits have been fixed as under:-

Tender Cost	Technical Evaluation Time	Objection Period
Up to ₹64 Lacs	7 working days	-
Between ₹64 Lacs and ₹5 Cr.	14 working days	7 days
More than ₹ 5 Cr.	21 working days	7 days

Note:

If the technical evaluation is not completed within the specified timeframe, the processing of the tender will be **AUTOMATICALLY DISABLED ON HEWP**, preventing further actions. The Tender Technical Evaluation Committee/ Tender Inviting Authority shall be responsible for ensuring that technical evaluations are completed within the defined timelines as above.

However, in exceptional circumstances, the bid evaluation time may be extended with the prior approval of competent authority. While making such a request, the reasons for delays must be explained in details, along with the extension period sought for bid evaluation.

30. The agency/Bidder to whom the work is allotted shall be paid lowest of the following in the running/final bills.

- i) Amount calculated with the accepted rates of lowest agency.
- ii) Amount worked out with the accepted percentage above/below HSR+CP/analytical rates/ NS item rates, worked out in financial statement. Financial statement will be made a part of agreement.

F. AWARD OF CONTRACT

31. Award Criteria

31.1 Subject to Clause 32 of ITB, the Employer will award the Contract to the Bidder whose Bid has been determined:

- (i) To be substantially responsive to the bidding documents and who has offered the lowest evaluated Bid price and
- (ii) To be within the available bid capacity adjusted to account for his bid price which is evaluated the lowest in any of the packages opened earlier than the one under consideration. In no case, the contract shall be awarded to any bidder whose available bid capacity is less than the evaluated bid for tender cost more than Rs. 25.00 Lacs.

32. Employer's Right to Accept any Bid and to Reject any or all Bids

32.1 Notwithstanding Clause 31 above, the Employer reserves the right to accept or reject any Bid, and to cancel the bidding process and reject all bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or bidders or any obligation to inform the affected Bidder or bidders of the grounds for the Employer's action.

33. Notification of Award and Signing of Agreement

33.1 The bidder whose Bid has been accepted will be notified of the award by the Employer prior to expiration of the Bid validity period by email confirmed by registered letter. This letter (hereinafter and in the Part I *General Conditions of Contract* called the "Letter of Acceptance") will state the sum that the Employer will pay to the Contractor in consideration of the execution, completion and maintenance of the works, by the Contractor during defect liability period as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").

33.2 The notification of award will constitute the formation of the Contract, subject only to the furnishing of a Performance Security in accordance with the provisions of Clause 34.

33.3 The Agreement will incorporate all agreements between the Employer and the successful Bidder. It will be signed by the Employer and the successful Bidder after the Performance Bank Security is furnished.

33.4 Upon the furnishing by the successful Bidder of the Performance Security, the Employer will promptly notify the other Bidders that their Bids have been unsuccessful.

33.5 Upon the furnishing by the successful Bidder of the Performance Security, the Employer shall issue the letter to proceed with the work.

33.6 If the lowest tenderer (L-1) backs out, his earnest money shall be forfeited or action as per conditions of Bid Security Declaration Form shall be initiated. The agency will be de-barred for giving tenders for two year and the second lowest tenderer (L-2), third lowest tenderer (L-3) in order of sequence, may be called upon to bring his offer to the same level as the originally first lowest tenderer. In the event of their refusal to do so, tenders shall be recalled. In case of great urgency, authority competent to accept the tender may authorize call of limited or short notice tenders.

34. Performance Security

34.1.a) Within 15 days of receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer a Performance Security in any of the forms given below for an amount equivalent to 5% of the Contract price plus additional security for unbalanced Bids in accordance with Clause 29.3 of ITB and Conditions of Contract:

A Bank Guarantee in the form given in Section 7/FDR in the name of Executive Engineer concerned. Performance bank guarantee shall be valid until a date 45 days after the expiry of Defect Liability-cum-Maintenance Period.

b) As per Haryana Govt. Co-operation Department Notification No. 8366-C-7-2016/13818 dated 08.12.2016, the performance security for Co-operative Labour and Construction Societies shall be half of the performance security applicable to contractors for works upto any value. In case of the Cooperative Labour and Construction Societies consisting of all women members or all SC members the performance security will be 25% of the performance security applicable to contractor.

34.2 If the performance security is provided by the successful Bidder in the form of a Bank Guarantee/FDR, it shall be issued either (a) at the Bidder's option, by a Nationalized/Scheduled Indian Bank or (b) by a foreign bank located in India and acceptable to the Employer.

34.3 Failure of the successful Bidder to comply with the requirements of Sub-Clause 34 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Earnest money/action due as per Earnest Money declaration. The bidder shall also be debarred for period of 2 year from participation in tenders in any of the Departments/Boards/Corporations etc. of Haryana Government. If the work of is an urgent nature and cannot brook delay involved in re-tendering, the remaining tenderers shall be offered the lowest approved rates. If more than one tenderer turns up, then preferences shall be given to the tenderer graded according to the rates quoted in the first instance.

34.4 Whenever the work value is enhanced on account of variation in quantities / change of scope of work during the execution, beyond 10% above the original agreement amount, the contractor shall be required to submit the additional Performance Security in the form of Bank Guarantee @ 5% of the enhanced value of contract with the same validity as applicable to the original Performance Security and a supplementary agreement for the revised work value shall be signed with the department which shall also define the mile stones as well as revised intended completion date. The contractor shall deliver additional Performance Security within 21 days of receipt of request in this regard from the employer.

Illustration:

Original Amount of agreement	Enhancement	Amount after enhancement	Additional Performance
Rs 1,00,000.00	Rs 10,000.00	1,10,000.00	Nil
Rs 1,00,000.00	Rs 15,000.00	1,15,000.00	5% of Rs 15,000.00

34.5 Failure of the contractor to submit a valid additional Performance Bank Guarantee @ 5% of the enhanced value of contract as above shall invite similar penalties as prescribed for non-submission of original Performance Security. The time control on the revised work shall also be monitored and implemented on pro-rata basis as per the clauses applicable to the original work.

34.6 The Performance Security of the contractor shall be released within 30 days from the date of issue of clearance of the defect liability certificate, whereas the Additional Performance Security shall be released after 28 days from the date of completion of work as recorded in the approved final bill of the contractor.

35. Advances

The Employer will provide Advances as stipulated in the conditions of contract, subject to maximum amount, as stated in the Contract Data.

36. Corrupt or Fraudulent Practices

36.1 The 'Employer' will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question and will declare the firm ineligible, either indefinitely or for a stated period of time; to be awarded a contract by Haryana Government in any of Departments/Boards/Corporations etc.

36.2 Not applicable.

36.3 The Employer requires the Bidders/Contractors to strictly observe the laws against fraud and corruption in force in India, namely, Prevention of Corruption Act, 1988.

37. Debarring

If a registered but unverified bidder submits Financial Bid online but he/it fails to submit the Earnest Money instruments in physical form by 5:00 pm with the Executive Engineer on the last date of submission of this tender, he / it shall be blacklisted for participation in the bidding in all future tenders floated by any of Department/Boards/Corporations etc. of Government of Haryana, for a period of 2 years

38. Completion of work

The agency to whom the work is allotted shall complete the entire work as per drawings irrespective of quantities in the DNIT. The agency is bound to consult the drawings before tendering and tender the work accordingly. However, Clause 37 of GCC shall be applicable on the varied quantities

39. Instructions / Special Qualification Requirements (Any other condition for execution of works may also be added)

- i. 1. The Societies have to submit the resolution copy which should clearly mention date of tender along with tender ID and name of authorized person, duly Attested by the Registrar of Societies or Authorized agent. No overwriting / cutting is acceptable and the tender will be rejected straightway in case of noncompliance.
2. The agency should have a valid ESI, EPF. The Self-attested copies of these have to be uploaded with the bid and no document will be accepted manually otherwise the tender will be rejected straightway.
3. Experience of having successfully completed or substantially completed similar works (i.e. road/bridge/building works/airport runway/PHED/ IWRD works/) as applicable for that type of tender during the last seven years ending last day of month previous to the one in which bids are invited should be either of the following:- (a) Three similar works each costing not less than 40% of the value of work. or (b) Two similar works each costing not less than 50% of the value of work. or (c) One similar work costing not less than 80% of the value of work. Bi-furcation of various works for the purpose of similar nature experiences as per Clause 4.5 A(ii) of CBD:-

Sub Head	Total Cost Rs.	3 Nos. Similar work of 40%	2 Nos. Similar work of 50%	1No. Similar work of 80%
1. Building work	264020798	105608319	132010399	211216638
2. Road Work	82155499	32862199	41077749	65724399

Appendix to ITB

Instructions to Bidder

Clause Reference

Sr. No.	Description	Value to be printed on system generated CBD	Clause No.
1.	Authority	Employer	[Cl.1.1] or Press Notice/ DNIT
2.	The Employer is Designation: Address:	Commissioner Commissioner MC Hisar	[Cl.1.1] or Press Notice/DNIT
3.	Name of authorized Representative	Jaivir Singh	[Cl.1.1]
4.	The Engineer is Designation: Address:	Jaivir Singh Executive Engineer MC Hisar	[Cl.1.1]
5.	The Intended Completion Date for the whole of the Works is 21 Months after start of work.	21 Months	[Cl.1.1, 17&27]
6.	The Works is (<i>Name of the work</i>)	Shifting of Milk Dairies in MC Hisar	[Cl.1.1]
7.	The jurisdiction of court is	Hisar	[Cl.1.1]
8.	The average annual financial turn over amount is	1038.53 lacs (Rs. ten crore thirty eight lacs fifty three thousand)	[Cl.(4.5 A) (i)]
9.	Value of work is as under :- ----- Similar Work:-	(i) Three works :- Rs 1384.71 Lacs (ii) Two works :- Rs 1730.88 Lacs (iii) Single Work:- Rs 2769.41 Lacs ----- Building work, Road Work, Ponds, Sewerage, Strom water, water work and Electrical work etc.	[Cl.(4.5 A) (ii)] ----- [Cl.(4.5 A) Note 3]
10.	Joint Ventures	Not allowed	[Cl.3.1,4.4]
11.	The contact person is:	Executive Engineer, Jaivir Singh Address : MC Hisar Telephone No. 8295088152	[Cl.7.1]
12.	Place, Time and Date for pre-bid meeting are	Place :- MC Hisar Time :- 12:00 Date :- 16.07.2025	[Cl.9.2]

Municipal Corporation/Urban Local Bodies

Section-2

Qualification Information

Notes on Form of Qualification Information

The information to be filled in by bidders in the following pages will be used for purposes of post-qualification as provided for in Clause 4 of the Instructions to Bidders. This information will not be incorporated in the Contract. Attach additional pages as necessary.

1.	Individual Bidders	
1.1	Constitution or legal status of Bidder	<i>[attach copy]</i>
	Place of registration:	
	Principal place of business:	
	Power of attorney of signatory of Bid (if required)	<i>[attach]</i>
1.2	Total annual financial turnover of each of the last three year duly certified by Chartered Accountant	(Rs. In lacs) Year _____ Year _____ Year _____

1.3.1 Work performed as prime Contractor (in the same name and style) on construction works of a similar nature and volume over the last Seven years. Attach certificate from the Engineer-in-charge.

Project Name	Name of Employer	Description of work	Value of contract	Contract No	Date of Issue of Work Order	Stipulated date of completion	Actual Date of Completion	Remarks explaining reasons for delay, if any

1.3.2 Work performed as Sub-Contractor (in the same name and style) on construction works of a similar nature and volume over the last Seven years. Attach certificate from Principal Employer (Main Client). Attach legal document of agreement / subcontract, Form 26 AS of the sub-contractor.

Project Name	Name of Employer	Description of work	Value of contract	Contract No	Date of Issue of Work Order	Stipulated date of completion	Actual Date of Completion	Remarks explaining reasons for delay, if any

1.3.3 Information on Bid Capacity (works for which bids have been submitted and works which are ongoing and yet to be completed) as on the date of this bid.

Existing commitments and on-going construction works:

Description of Work	Place & State	Contract No & Date	Name & Address Of Employer	Value of Contract (Rs.In lacs)	Stipulate period of completion	Value of works remaining to be complete (Rs.Lacs) *	Anticipated Date of completion
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

1.3.3 (A) Works for which bids already submitted:

Description of works	Place & State	Name& Address of Employer	Estimated value of works (Rs. in lacs)	Stipulated period of completion	Date when decision is expected	Remarks, if any
1	2	3	4	5	6	7

Note:- Here, any of the departments may specify the quantities of the work executed by the bidder.

Section 3

Conditions of Contract

Table of Contents

A. General 1. Definitions 2. Interpretation 3. Language and Law 4. Engineer's Decisions 5. Delegation 6. Communications 7. Subcontracting 8. Other Contractors 9. Personnel 10. Employer's and Contractor's Risks 11. Employer's Risks 12. Contractor's Risks 13. Insurance 14. Site Investigation Reports 15. Queries about the Contract Data 16. Contractor to Construct the Works and do maintenance 17. The Works to Be Completed by the Intended Completion Date 18. Approval by the Engineer 19. Safety 20. Discoveries 21. Possession of the Site 22. Access to the Site 22A. Royalties 23. Instructions 24. Dispute Redressal System 25. Arbitration B. Time Control 26. Programme 27. Extension of the Intended Completion Date 28. Delays Ordered by the Engineer 29. Management Meetings C. Quality Control 30. Identifying Defects 31. Tests	32. Correction of Defects 33. Uncorrected Defects D. Cost Control 34. Bill of Quantities 35. Variations 37. Payments for Variations 38. Cash Flow Forecasts 39. Payment Certificates 40. Payments 44. Compensation Events 45. Tax 46. Currencies 47. Price Adjustment 48. Retention Money 49. Liquidated Damages 50. Advance Payment 51. Securities 52. Cost of Repairs E. Finishing the Contract 53. Completion of Construction and Maintenance 54. Taking Over 55. Substantial Completion 56. Defect Liability 57. Final Account 58. Operating and Maintenance Manuals 59. Termination 60. Payment upon Termination 61. Property 62. Release from Performance F. Special Conditions of Contract
---	---

Section 3

Part I General Conditions of Contract

A. General

1. Definitions

1.1 Terms which are defined in the Contract Data are not also defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

Bill of Quantities means the priced and completed Bill of Quantities forming part of the Bid.

Compensation Events are those defined in Clause 40 hereunder.

The Completion Date is the date of completion of the Works as certified by the Engineer, in accordance with Clause 48.1.

The Contract is the Contract between the Employer and the Contractor to execute, complete, and maintain the Works. It consists of the documents listed in Clause 2.3.

The Contract Data defines the documents and other information which comprise the Contract.

The Contractor is a person or corporate body whose Bid to carry out the Works, including routine maintenance, has been accepted by the Employer.

The Contractor's Bid is the completed bidding document submitted by the Contractor to the Employer.

The Contract Price is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.

Days are calendar days; months are calendar months.

A Defect is any part of the Works not completed in accordance with the Contract or distressed development in the work irrespective of any causes.

The Defect Liability-cum-Maintenance Period is the period named in the contract Data and calculated from the Completion Date.

The 'Defect Liability-cum-Maintenance Period' is without any payment for maintenance activities.

The Defect Liability-cum-Maintenance Period Certificate is the certificate issued by Engineer, after the Defect Liability-cum-Maintenance Period has ended and upon correction of Defects by the Contractor.

The Maintenance means the activities required to be carried out for routine maintenance of road relating to works covered in scope of work as per the agreement or enhanced agreement.

Drawings include calculations and other information provided or approved by the Engineer for the execution of the Contract.

The Employer is the party as defined in the Contract Data, who employs the Contractor to carry out the Works, including routine maintenance. The Employer may delegate any or all functions to a person or body nominated by him for specified functions.

The Engineer is the person named in the Contract Data (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract.

Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.

The Initial Contract Price is the Contract Price listed in the Employer's Letter of Acceptance.

The Revised Contract Price is the Contract Price agreed after signing of a supplementary agreement with the Employer.

The Intended Completion Date is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the Contract Data. The Intended Completion Date may be revised only by the Engineer by issuing an extension of time.

Materials are all supplies, including consumables, used by the Contractor for incorporation in the Works.

Plant is any integral part of the Works that shall have a mechanical, electrical, electronic, chemical, or biological function.

The **Site** is the area defined as such in the Contract Data.

Site Investigation Reports are those that were included in the bidding documents and are reports about the surface and subsurface conditions at the Site.

Specification means the Specification of the Work included in the Contract and any modification or addition made or approved by the Engineer. Specifications for Road and Bridge Works (Latest Edition as on date of Tender) published by Ministry of Road Transport & Highways shall be applicable or any or all other specifications/IS Codes applicable to a work.

The **Start Date** is given in the Contract Data. It is date when the Contractor shall commence execution of the works. **It does not necessarily coincide with any of the Site Possession Dates.**

A **Sub-Contractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the construction work in the Contract, which includes work on the Site.

Temporary Works are works designed, constructed, installed, and removed by the Contractor that are needed for construction or installation of the Works.

A **Variation** is an instruction given by the Engineer, which varies the Works.

The Works, as defined in the Contract Data, are what the Contract requires the Contractor to construct, install, maintain, and hand over to the Employer.

Substantial completion means those works which are at least 95% completed as on the date of submission (i.e. gross value of work done upto the last date of submission is 95% or more of the original contract price) and continuing satisfactorily.

2. Interpretation

2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Engineer will provide instructions clarifying queries about these Conditions of Contract.

2.2 If sectional completion is specified in the Contract Data, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

2.3 The documents forming the Contract are to be taken as mutually explanatory, and unless otherwise expressly provided elsewhere in the Contract, the priority of the documents, in the event of any ambiguity between them, shall be interpreted in the following order of priority:

- (1) Agreement / Revised Agreement / Supplementary Agreement,
- (2) Notice to Proceed with the Work,
- (3) Letter of Acceptance,
- (4) Contractor's Bid,
- (5) Contract Data,
- (6) Special Conditions of Contract Part II,
- (7) General Conditions of Contract Part I,
- (8) Specifications,
- (9) Drawings,
- (10) Bill of Quantities, and
- (11) Any undertaking given subsequent to submission of bid.
- (12) Any other document listed in the Contract Data.

3. Language and Law

3.1 The language of the Contract shall be English. The law governing the Contract are the Acts/Rules/Guidelines etc. notified by Government of India and Government of Haryana.

3.2 The works are to be carried out strictly as per the applicable laws, permits, rules and regulations. Any damages / penalties imposed by any statutory authority, like NGT etc, on account of noncompliance of any applicable laws, permits, rules and regulations shall have to be borne by the contractor.

4. Engineer's Decisions

4.1 Except where otherwise specifically stated, the Engineer will decide contractual matters between the Employer and the Contractor in the role representing the Employer. However, if the Engineer is required under the rules and regulations and orders of the Employer to obtain approval of some other authorities for specific actions, he will so obtain the approval.

4.2 Except as expressly stated in the Contract, the Engineer shall not have any authority to relieve the Contractor of any of his obligations under the Contract.

5. Delegation

5.1 The Engineer, with the approval of the Employer, may delegate any of his duties and responsibilities to other person, after notifying the Contractor, and may cancel any delegation after notifying the Contractor.

6. Communications

6.1 All certificates, notices or instructions to be given to the Contractor by the Employer/Engineer shall be sent on the address or contact details given by the Contractor. The address and contact details for communication with the Employer/ Engineer shall be as per the details given in Contract Data to GCC. Communications between parties that are referred to in the conditions shall be in writing. The Notice sent by facsimile (fax) or other electronic means shall be effective on confirmation of the transmission. The Notice sent by Registered post or Speed post shall be effective on delivery or at the expiry of the normal delivery period as undertaken by the postal service.

7. Subcontracting

7.1(a) The Contractor may subcontract part of the work with the approval of the Employer in writing, up to the percentage defined in contract data (of the contract price only). The employer shall evaluate the eligibility of the proposed subcontractor proportionate to the quantum of work to be executed by subcontractor and issue approval for the same. The Employer while approving the subcontracting shall only allow subcontracting if the subcontractor meets the respective experience, machinery and turnover criteria for the quantum of work to be subcontracted. It is expressly agreed that the Contractor shall, at all times, be responsible and liable for all his obligations under this Agreement notwithstanding anything contained in the agreements with his Sub-contractors or any other agreement that may be entered into by the Contractor and no default under any such agreement shall exempt the Contractor from his obligations or liability hereunder.

7.1 (b) However, any specialized work can be Subletted to a Sub Contractor possessing required valid Experience, machinery and turnover after approval from the Competent Authority issuing technical estimate.

7.2 The Contractor shall not be required to obtain any consent from the Employer for:

- (a) the sub-contracting of any part of the Works for which the Sub-Contractor is named in the Contract.
- (b) the provision for labour, or labour component.
- (c) the purchase of Materials which are in accordance with the standards specified in the Contract.

7.3. The Engineer should satisfy himself before recommending to the Employer whether the Sub-Contractor so proposed for the Works possesses the experience, qualifications and equipment necessary for the job proposed to be entrusted to him in proportion to the quantum of Works to be sub-contracted.

7.4 While sub-contracting part of construction work as per provisions of Clause 7.1 and 7.3 above, the Contractor shall enter into formal sub-contract with sub-contractor making provisions for such requirements as may be specified by the Engineer including a condition that to the extent of inconsistency, provision of the Contract shall prevail over the provisions of the sub-contract. A copy of document of formal sub-contract shall be furnished to the Employer within a period of 30 days from the date of such sub-contract. In all such cases, on completion of the Contract, the Engineer, unless for reasons recorded in writing decides otherwise shall issue a Certificate of Experience to the contractor and in such certificate, the experience of the sub-contractors shall also be mentioned. The Copy of

such certificate would also be endorsed to the sub-contractor.

8. Other Contractors

8.1 The Contractor shall cooperate and share the Site with Other Contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the Contract Data. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

8.2 The Contractor should take up the works in convenient reaches as decided by the Engineer to ensure there is least hindrance to the smooth flow of traffic including movement of vehicles and equipment of Other Contractors till the completion of the Works.

9. Personnel

9.1 The Contractor shall ensure that the personnel engaged by it in the performance of its obligations under this Contract are at all times appropriately qualified, skilled and experienced in their respective functions.

9.2 The Contractor shall employ for the construction work and operation of lab, the technical personnel named in the Contract Data or other technical persons approved by the Engineer. Before signing the agreement the contractor will submit the bio data of the technical personnel, as given in contract data, he proposes to employ on this work to the Engineer and will get the bio data approved from the Engineer. The Engineer will approve any proposed replacement of technical personnel only if their relevant qualifications and abilities are substantially equal to or better than those of the personnel stated in the Contract Data.

9.3 If the Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the Works in the Contract. The Contractor shall then appoint (or cause to be appointed) a replacement.

9.4 The Contractor shall not employ any retired Gazetted officer who has worked in the Engineering Department of the State Government and has either not completed two years after the date of retirement or has not obtained State Government's permission for employment with the Contractor.

9.5 The Engineer may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative, who in the opinion of the Engineer:

- (a) persists in any misconduct,
- (b) is incompetent or negligent in the performance of his duties,
- (c) fails to conform with any provisions of the Contract, or
- (d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment.

10. Employer's and Contractor's Risks

10.1 The Employer carries the risks which this Contract states are Employer's risks, and the

Contractor carries the risks which this Contract states are Contractor's risks.

11. Employer's Risks

11.1 The Employer is responsible for the excepted risks which are (a) in so far as they directly affect the execution of the Works in the Employer's country, the risks of war, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot commotion or disorder (unless restricted to the Contractor's employees) and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive.

12. Contractor's Risks

12.1 All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks, referred to in clause 11.1, are the responsibility of the Contractor.

13. Insurance

13.1 The Contractor at his cost shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the date of completion, in the amounts and deductibles stated in the Contract Data for the following events which are due to the Contractor's risks:

- (a) loss of or damage to the Works and material, plant and machinery to be incorporated in the work.
- (b) Personal injury or death.
- (c) Loss of damage to property of third party other than the Contractor and the Employer (except works, plant, material and equipments) in connection with the Contract.

13.2 Insurance policies and certificates for insurance shall be delivered by the Contractor to the Engineer for the Engineer's approval before the Start Date. All such insurance shall provide for compensation to be payable in Indian Rupees to rectify the loss or damage incurred.

13.3 (a) The Contractor at his cost shall also provide, in the joint names of the Employer and the Contractor, insurance cover from the date of completion to the end of **Defect Liability-cum-Maintenance Period**, in the amounts and deductibles stated in the Contract Data for personal injury or death which are due to the Contractor's risks:

(b) Insurance policies and certificates for insurance shall be delivered by the Contractor to the Engineer for approval before the completion date/start date. All such insurance shall provide for compensation to be payable in Indian Rupees.

13.4 Alterations to the terms of insurance shall not be made without the approval of the Employer.

13.5 Both parties shall comply with any conditions of the insurance policies.

14. Site Investigation Reports

14.1 The Contractor, in preparing the Bid, may, at his own risk, rely on any Site Investigation Reports if referred to in the Contract Data, supplemented by any other information available to him, before submitting the bid.

14.2 The Contractor shall be required to make adequate dewatering arrangements to make the area dry for construction work. No separate payment shall be made to the Contractor for dewatering. The percentage premium (above or below) for HSR items and individual rates for NS items shall include the cost of dewatering unless specific provisions are made in the BOQ for payment of dewatering. This includes sub soil/surface dewatering also, if needed to execute the work properly.

15. Queries about the Contract Data

15.1 The Engineer will clarify queries on the Contract Data.

16. Contractor to Construct the Works

16.1 The Contractor shall construct, and install and maintain the Works in accordance with the Specifications and Drawings.

17. The Works to Be Completed by the Intended Completion Date

17.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Programme submitted by the Contractor, as updated with the approval of the Engineer, and complete them by the Intended Completion Date.

18. Approval by the Engineer

18.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Engineer, who is to approve them.

18.2 The Contractor shall be responsible for design and safety of Temporary Works.

18.3 The Engineer's approval shall not alter the Contractor's responsibility for design and safety of the Temporary Works.

18.4 The Contractor shall obtain approval of third parties to the design and safety of the Temporary Works, where required.

18.5 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Engineer before their use.

19. Safety

19.1 The Contractor shall be responsible for the safety of all activities on the Site.

19.2 The Contractor shall be responsible for safety of all persons, employed by him on Works, directly or through petty contractors or Sub-Contractors, and shall report accidents to any of them, however, and wherever occurring on Works, to the Engineer or the Engineer's Representative, and shall make every arrangement to render all possible assistance and to provide prompt and proper medical attention. The compensation for affected Workers or their relatives shall be paid by the Contractor in such cases expeditiously in accordance with the Workmen's Compensation Act and other labour Laws and regulations.

20. Discoveries

20.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Engineer of such discoveries and carry out the Engineer's instructions for dealing with them.

21. Possession of the Site

21.1 The Employer shall handover complete or part possession of the site to the Contractor seven days in advance of construction programme. At the start of the work, the Employer shall handover the possession of at least 80% of the site.

22. Access to the Site

22.1 The Contractor shall allow access to the Site and to any place where work in connection with the Contract is being carried out, or is intended to be carried out to the Engineer and any person/persons/agency authorized by:

- (a) The Engineer
- (b) The Employer
- (c) State Government of Haryana.

22 A. Royalties

Except where otherwise stated, the contractor shall pay all tonnage and other royalties, rent and other payments of compensation, if any, for getting stone, sand, gravel, clay or other materials required for the works.

The contractor has to give proof for making payment of royalty to any state Government for procuring stone soling, stone metal, bajri and earth etc. If these are arranged from quarries situated in Haryana but not auctioned by Industries Department, Government of Haryana, the Engineer shall be at liberty to make recovery of royalties after due notice to the contractor. The decision of Employer in this regard shall be final.

23. Instructions

23.1 The Contractor shall carry out all instructions of the Engineer, which comply with the applicable laws where the Site is located.

24. Dispute Redressal system

24.1 If any dispute or difference of any kind what-so-ever shall arise in connection with or arising out of this contract or the execution of work or Maintenance of the works there under, whether before its commencement or during the progress of works or after the termination, abandonment or breach of the contractor after completion of work, it shall, in the first instance, be referred for settlement to the Employer defined in contract within 45 days of arising of the dispute or difference. The Employer shall, within a period of 45 days after being requested in writing by the contractor to do so, convey his decision to the contractor. Such decision in respect of every matter so referred shall, subject to review as hereinafter provided, be final and binding upon the contractor as well as employer. In case the work is already in progress, the contractor shall proceed with the execution of the works, including maintenance thereof pending receipt of the decision of the Employer as aforesaid, with all due diligence.

24.2 Either of the parties is barred from making reference to the Employer after 120 days

from completion of work i.e. the claims will be time barred if the reference to the Employer is not made within 120 days from the completion of work.

24.3 After the decision of Employer, if either of the party is not satisfied, the matter in the dispute shall be referred to the Disputes Review Board (DRB). The Board shall comprise of three Members having experience in the field of construction or have been involved in the works related to construction and with the interpretation of contractual documents. Further, they should not be serving in the department and will have no relation/ financial transaction with the agency. One member each, not below the rank of Chief Engineer (Retd) shall be selected by the department and the contractor from the list approved by the Department. The Presiding/ Chairman of the board shall be selected by the two members so selected within 30 days, not below the rank of Engineer-in-Chief (Retd). The third member shall serve as Chairman of the board.

In the event of death, disability, or resignation of any member, such member shall be replaced in the same manner as the member being replaced was selected. If for any other reason, a member fails or is unable to serve, the Chairman (or failing the action of the Chairman then either of the other members) shall in form the Parties and such non- serving member shall be replaced in the same manner as the member being replaced was selected. Any replacement made by the parties shall be completed within 28 days after the event giving rise to the vacancy on the Board.

24.4 The members of the Board shall be paid as per the rates approved by the Govt. from time to time. While selecting the members of the board the latest fee approved by the Govt. shall be communicated to the such members and their appointment shall be subject to consent to the rates. The Fees shall be borne by both parties equally.

24.5 The Board shall deliver its decision within 120 days from its constitution or any extension (maximum upto 60 days) mutually agreed upon by the Department and the Contractor. If either, the Department or the Contractor, is dissatisfied with decision of the Board, may within 120 days after receipt of the decision/non-decision. Of the Board, with in stipulated period, can go to appropriate court.

25 Arbitration

In view of the provision of the clause 24 on Dispute Redressal System, it is the condition of the Contract that there will be no arbitration for the settlement of any dispute between the parties.

B. Time Control

26. Programme

26.1 Within the time stated in the Contract Data, the Contractor shall submit to the Engineer for approval a Programme showing the general methods, arrangements, order, and timing for all the activities in the Works, for the construction of works.

26.2 The Contractor shall submit the list of equipment and machinery being brought to site, the list of key personnel being deployed, the list of machinery/ equipments being placed in field laboratory and the location of field laboratory along with the Programme. The Engineer shall cause these details to be verified at each appropriate stage of the programme.

26.3 An update of the Programme shall be a programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining Works, including any changes to the sequence of the activities.

26.4 The Contractor shall submit to the Engineer for approval an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.

26.5 The Engineer's approval of the Programme shall not alter the Contractor's obligations. The Contractor may revise the Programme and submit it to the Engineer again at any time. A revised Programme shall show the effect of Variations and Compensation Events.

27. Extension of the Intended Completion Date

27.1 The Engineer shall extend the Intend Completion Date, with approval from authority competent to grant time extension as mentioned in clause 16.16.6 of PWD code through Employer, if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work and which would cause the Contractor to incur additional cost.

The Clause 16.16.6 is reproduced as under:-

“16.16.6 The authority competent to technically sanction the estimate shall have the power to grant EOT. However, to check disproportionate EOTs and to ensure uniformity in approach, the Engineer-in-Chief shall issue instructions in this regard from time to time.”

27.2 The Engineer with the approval of the authority competent to grant time extension as per PWD Code Clause 16.16.6 through employer shall decide whether and by how much to extend the Intended Completion date within 56 days of the Contractor asking the Engineer for a decision upon the effect of a compensation event or variation and submitting full supporting information. If the Contractor has failed to give early warning to delay or has failed to cooperate in dealing with a delay, the delay by the failure shall not be considered in accessing the new Intended Completion Date.

27.3 The Engineer shall within 14 days of receiving full justification from the contractor for extension of Intended Completion Date refer to the employer. The employer shall refer the case to the authority competent to grant time extension as per Clause 16.16.6 of PWD Code within further 14 days for his decision. If the authority competent to grant time extension fails to give his acceptance within next 28 days, the engineer shall not grant the time extension and the Contractor

may refer the matter to the Dispute Redressal System under clause 24.1. In case the employer happens to be the authority competent to grant time extension, he would convey his decision to the Engineer within 42 days.

28. Delays Ordered by the Engineer

28.1 The Engineer may instruct the Contractor to delay the start or progress of any activity within the Works. Delay/delays totaling more than 30 days will require prior written approval of the Employer.

29. Management Meetings

29.1 The Engineer may require the Contractor to attend a management meeting. The business of a management meeting shall be to review the plans for the Works.

29.2 The Engineer shall record the business of management meetings and provide copies of the record to those attending the meeting. The responsibility of the parties for actions to be taken shall be decided by the Engineer either at the management meeting or after the management meeting and stated in writing to all those who attended the meeting.

C. Quality Control

30. Identifying Defects

30.1 The Engineer shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer considers may have a Defect.

31. Tests

31.1 For carrying out mandatory tests as prescribed in the specifications, the Contractor shall establish field laboratory at the location decided by Engineer. The field laboratory will have minimum equipments as specified in the Contract Data. The Contractor shall be solely responsible for :

- (a) Carrying out the mandatory tests prescribed in the relevant Specifications, and
- (b) For the correctness of the test results, whether preformed in his laboratory or elsewhere.

If the Engineer instructs the Contractor to carry out a test not specified in the Specifications to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples.

32. Correction of Defects noticed during the Defects Liability-cum-Maintenance Period. **Period as defined in Contract Data.**

32.1 The Engineer shall give notice to the Contractor of any Defects before the end of the Defect Liability-cum-Maintenance Period, which begins from the Completion Date. The Defect Liability-cum-Maintenance Period shall be extended for as long as the Defects remain to be corrected.

32.2 Every time notice of Defect/Defects is given, the Contractor shall correct the notified Defect/Defects within the duration of time specified by the Engineer's notice.

32.3 To fulfill the objectives laid down, the Contractor shall undertake detailed inspection of the work at least once in a month. The Engineer can increase this frequency in case of emergency. The Contractor shall forward to the Engineer, the record of inspection and rectification each month. For Road works the Contractor shall pay particular attention on those road sections which are likely to be damaged or inundated during rainy season.

32.4 The Engineer may issue notice to the Contractor to carry out maintenance of defects, if any, noticed in his inspection, or brought to his notice. The Contractor shall remove the defects within the period specified in the notice and submit to the Engineer a compliance report.

33. Uncorrected Defects

33.1 If the Contractor has not corrected a Defect within the time specified in the 'Engineer's notice, the 'Engineer' will assess the cost of having the Defect corrected, and the Contractor will pay double of this amount.

33.2 If the contractor fails to pay the amount as intimated by the 'Engineer' to the contractor as per clause 33.1 the same shall be recovered from the running bill or the security amount and if it is more than the security amount then the same shall be recovered from the performance security.

D. Cost Control

34. Bill of Quantities

34.1 The Bill of Quantities shall contain items for the construction, installation, testing, and commissioning works to be done by the Contractor.

35 The Bill of Quantities is used to calculate the Contract Price. The Contractor is paid for the quantity of the work done at the rates in the Bill of Quantities for each item.

36. Variations

36.1 The Engineer shall, having regard to the scope of the Works and the sanctioned estimated cost, have power to order, in writing, Variations within the scope of the Works, he considers necessary during the progress of the Works. Such Variations shall form part of the Contract and the Contractor shall carry them out and include them in updated Programmes produced by the Contractor. Oral orders of the Engineer for Variations, unless followed by written confirmation, shall not be taken into account.

37. Payments for Variations

37.1 If the final quantity of the work done exceeds from the quantity in the Bill of Quantities for the particular item by more than 25 per cent provided the change exceeds 1% of initial Contract Price, the 'Engineer' with the approval of the Competent Authority and shall adjust the rate to allow for the change, duly considering:

- (a) justification for rate adjustment as furnished by the Contractor,
- (b) economies resulting from increase in quantities by way of reduced plant, equipment and overhead costs.
- (c) Entitlement of the Contractor to compensation events where such events are caused by any additional work.

37.2 If requested by the 'Engineer' / Employer, the Contractor shall provide the 'Engineer' / Employer with a detailed cost breakdown of any rate in the Bill of Quantities.

38. Cash Flow Forecasts

38.1 When the Programme is updated, the Contractor shall provide the Engineer with an updated cash flow forecast.

39. Payment Certificates

39.1 The Contractor shall submit to the 'Engineer' monthly statements of the estimated value of the work completed less the cumulative amount certified previously by 1st week of the month. In case contractor does not submit his bill by 1st week of the month, 'Engineer' shall get the monthly statement of the estimated value of work completed less cumulative amount prepared by the end of third week of the month. This procedure will be followed even if no work is carried out at the site of work.

39.2. Deleted.

39.3 Deleted.

39.4 Deleted.

40. Payments

40.1 Payments shall be adjusted for deductions for advance payments, security deposit/retention, other recoveries in terms of the contract and taxes at source, as applicable under the law.

41. The Employer may appoint another authority, as specified in the Contract Data (or any other competent person appointed by the Employer and notified to the Contractor) to make payment certified by the Engineer.

42. Items of the Works for which no rate or price has been entered in the Bill of Quantities, will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.

43. The agency / bidder to whom the work is allotted shall be paid lowest of the following in the running / final bills:-

1. Amount calculated with the accepted rates of lowest agency.
2. Amount worked out with the accepted percentage above /below HSR+CP/analytical rates/NS item rates, worked out in financial statement. Financial statement will be made a part of agreement.

44. Compensation Events

44.1 The following are Compensation Events unless they are caused by the Contractor:

- (a) The Employer does not give access to 80% of the area of project Site by the Site Possession Date stated in the Contract Data.
- (b) The Employer modifies the schedule of other contractors in a way which affects the work of the contractor under the contract.
- (c) The Engineer orders a delay or does not issue drawings, specifications or instructions required for execution of works on time.
- (d) The Engineer instructs the Contractor to uncover or to carry out additional tests upon work which is then found to have no Defects.
- (e) The Engineer does not approve of a subcontract to be let, within 30 days.
- (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of Letter of Acceptance from the information issued to Bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the site.
- (g) The Engineer gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
- (h) Other contractors, public authorities, utilities or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.

- (i) The advance payment is delayed, beyond 28 days after receipt of application and bank guarantee.
- (j) The effect on the Contractor of any of the Employer's Risks.
- (k) The Engineer unreasonably delays issuing a Certificate of Completion.
- (l) Other Compensation Events listed in the Contract Data or mentioned in the Contract.

44.2 In case of works of Irrigation Water Resources Department, no compensation would be payable due to non availability of closure of a canal. If the closure is not made available within the Intended Completion Date, the Contractor will have the option to complete the works, with the permission of Competent Authority, in the extended period.”

44.3 If a Compensation Event would prevent the Works being completed before the Intended Completion Date, the Intended Completion Date shall be extended. The Engineer shall recommend to the Employer whether and by how much the Intended Completion Date shall be extended. Final approval shall rest with the Employer.

45. Tax

The Price Bid by the Contractor shall include all custom duties, import duties, levies, business taxes, income, toll and other taxes, duties etc. of local bodies and authorities as applicable that may be levied in accordance to the laws and regulations in being as on the closing date for submission of Bid in the country of Employer on the Contractor's Equipment, Plant, materials and supplies (permanent, temporary and consumables) acquired for the purpose of Contract and on the services performed under the Contract excluding GST . Nothing in this Contract shall relieve the Contractor from the responsibility to pay the taxes and duties that may be levied in the Employer's country on profits made by him in respect of the Contract. The GST amount shall be reimbursed on production of proof of deposit of GST with Govt. for the previous payment.

45.1 Subsequent Legislation

If, after the closing date for submission of Bid there occur changes to any National or State Statue, Ordinance, Decree or other Law or any regulation or bye-law of any local or other duly constituted authority, or the introduction of any such State Statue, Ordinance, Decree, Law, regulation or bye-law which causes additional or reduced cost to the Contractor in the execution of the Contract, such additional or reduced cost shall, after due consultation with the Employer and the Contractor, be determined by the Construction Manager and shall be added to or deducted from the Contract Price and the Construction Manager shall notify the Contractor accordingly, after taking approval from the Competent Authority, with a copy to the Employer.

45.2 Other Changes in Cost

To the extent that full compensation for any rise or fall in costs to the Contractor is not covered by the provisions of this or other 'Clauses in the Contract, the unit rates and prices included in the Contract shall be deemed to include amounts to cover the contingency of such other rise or fall of costs.

46 Currencies

46.1 All payments will be made in Indian Rupees.

47. Price Adjustment

47.1 Contract price shall be adjusted for increase or decrease in rates with the principles and procedures and as per formula given in the contract data. The rate of cement/steel issued under the authority of Engineer-in-Chief concerned on the date of receipt of tender shall be considered as base rate.

47.2 To the extent that full compensation for any rise or fall in costs to the contractor is not covered by the provision of this or other clauses in the contract, the unit rates and prices included in the contract shall be deemed to include amounts to cover the contingency of such other rise or fall in costs.

47.3 The contractor shall submit original bill/ voucher while claiming the payment for the work done. The bill/ voucher should pertain to the period of original contractual time limit and should correspond with the progress of work. No extra payment due to increase in rate of cement/steel/bitumen will be paid if the original bill/ vouchers are not submitted by the agency. No increase in prices of the cement/steel/bitumen shall be reimbursed to the contractor beyond the original time period allowed for construction as per contract agreement irrespective of extension of time limit granted to the agency for any reason, whatsoever.

48. Retention Money

The Employer shall retain a sum of 6% (six percent) from each payment due to the contractor subject to a maximum of 5% of the final contract price until Completion of the whole of the Works.

On completion of the whole of the Works half the total amount retained is repaid to the Contractor and half when the Defect Liability-cum-Maintenance Period has passed and the Engineer has certified that all Defects notified by the Engineer to the Contractor before the end of this period have been corrected.

On completion of the whole works, the contractor may substitute retention money with an “on demand” Bank guarantee/FDR.

49. Liquidated Damages

49.1 In the event of failure on part of the Contractor to achieve timely completion of the project, including any extension of time granted under Clause 27, he shall, without prejudice to any other right or remedy available under the law to the Employer on account of such breach, pay as agreed liquidated damages to the Employer and not by way of penalty in a sum calculated at the rate per day or part thereof as stated in the Contract Data. For the period that the Completion Date is later than the Intended Completion Date, liquidated damages at the same rate shall be withheld if the Contractor fails to achieve the milestones prescribed in the Contract Data. However, in case the Contractor achieves the next milestone, the amount of the liquidated damages already withheld shall be restored to the Contractor by adjustment in the payment certificate. Both the Parties expressly agree that the total amount of liquidated damages shall not exceed 10% (ten percent) of the contract price on the date on which liquidated damages have become due. The liquidated damages payable by the Contractor are mutually agreed genuine pre-estimated loss and without any proof of actual damage likely to be suffered and incurred by the Employer; and the Employer is entitled to receive the same and are not by way of penalty.

The Employer may, without prejudice to any other method of recovery, deduct the amount of such damages from any sum due, or to become due to the Contractor or from Performance Security or any other dues from Government or semi Government bodies within the state.

The payment or deduction of such damages shall not relieve the Contractor from his obligations to complete the Works, or from any other of his duties, obligations or responsibilities under the Contract.

The Contractor shall use and continue to use his best endeavour to avoid or reduce further delay to the Works, or any relevant Stages.

49.2 The Employer, with the approval of the competent authority, based on the justified reasons, can extend the intended completion date. The liquidated damages can be deferred/reduced/waived (whole or part) by the SE concerned for contract(s) upto Rs.1.00 cr., CE from Rs.1.00 cr. to Rs.10.0 cr. and E-In-C for contract(s) above Rs.10.00 cr. This will be done on the written request of the contractor and written recommendations of EE/SE as the case may be. If the Intended Completion Date is extended after liquidated damages have been paid, the Engineer shall correct any such payment of liquidated damages by the Contractor

49.3 It is agreed by the Contractor that the decision of the Employer as to the liquidated damages payable by the Contractor under this Clause shall be final and binding.

50. Advance Payment

50.1. The Employer shall make advance payment to the Contractor of the amounts stated in the Contract Data by the date stated in the Contract Data, against provision by the Contractor of an Unconditional Bank Guarantee in a form as per Section-7 and by a bank acceptable to the Employer in amounts and currencies equal to the advance payment. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest will be charged on the advance payment as specified in the contract data.

50.2. The Contractor is to use the advance payment only to pay for Equipment, Plant and Mobilization expenses required specifically for execution of the Works. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the 'Engineer'.

50.3. The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor. Following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment is assessing valuations of work done, Variations, price adjustments, Compensation Events, or Liquidated Damages.

50.4. Secured Advance

The 'Engineer' shall make advance payment in respect of materials intended for but not yet incorporated in the Works in accordance with conditions stipulated in the Contract Data.

51 Securities

51.1 The Performance Security equal to 5% (five percent) and additional security for unbalanced bids shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the Employer, and denominated in Indian Rupees. The Performance Security shall be valid until a date 45 days from the date of expiry of Defect Liability-cum-Maintenance Period and the additional security for unbalanced bids shall be valid until a date 28 days from the date of issue of the certificate of completion.

51.2 Whenever the work value is enhanced on account of variation in quantities / change of scope of work during the execution, beyond 10% above the original agreement amount, the contractor shall be required to submit the additional Performance Security in the form of Bank Guarantee @ 5% of the enhanced value of contract with the same validity as applicable to the original Performance Security and a supplementary agreement for the revised work value shall be signed with the department which shall also define the mile stones as well as revised intended completion date. The contractor shall deliver additional Performance Security within 21 days of receipt of request in this regard from the employer.

Illustration:

Original Amount of agreement	Enhancement	Amount after enhancement	Additional Performance
Rs 1,00,000.00	Rs 10,000.00	1,10,000.00	Nil
Rs 1,00,000.00	Rs 15,000.00	1,15,000.00	5% of Rs 15,000.00

52. Cost of Repairs

52.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the **Defect Liability-cum-Maintenance Period** shall be remedied by the Contractor at his cost if the loss or damage arises from the Contractor's acts or omissions.

53. Monthly Billing by Contractors Post Allotment

It shall be mandatory for the contractor, after the allotment of work, to submit monthly running bills for the work executed in the preceding month. Such bills shall invariably be submitted through the designated module on the HEWP platform between the 1st and 10th day of every month. In cases where no work has been executed in a preceding month, the contractor shall still be required to submit a bill with **zero amount** within the stipulated period.

In case the contractor submits the monthly bill between the 11th and 20th day of the month, a penalty at the rate of 0.025% of the contract price shall be levied. If the contractor fails to submit the monthly bill by the 20th day, an additional penalty of 0.025% of the contract price per day shall be applicable for each day of delay beyond the 20th day. These penalty charges shall be non-refundable under all circumstances.

The total penalty for delay in submission of monthly bills shall not exceed 10% of the contract price.

E. Finishing the Contract

53. Completion of Construction and Maintenance

53.1 The Contractor shall request the Engineer to issue a Certificate of Completion of the works and the Engineer will do so upon deciding that the Work is completed, within 21 days of the receipt of request or within a reasonable period as per nature of the work.

54. Taking Over

54.1 The Employer shall take over the Works within seven days of the Engineer's issuing a certificate of Completion of Works. The Contractor shall continue to remain responsible for its **Defect Liability-cum-Maintenance period during the Defect Liability-cum-Maintenance Period.**

54.2 The Employer shall take over the maintained work within seven days of the Engineer issuing a certificate of clearance of **Defect Liability-cum-Maintenance Period.**

55. Substantial completion

55.1 The Engineer shall issue a substantial completion certificate if so requested by the contractor if the work is atleast 95% complete and the work has been executed to such an extent that it can be gainfully utilized by the Employer and remaining work is minor in nature not affecting gainful use of the work.

56. Defect Liability-cum-Maintenance period

56.1 The Defect Liability-cum-Maintenance period shall be as defined in the Contract Data and Special Condition of Contract.

57. Final Account

57.1. The Contractor shall supply to the 'Engineer' a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The 'Engineer' shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, 'Engineer' shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Engineer shall decide on the amount payable to the Contractor and issue a payment certificate, within 56 days of receiving the Contractor's revised account.

57.2 The contractor will submit the final bill of construction within 21 days of issue of Completion Certificate. The Engineer will process and pass the final bill within 21 days of the submission of final bill by the contractor.

58. Operating and Maintenance Manuals

58.1 The Contractor shall submit "as built" drawings for the work by the dates given in the contract data. If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the Contract Data.

58.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the Contract Data, or they do not receive the Engineer's approval, the Engineer shall withhold the amount stated in the Contract Data from payments due to the Contractor.

59. Termination

59.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

59.2 Fundamental breaches of the Contract shall include, but shall not be limited to, the following:

- (a) the Contractor stops work for 28 days when no stoppage of work is shown on the current Programme and the stoppage has not been authorized by the Engineer;
- (b) the 'Engineer' instructs the Contractor to delay the progress of the Works and the instruction is not withdrawn within 56 days the Contractor is declared as bankrupt or goes into liquidation other than for approved reconstruction or amalgamation;
- (c) the Engineer gives Notice that failure to correct a particular Defect whether pertaining to construction work or pertaining to **Defect Liability-cum-Maintenance Period** is a fundamental breach of the Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
- (d) the Contractor does not maintain a Security, which is required;
- (e) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in clause 44.1;
- (f) the Contractor fails to provide insurance cover as required under clause 13;
- (g) if the Contractor, in the judgment of the Employer, has engaged in the corrupt, fraudulent or coercive practice in competing for or in executing the Contract. For the purpose of this clause, "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in Contract execution. "Fraudulent Practice" means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests. And, this includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid process at artificial non-competitive levels and to deprive the Employer of the benefits of free and open competition. "Coercive practice" means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process.
- (h) if the Contractor, in the judgment of the Employer, has engaged in the corrupt, fraudulent practice to extract undue payments from the department while executing the Contract. For the purpose of this clause, "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in Contract execution. "Fraudulent Practice" means a willful misrepresentation or omission of facts or submission of fake/forged documents / claims / bills in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage detriment of the Government interests.

- (i) any other fundamental breaches as specified in the Contract Data.

59.3 When either party to the Contract gives notice of a breach of contract to the 'Engineer' for a cause other than those listed under Sub Clause 59.2 above, the 'Engineer' shall decide whether the breach is fundamental or not

59.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.

59.5 If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

60. Payment upon Termination

60.1 (i) If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for the value of the work done, less liquidated damages, less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as indicated in the Contract Data. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be recovered from the Retention Money and Performance Security. If any amount is still left unrecovered it will be a debt payable to the Employer from any other due payments to the contractor for any other works executed by him in the State of Haryana, any other state Govt. works, Central Govt. works including state public sector works executed by the Contractor.

(ii) If the Contract is terminated because of a fundamental breach of contract by the Contractor due to non compliance of the requirements of clause 32 of GCC regarding Defect Liability-cum-Maintenance Period, the Engineer will assess the cost of having the defect corrected. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be recovered from the Security Deposit and Performance Security. If any amount is still left unrecovered, it will be recovered from any dues payable to the Contractor from any other State Government works including State Public Sector works executed by the Contractor. If any amount still remains unrecovered, it shall be recovered as arrears of land revenue.

60.2 If the Contract is terminated at the Employer's convenience or because of a fundamental breach of Contract by the Employer, the 'Engineer' shall issue a certificate for the value of the work done, the cost of balance material brought by the contractor and available at site, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

Clause 60 (A) - Termination Upon Death of Contractor and payment

Notwithstanding anything contained herein, in the event of the death of the Contractor, the Employer shall have the discretion to determine whether the Contract may be continued or terminated. The Employer may permit the legal heir of the deceased Contractor to continue the execution of the work, provided such heir is willing and found competent to perform the remaining obligations to the satisfaction of the Employer.

If the legal heir is not in a position to carry out the business further, or fails to demonstrate adequate capacity or willingness to continue with the execution of the work, the Employer may, by notice in writing, terminate the Contract.

1. Notification: The Contractor's legal heirs or authorized representative shall promptly notify the Employer in writing of the Contractor's death, providing relevant documentation, including a

death certificate.

2. **Payment for Completed Work:** The Employer shall pay the Contractor's legal heirs for the portion of the work satisfactorily completed and duly accepted up to the date of the termination, in accordance with the terms of the Contract. The valuation shall be determined by Contractor's death, based on the agreed-upon rates or a fair valuation of the completed work. The valuation shall be determined by Engineer and confirmed by Employer.

3. **Return of Materials and Equipment:** Any materials, equipment, or tools belonging to the Employer and in the possession of the Contractor at the time of death shall be returned to the Department. The Contractor's legal heirs or authorized representative shall facilitate this return.

4. **Settlement of Accounts:** The Employer and the Contractor's legal heirs or authorized representative shall cooperate in settling all outstanding accounts related to the Agreement. This includes any payments due to the Contractor, refunds due to the Department, or any other financial obligations as per provisions of the Contract Agreement.

5. **No Liability:** Neither party shall be liable to the other for any losses or damages arising solely from the termination of this Agreement due to the Contractor's death, except for the obligations outlined in this clause.

6. **Governing Law and Jurisdiction:** This clause and its interpretation shall be governed by and construed in accordance with the laws of India. Any disputes arising from this clause shall be subject to the exclusive jurisdiction of the courts in Chandigarh

7. **Force Majeure:** The death of the contractor will be considered a force majeure event for the purposes of this contract.

61. Property

61.1 All materials on the Site, Plant, Equipment, Temporary Works and Works are deemed to be the property of the Employer, if the Contract is terminated because of a Contractor's default to make recoveries.

62. Release from Performance

62.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of the Employer or the Contractor, the Engineer shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

62.2 If a Contractor dies during the currency of the Contract or becomes permanently incapacitated, and his/her legal heirs are not willing to complete the Contract, the Contract shall be closed without levying any damages/compensation as provided for in clauses 44 and 60 of GCC.

However, if the nominee expresses his/her intention to complete the balance work and the competent authority is satisfied about the competence of the nominee, then the competent authority shall enter into a fresh agreement for the remaining work strictly on the same terms and conditions, under which the Contract was initially awarded.

Part-II Special Conditions of Contract

1. LABOUR:

1.1 Every Contractor shall:-

- (i) In relation to an establishment to which this Act applies on its commencement, within a period of 60 days from such commencement, and
- (ii) In relation to any other establishment to which this Act may be applicable at any time after such commencement, within a period of 60 days from the date on which this Act becomes applicable to such establishment, make an application to the registering officer for the registration of establishment.

Further, the first running bill of the contractor shall be cleared only after the receipt of registration certificate under the Building & Other Construction Workers Welfare (RE&CS) Act, 1996 and registration of all the eligible construction workers as a beneficiary of the Haryana Building & Other Construction Worker Welfare Board.

1.2 The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.

1.3 The Contractor shall, if required by the 'Engineer's', deliver to the 'Engineer' a return in detail, in such form and at such intervals as the 'Engineer' may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the 'Engineer' may require.

2. COMPLIANCE WITH LABOUR REGULATIONS :

During continuance of the contract, the Contractor shall abide at all times by all existing labour enactments and rules made thereunder, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given below. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made thereunder, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the 'Engineer's'/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/'Engineer' shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.

The employees of the Contractor in no case shall be treated as the employees of the Employer at any point of time.

2.1. Registration of Establishment:-

(1) Every employer shall –

- (a) in relation to an establishment to which this Act applies on its commencement, within a period of sixty days from such commencement; and
- (b) in relation to any other establishment to which this Act may be applicable at any time after such commencement, within a period of sixty days from the date on which this Act becomes applicable to such establishment, make an application to the registering officer for the registration of such establishment;

Provided that the registering officer may entertain any such application after the expiry of the periods aforesaid, if he is satisfied that the applicant was prevented by sufficient cause from making the application within such period.

- (2) Every application under sub-section (1) shall be in such form and shall contain such particulars and shall be accompanied by such fees as may be prescribed.
- (3) After the receipt of an application under sub-section (1), the registering officer shall register the establishment and issue a certificate of registration to the employer thereof in such form and within such time and subject to such conditions as may be prescribed.
- (4) Where, after the registration of an establishment under this section, any change occurs in the ownership or management or other prescribed particulars intimated by the employer to the registering officer within thirty days of such change in such form as may be prescribed”.

In case of work executed through the contractor, it is the responsibility of the contractor to get the works registered as employers as per section 2(i) of the BOCW Act. In case of works executed directly through the department, the department is liable to get the works registered.

a) Every Contractor shall:-

- (i) In relation to an establishment to which this Act applies on its commencement, within a period of 60 days from such commencements; and
- (ii) In relation to any other establishment to which this Act may be applicable at any time after such commencement, within a period of 60 days from the date on which this Act becomes applicable to such establishment, make an application to the registering officer for the registration of establishment.

It is mandatory to strictly compliance of BOCW Act and registration of all eligible construction labour. Otherwise it will attract criminal proceedings against the contractual agency and employer for non-compliance of Building & Other Construction Workers Welfare (RE&CS) Act, 1996 and registration of all the eligible construction workers as a beneficiary of the Haryana Building & Other Construction Worker Board.

2.2 SALIENT FEATURES OF SOME MAJOR LABOUR LAWS APPLICABLE TO

DNIT Name : Shifting of Milk Dairies in...

ESTABLISHMENTS ENGAGED IN BUILDING AND OTHER CONSTRUCTION WORK.

- a) Workman Compensation Act 1923:- The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- b) Payment of Gratuity Act 1972:- Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed 5 years service or more on death, the rate of 15 days wages for every completed year of service. The Act is applicable to all establishments employing 10 or more employees.
- c) Employee P.F. and Miscellaneous Provision Act 1952:- The Act Provides for monthly contributions by the employer plus workers @10% each. The benefits payable under the Act are:
 - (i) Pension or family pension on retirement or death, as the case may be.
 - (ii) Deposit insurance linked with death of the worker during Employment.
 - (iii) Payment of P.F. accumulation or retirement/death etc.
- d) Maternity Benefit Act 1951:- The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- (e) Contract Labour (Regulation & Abolition) Act 1970:- The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to provide, the same are required to be provided by the Principal Employer by Law. The Principal Employer is required to take Certificate of Registration and the Contractor is required to take licence from the designated Officer. The Act is applicable to the establishments or Contractor of Principal Employer, if they employ 20 or more contract labour.
- (f) Minimum Wages Act 1948:- The Employer is supposed to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act, if the employment is a scheduled employment. Construction of Buildings, Roads, Runways are scheduled employments.
- (g) Payment of Wages Act 1936:- It lays down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.
- (h) Equal Remuneration Act 1979:- The Act provides for payment of equal wages for work of equal nature to Male and Female workers and for not making discrimination against Female employees in the matters of transfers, training and promotions etc.
- (i) Deleted
- (j) Industrial Disputes Act 1947:- The Act lays down the machinery and procedure for resolution of Industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishment.
- (k) Industrial Employment (Standing Orders) Act 1946:- It is applicable to all establishments employing 100 or more workmen (employment size reduced by some of the States and Central Government to 50). The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and get the same certified by the designated Authority.

- (l) Trade Unions Act 1926:- The Act lays down the procedure for registration of trade unions of workmen and employers. The Trade Unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- (m) Child Labour (Prohibition & Regulation) Act 1986:- The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulation of employment of children in all other occupations and processes. Employment of Child Labour is prohibited in Building and Construction Industry.
- (n) Inter-State-Migrant workmen's (Regulation of Employment & Conditions of Service) Act 1979:- The Act is applicable to an establishment which employs 5 or more inter-state migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The Inter-State migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as housing, medical aid, traveling expenses from home upto the establishment and back, etc.
- (o) The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act 1996 and the Cess Act of 1996:- All the establishment who carry on any building or other construction work and employs 10 or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as may be modified by the Government. The Employer of the establishment is required to provide safety measures at the Building or construction work and other welfare measures, such as Canteens, First-Aid facilities, Ambulance, Housing accommodations for workers near the work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.
- (p) Factories Act 1948:- The Act lays down the procedure for approval of plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. It is applicable to premises employing 10 persons or more with aid of power or 20 or more persons without the aid of power engaged in manufacturing process.

2.3 FAIR WAGE CLAUSES

- (a) The Contractor shall pay not less than the fair wage to labourers engaged by him on the work.

EXPLANATION:- Fair Wage' means wage whether for time of piece work notified from time to time for the area and where such wages have not been so notified the wages specified by the Municipal Corporation/Urban Local Bodies for the district in which the work is done.

- (b) The Contractor shall notwithstanding the provisions of any agreement to the contrary, caused to be paid fair wages to labour, indirectly engaged on the work including any labour engaged in connection with the said work, as if the labourers had been directly employed by him.
- (c) In respect of labour directly or indirectly employed on the works for the performances of the contractor's part on this agreement the contractor shall comply with or cause to be complied with the Municipal Corporation/Urban Local Bodies Contractor's Labour's Regulations made by the Government

from time to time in regard to payment of wages wage period deductions from wages recovery of wages not paid and deductions unauthorized made maintenance of wage register wage book, wage slip, publication of wages and other terms of employment inspection and submission of periodical returns and all other matters of a lime nature.

- (d) The Executive Engineer or Sub Divisional Engineer concerned shall have the rights to deduct, from the moneys due to the Contractor, any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for benefit of the workers, non payment of wages or deductions made from his or their wages, which are not justified by terms of the contract for non observance of the regulations referred to in clause I above.
- (e) Vis-à-vis the Haryana Government, the Contractor shall be primarily liable for all payments to be made under and the observance of the regulations aforesaid without prejudice to his right to claim indemnity from his sub Contractors.
- (f) The regulations shall be deemed to be a part of this contract and any branch there shall be deemed to be branch of this contract.

2.4 RULES FOR PROTECTION OF HEALTH & SANITARY ARRANGEMENTS

2.4.1 Rules for the Protection of Health and Sanitary Arrangements for Workers Employed by the Municipal Corporation/Urban Local Bodies or its Contractors

The Contractor shall at his own expense provide or arrange for the provision of foot wear for any labour doing cement mixing work (the Contractor has undertaken to execute under this contract) to the satisfaction of the Engineer – in – charge and on his failure to do so Government shall be entitled to provide the same and recover the cost thereof from Contractor.

The Contractor shall submit by the 4th and 19th of every month to the Executive Engineer a true statement showing in respect of the second half of the proceeding month and the first half of the current month respectively (i) the number of labourers employed by him on the work (ii) their working hours (iii) the wages paid to them (iv) the accident that occurred during the said forthright showing the circumstances under which they happened and the extent of damage and injury caused by them and (v) the number of female workers who have been allowed Maternity benefit according to clause 19-F and the amount paid to them failing which the Contractor shall be liable to pay to Government a sum not exceeding Rs. 50/- for each default or materially incorrect statement. The decision of the Executive Engineer shall be final in deducting from any bill due to the contractor the amount levied as fine.

Maternity benefit for female workers employed by the Contractor, leave and pay during leave shall be regulated as follow: -

1. LEAVE (i) in case of delivery/maternity leave not exceeding 8 weeks (4 weeks up to and including the day of delivery and 4 weeks following that day) (ii) in case of miscarriage : up to 3 weeks from the date of miscarriage.
2. PAY (i) In case of delivery, leave pay during maternity leave will be at the rate of the woman's average daily earning calculated on the total wages earned on the day when full time work was done during a period of 3 months immediately preceding the date of which she gives notice that she expects to be confined or at the rate of Rs. 12/- per day which ever is

greater.

(ii) In case of miscarriage, Leave pay at the rate of average daily earning calculated on the total wages earned on the days when full time work was done during a period of 3 months immediately proceeding the date of such miscarriage.

(iii) Conditions for the grant of Maternity leave:- No Maternity leave benefit shall be admissible to a woman unless she produces a certificate of confinement and excepted delivery within 4 weeks proceeding the date on she proceeds on leave.

3. FIRST AID (a) At every work place, there shall be maintained in readily accessible place first aid appliances including an adequate supply of sterilized dressing and cotton wools. The appliances shall be kept in good order and in large workplaces it shall be placed under the charge of a responsible person who shall be readily available during the working hours.

(b) All large work places where hospital facilities are not available within easy distance of the work, first aid post shall be established and be run by a trained compo under.

(c) Where large work places are remote from regular hospital an indoor ward shall be provided with one bed for every 250 employees.

(d) Where large work places are situated in cities, towns in their suburbs and no beds are considered necessary owing to the proximity of city or town hospitals a suitable transport shall be provided to facilitate removal of urgent cases to these hospitals.

At other work place, the conveyance facilities such as car shall be kept readily available to take injured or persons suddenly taken seriously ill, to the nearest hospital.

2.4.2 Scales of accommodation in Latrines Urinals

These shall be provided within the precinct of every work places, Latrines and Urinals in an accessible place and the accommodation separately for each of them shall not be less than the following scales : -

	No. of Sheds
(a) Where the number of persons does not exceed 50	2
(b) Where the number of persons exceeding 50 but does not exceeds 100	3
(c) For every additional 100	3 per 100

In particulars cases the Executive Engineer shall have the powers to vary the scale where necessary.

2.4.3 Latrines and Urinals for women

If women are employed, separate latrines and urinals screamed from these for men and marked in vernacular in conspicuous letters 'FOR WOMEN ONLY' shall be provided on the scale laid in rules, Similarly those for men shall be marked 'FOR MEN ONLY' A poster showing the figures of a man and women shall also be exhibited at the entrance of latrine for each sex. There shall be adequate supply of water close to latrines.

2.4.4 Latrines and Urinal

Except in work places provided with flush latrines concerned with a water borne sewerages

systems all latrines shall be provided with receptacles order earth system which shall be in working order and kept in strictly sanitary conditions. The receptacles shall be tarried inside and outside at least once a year.

The inside walls shall be constructed of masonry or some suitable heat resisting non absorbent material and shall be cement washed inside and outside at least once a year. The dates of cement shall be noted in register maintained for this purpose and kept available for inspection.

2.4.5 Disposal of Excreta

Unless otherwise aggranged for by the local sanitary authority arrangements for proper disposal and a sanitary of excreta by incineration at the work place shall be made by means of a suitable incineration approved by the Asstt. Director of Public Health or Municipal Medical Officer of Health, as the case may be, in whose jurisdiction the work place is situated. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of pucca tank prepared for the purpose and covering it with 9 inches layers of earth for a fortnight when it will turn into a manure.

2.4.6 CRECHE:

At every work place these shall be provided free of cost two suitable sheds one main and the other for the use of labour. The height of the shelter shall not be less than eleven feet from the floor level to the lowest part of the roof.

2.4.7 PROVISION OR SHELTER DURING REST:

At every work place at which 50 or more women workers are ordinary employed, these two huts for use of children under the age of six years belonging to such women. One hut shall be used for infants “Games and to play” and the other as their bed room. The hut shall not be constructed on a lower standard then the following :-

- (i) Thatched roofs.
- (ii) Mud floors and walls.
- (iii) Plants spread over mud floor and covered with mating.

The huts shall be provided with suitable and sufficient opening for light and ventilations. There shall be adequate provision of sweepers to keep the place clean. There shall be two day attendant. Sanitary, utensils shall be provided to the satisfaction of Health Office of the area concerned. The use of the hut shall be restricted to children, their attendant and mothers of the children.

2.4.8 CANTEEN:

A cooked food canteen on a moderate scale shall be provided for the benefit of workers where over it is considered expedient.

2.4.9 GENERAL RULES AS TO SCAFFOLDS :

- (i) Suitable scaffolds shall be provided for all workmen for all works that cannot be safely done from a ladder or by other means.
- (ii) A scaffolds shall not be constructed taken down or substantially altered except.
- (iii) Under the supervision of a competent and responsible person, and

- (a) As far as possible by competent workers possessing adequate experience in this kind of work.
- (b) All scaffolds and appliances connected there with and ladder shall :-
 - 1. be of sound material.
 - 2. be of adequate strength having regard to the load and strains to which they will be subjected and
 - 3. be maintained in proper condition.
 - 4. scaffolds shall not be overloaded and so far as practicable, the load shall be evenly distributed.
 - 5. scaffolds shall be so constructed that no part there of can be displaced in on normal use.
 - 6. Before installing, lifting gear on scaffolds special precautions shall be taken to ensure the strength and stability of the scaffolds.
 - 7. scaffolds shall be periodically inspected by the competent person.
 - 8. before allowing a scaffold to be used by the workman, every care shall be taken to see whether the scaffolds have been erected by his workmen and steps taken to ensure that it complies fully with the requirement of the articles.
 - 9. Working platforms gangways and stairways shall.
 - (a) be so constructed that no part of the road is covered.
 - (b) Be so constructed and maintained, having regard to the prevailing condition as to reduce as for as practicable.
 - (c) Be kept free from any unnecessary obstruction.
 - (d) In case of working platforms gangways place and stairways at a height exceeding that to be prescribed by a national laws and regulations :-
 - (i) Every working platform and every gangway shall be closely boarded unless other adequate measures are taken to ensure safety.
 - (ii) Every working platform and every gangway shall have adequate width, and; Every opening in the floor of a building or in working platforms shall except for the time and to the extent required to allow the access of persons or the transport or shifting of material be provided with suitable means to prevent the fall of persons or materials.

When persons are employed on a roof where there is a danger of failing from a height exceeding that to be prescribed by national laws of regulations suitable precautions shall be a taken to prevent the fall of persons or materials.

Suitable precautions shall be taken to prevent persons being struck by articles which might fall from scaffolds or other working places.

- 1. Soft means of access shall be provided to all working platforms an other working

places.

2. Every place where work is carried on the means approach there to shall be adequately lighted.
3. Every ladder shall be securely fixed of such length as to provide secure hand held and foot at every position at which it is used.
4. Adequate precautions shall be taken to prevent danger from electrical equipment.
5. No material on the site shall be so stacked or placed as to cause danger to any person.

2.4.10 GENERAL RULES AS TO SAFETY EQUIPMENT AND FIRST AID

- (1) All necessary personal safety equipment shall be kept and available for use of the persons employed on the site be maintained in condition suitable for immediate use.
- (2) The worker shall be required to use the equipment thus provided and the employed shall take adequate steps to ensure proper use of the equipment by these concerned.
- (3) Adequate provision shall be made for prompt first aid treatment of all injuries likely to be sustained during the course of the work.

3.0 Environment

- a) The contractor shall take all reasonable steps to protect the environment at and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation.
- b) During continuance of the contract, the contractor shall abide at all times by all existing enactments on environmental protection and rules made there under, regulations, notifications and by laws of the State or Central Government or local authorities and any other law, bye law, regulations that may be passed for notification that may be issued in this respect in future by the State or Central Government or the local authority.

3.1 Salient features of some of the major laws that are applicable are given below:

- (i) The water (Prevention and Control of Pollution) Act 1974: This provides for the prevention and control of water pollution and the maintaining and restoring of wholesomeness of water. 'Pollution' means such contamination of water or such alternation of physical, chemical or biological properties of water or such discharge of any sewage or trade effluent or of any other liquid, gaseous or solid substance into water (whether directly or indirectly) as may, or is likely to, create a nuisance or render such water harmful or injurious to public health or safety, or to domestic, commercial, industrial, agricultural or other legitimate uses, or to the life and health of animals or plants or of aquatic organisms.
- (ii) The Air (Prevention and Control of Pollution) Act 1981: This provides for prevention, control and abatement of air pollution. 'Air Pollution' means the presence in the atmosphere of any 'air pollutant', which means any solid, liquid, or gaseous substance (including noise) present in the atmosphere in such concentration

as may be or tend to be injurious to human beings or other living creatures or plants or property or environment.

- (iii) The Environment (Protection) Act 1986: This provides for the protection and improvement of environment and for matters connected therewith, and the prevention of hazards to human beings, other living creatures, plants and property. 'Environment' includes water, air and land and the interrelationship which exists among and between water, air and land, and human beings, other living creatures, plants, micro-organism and property.
- (iv) The Public Liability Insurance Act 1991: This provides for public liability insurance for the purpose of providing immediate relief to the persons affected by accident occurring while handling hazardous substances and for matters connected herewith or incidental thereto. Hazardous substance means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act 1986, and exceeding such quantity as may be specified by notification by the Central Government.

4. The Apprentices Act, 1961

4.1 The Contractor shall duly comply with the provisions of the Apprentices Act, 1961 (III of 1961), the rules made there under and the orders that may be issued from time to time under the said Act and the said Rules and on his failure or neglect to do so, he shall be subject to all liabilities and penalties provided by the said Act and said Rules.

5.0 Amendment

The Haryana Government may, from time to time and to amend any of the Labour or Pollution or other regulations, all amendments in any or all Acts shall also be followed.

6.0 Drawings and Photographs of the Works

6.1 The Contractor shall do photography/video photography of the site firstly before the start of the work, secondly mid-way in the execution of different stages of work and lastly after the completion of the work. No separate payment will be made to the Contractor for this.

6.2 The Contractor shall not disclose details of Drawings furnished to him and works on which he is engaged without the prior approval of the Employer in writing. No photograph of the works or any part thereof or plant employed thereon, except those permitted under clause 58.1, shall be taken or permitted by the Contractor to be taken by any of his employees without the prior approval of the Employer in writing. No photographs/ Video photography shall be published or otherwise circulated without the approval of the Employer in writing.

7. The various works shall be done in line to line level and grade. The periodical checking of these by the Engineer or Engineer's representative shall not absolve the Contractor of his responsibility regarding their accuracy. In case of any deviation or discrepancy in line, level or grade at the meeting faces, the Contractor shall make good the discrepancy at his own cost and without any compensation for the additional work, if any involved. The Engineer shall further have right, if need be, to rectify the discrepancies and recover the cost from the Contractor.

8. All materials, before being incorporated in the work, shall be inspected by the Engineer or his representative and, if necessary, tested before use. Any work, on which such materials are used without approval and written permission of the Engineer, is liable to be considered as defective and not acceptable.

- 8.1 The day to day and periodical tests, to be carried out on materials, mixes and placed concrete, etc., shall be specified by the Engineer from time to time and the Contractor shall allow all the facilities and cooperation towards collections of samples etc. All labour for collecting samples for tests will be supplied by the Contractor free of cost to the Engineer. Where testing facility is not available in the field lab, the Engineer-in-Charge will get the test conducted from some approved laboratory and testing and transportation charges shall be borne by the Contractor in all such cases.
- 8.2 An authorized representative of the Contractor shall remain present at the time when the samples are taken and shall authenticate the facts, if so required. If the Contractor's representative fails to be present as aforesaid, the samples or cores, etc. as are taken by the Engineer or his representatives shall be considered to be authentic. The Contractor will however be informed of the details of such samples having been taken.
- 8.3 The materials, mixes and the cores shall be tested day to day and periodically at the laboratory and the results given thereby shall be considered correct and authentic by the Contractor. The Contractor shall be given access to all operations and tests that may be carried out as aforesaid so that he may satisfy himself regarding the procedure and method adopted. It shall then be the Contractor's responsibility to produce the works, materials and finished item to the standards based on the laboratory design and tests.
- 8.4 The methods of sampling, testing, procedures and standards shall be laid down by the Engineer from time to time.
- 8.5 The quality and quantity of material shall be the responsibility of the Contractor, irrespective of the test results being good.
9. Arrangement of water and electric power, etc. required by the Contractor for the work shall be made by him at his own cost. Engineer will, however, recommend to the concerned State Electricity Utilities for providing the connection and power to the Contractor, however, the Engineer will bear no responsibility in this respect.
- 9.1 Contractor shall not be allowed to start the work till Engineer is satisfied with the proper arrangement of good quality water for execution of work including curing for 28 days. For this, the Contractor shall have to construct water storage tanks of sufficient capacity. No extra payment shall be made on this account. Any delay in execution of work due to non-availability of sufficient water will be responsibility of the Contractor. In case water is used from Government source, the contractor has to pay 0.5% of the cost of the part of such work for which the water is used.
- 9.2 The Contractor shall not set fire to any standing jungle, trees, 'bush' wood or grass without a written permission from the Engineer.
- 9.3 When such permission is given and also in all cases when destroying of dug trees, bush wood, grass, etc. by fire the Contractor shall take necessary measures to prevent such fire spreading to or otherwise damaging surrounding property.
- 9.4 Any damage caused by the spreading of such fire, whether in or beyond limits of the Engineer's property shall be made good by the Contractor within a period specified by the Engineer or in default the amount of the damage shall be recovered by the Engineer from the Contractor's bill as damages or deducted by any other duly authorized officer from any sums that may be due or become due from the Employer to the Contractor under the Contract or otherwise.

- 9.5 The Contractor shall bear the expenses of defending any action of law proceedings that may be brought by any person by injury sustained owing to neglect of precautions to prevent the spread of fire and shall pay any damage, and cost that may be awarded in consequence.
10. The Engineer may order the Contractor to suspend any work that may be subject to damage by climatic conditions and no claim of the Contractor will be entertained by the Engineer on this account.
11. A site order book shall be kept on the site of the work. As far as possible, all orders, regarding the work are to be entered in this Book. All entries therein shall be signed by the Engineer or his authorized representative and the Contractor or his authorized representative. In important cases, the Engineer will countersign the entries which have been made. The site order book shall not be removed from the work site except with the written permission of the Engineer and the Contractor or his representative shall be bound to take note of all instructions and directions meant for the Contractor as entered in the site order book without having to be called on separately to note them. The authorized representative of the Engineer shall submit periodically copies of the remarks in the site order book to the Engineer for record and to the Contractor for submitting compliance report.
12. The Contractor shall confirm to the regulations, safety precautions, bye-laws or any other statutory rules made by any local authority or by the Government and shall protect and indemnify the Engineer against any claims or liability arising from or based on the violations of any such laws, ordinance, regulations, orders and decrees, etc.
13. The Contractor shall make his own arrangement for supply of all materials including cement and steel. The Contractor shall be responsible for all transportation and storage of the materials at site and shall bear all the related costs. The Engineer shall be entitled, at any time, to inspect or examine all such materials. The Contractor shall provide reasonable assistance for inspection or examination as may be required.
- 13.1 The Contractor shall keep an accurate record for use of materials like cement and steel used in the works in a manner prescribed by the Engineer.
- 13.2 Large stock of cement shall not be kept at the work site but only sufficient quantities shall be kept to ensure continuity of the work. The Contractor shall provide and maintain efficient water proof storage sheds for cement on the site of work. It shall be stacked on the platform 30 cm above the floor level and shall be covered with tarpaulin or any other impervious covering material in order to protect the cement bags from moisture. The cement shall be neatly stacked in an orderly manner so as to allow an easy access and count. The arrangement of storage and utilization shall be such as to ensure the utilization of cement in order of its arrival at the stores and the Contractor shall maintain satisfactory records which would at any time show the date of receipt and proposed utilization of cement lying in the stores at site.
14. The Contractor shall also construct and equip at his cost a working office with electricity and water arrangement for his site Engineer.
15. The contractor shall also provide instruments for setting up field laboratory at his own cost to site Engineer. No separate payment shall be made for this.
16. The Engineer shall have the right to deduct from the money due to Contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the condition of Contract for the benefit of the workers vis-à-vis the Haryana Government, the Contractor shall be primarily liable for all payments to be made under

and for the observance of the rules, regulations and labour law without prejudice to his right to claim indemnity from his sub-Contractor.

17. Third Party Inspection - The Engineer-in-Charge may opt for 3rd party inspection other than department in addition to inspection by department staff, the 3rd party would inspect to ensure execution of work as per specification/ agreement and also quality control i.e. draw of samples, testing and other items etc. The report of the same would be submitted to Engineer-in-Charge by the 3rd party. The agency/ contractor shall be bound by the report of 3rd party inspection and shall take remedial measures for execution of work as per specifications in agreement at their own cost. The cost of 3rd party inspection will be borne by the employer.

18. The Contractor shall confirm to the regulations, safety precautions, bye-laws or any other statutory rules made by any local authority or by the Government and shall protect and indemnify the Engineer against any claims or liability arising from or based on the violations of any such laws, ordinance, regulations, orders and decrees, etc.

19. The Contractor shall make his own arrangement for supply of all materials including cement and steel. The Contractor shall be responsible for all transportation and storage of the materials at site and shall bear all the related costs. The Engineer shall be entitled, at any time, to inspect or examine all such materials. The Contractor shall provide reasonable assistance for inspection or examination as may be required.

19.1 The Contractor shall keep an accurate record for use of materials like cement and steel used in the works in a manner prescribed by the Engineer.

19.2 Large stock of cement shall not be kept at the work site but only sufficient quantities shall be kept to ensure continuity of the work. The Contractor shall provide and maintain efficient water proof storage sheds for cement on the site of work. It shall be stacked on the platform 30 cm above the floor level and shall be covered with tarpaulin or any other impervious covering material in order to protect the cement bags from moisture. The cement shall be neatly stacked in an orderly manner so as to allow an easy access and count. The arrangement of storage and utilization shall be such as to ensure the utilization of cement in order of its arrival at the stores and the Contractor shall maintain satisfactory records which would at any time show the date of receipt and proposed utilization of cement lying in the stores at site.

20. The Engineer may order the Contractor to suspend any work that may be subject to damage by climatic conditions and no claim of the Contractor will be entertained by the Engineer on this account.

21. Cement contents - Actual cement required for the aggregates in concrete to be used shall be determined by laboratory test while designing the concrete mixes. If the cement contents of the design mix of that grade come less than the provision of cement contents provided in the Haryana Scheduled of Rates, (with latest amendments) due to durability conditions, the cement contents as provided in the Haryana Schedule of Rates shall be used and no extra payment on this account shall be made to the contractor. No extra amount over and above the minimum cement content as provided in the Haryana Schedule of Rates shall be paid.

22. Mandatory Use of “Call Before You Dig (CBuD)” Mobile Application

It shall be mandatory for the contractor to register and utilize the “Call Before You Dig (CBuD)” Mobile Application for all works involving excavation, trenching, or road cutting. The CBuD platform shall be used to notify all concerned stakeholders, including Public Works Department, Local Bodies, Telecom Operators, and other utility owners, prior to commencement of such

activities, so as to safeguard underground utility assets. The contractor shall ensure compliance with the provisions of the Right of Way (RoW) Rules 2024, notified under the Telecommunication Act 2023, which require prior intimation to telecom asset owners and compensation for any damage caused to underground utility infrastructure. Any non-compliance with this requirement shall be treated as a breach of contract, and the contractor shall be solely responsible for all liabilities, damages, and penalties arising therefrom.

Special conditions of contract as per the requirement of the work.

Contract Data to General Conditions of Contract

Sr. No.	Description		Clause No.
1.	The Employer is Designation: Address:	Commissioner Commissioner MC Hisar	[Cl.1.1]
2.	Name of authorized Representative	Jaivir Singh	[Cl.1.1]
3.	The Engineer is Designation: Address:	Jaivir Singh Executive Engineer MC Hisar	[Cl.1.1]
4.	The Intended Completion Date for the whole of the Works is 21 Months after start of work.	21 Months	[Cl.1.1, 17&27]
5.	The Site is located	Hisar	[Cl.1.1]
6.	The Start Date shall be 10 days after the date of issue of the Notice to Proceed with the work		[Cl.1.1]
7.	Section completion	As per DNIT	[Cl. 2.2]
8.	The following documents also form part of the Contract :	as per DNIT, Drawing	[Cl.2.3 (11,12)]
9.	Joint Ventures	Not allowed	[Cl.3.1,4.4]
10.	Sub Contracting	Not Allowed	[Cl. 7.1]
11.	The Schedule (if any) of Other Contractors is attached		[Cl. 8.1]
12.	The Technical Personnel for work and operation of lab are:		[Cl. 9.2]

Sr. No.	Personnel	Qualification	No. of personals
1	Project Manager		-
2	Site Engineer		-
3	Plant Manager		-
4	Quantity Surveyor		-
5	Soil and Material Engineer		-
Total:			-

Note:-

In case, the above qualified personnel are not deployed the following deduction shall be made per month from the payment due to the contractor.

Project Manager	=	Rs. 150000/- per month
Site Engineer	=	Rs. 75000/- per month
Plant Manager	=	Rs. 50000/- per month
Quantity Surveyor	=	Rs. 40000/- per month
Soil and Material Engineer	=	Rs. 40000/- per month

The Employer reserves the right to employ any or all the above personal as per requirement given above irrespective of above deductions made from the payments due to the contractor.

11.	Amount and deductible for insurance are:	
(i)	Insurance cover for work is equal to the contract price and the amount of deductible is 1% of the contract price	[Cl. 13.1 (a)]
(ii)	Minimum insurance cover for injury and death is Rs.10.00 lacs per occurrence with the number of occurrences limited to four. After each occurrence, contractor will pay additional premium necessary to make insurance valid for four occurrences always. The amount of deductible is Rs. 2.00 Lacs of the contract price.	[Cl. 13.1 (b)]
(iii)	Minimum insurance cover for damage to the property of the third party is Rs. 20.00 Lacs. The amount of deductible is Rs. 2.00 Lacs of the contract price.	[Cl. 13.1 (c)]
(iv)	Insurance cover for work is equal to the contract price and the amount of deductible is 1% of the contract price	[Cl. 13.3 (a)]
12.	Site investigation report	[Cl.14.1]
13.	DELETED	[Cl. 25]
14.	a. The period for submission of the programme for approval of Engineer shall be 7 days from the issue of Letter of Acceptance	[Cl.26.1]
	b. The updated programme shall be submitted at interval of 15 days	[Cl. 26.4]
	c. The amount to be withheld for late submission of an updated programme shall be 2% of the initial / revised contract price or the enhanced contract price as applicable.	[Cl. 26.4]

15. The following events shall also be Compensation Events: [Cl. 44.2 I]

Substantially adverse ground conditions encountered during the course of execution of work not provided for in the bidding document.

- (i) Removal of underground utilities detected subsequently
- (ii) Significant change in classification of soil requiring additional mobilization by the contractor, e.g. ordinary soil to rock excavation,
- (iii) Removal of unsuitable material like marsh, debris dumps, etc not caused by the contractor
- (iv) Artesian conditions
- (v) Seepage, erosion, landslide
- (vi) River training requiring protection of permanent work
- (vii) Presence of historical, archeological or religious structures, monuments interfering with the works.
- (viii) Restriction of access to ground imposed by civil, judicial, or military authority.

15 a. The formula for price adjustment of prices are: [Cl. 47.1]

15 (a) (i) Adjustment of price for bitumen:

Price adjustment for increase or decrease in the cost of bitumen shall be paid as follows:

That the rate of bitumen/ emulsion at the refinery on the date of close for financial bidding shall be considered as base rate if during execution of the works, the rate of bitumen/ emulsion increase or decrease at refinery, the difference in cost shall be paid/ recouped from the contractor in the bill, subject to the following conditions:-

- (A) The contractor shall submit original bill/ voucher of the refinery while claiming the payment for the work done. The bill/ voucher should pertain to the period of original contractual time limit and should correspond with the progress of work. No extra payment due to increase in rate of bitumen / emulsion will be paid if the original bill/ voucher are not submitted by the agency.
- (B) No increase in prices of the bitumen / emulsion shall be reimbursed to the contractor beyond the original time period allowed for construction as per contract agreement irrespective of extension of time limit granted to the agency for any reason, whatsoever. However, decrease in price of bitumen/emulsion shall be recouped from the contractor even beyond the original time period allowed for construction.
- (C) After approval of tender, the contractor shall submit the work programme for execution of work and get it approved from the Engineer-in-Charge in the time limit prescribed in the tender document. The increase in rates of bitumen, emulsion shall only be paid if the bitumen work is carried out within the prescribed period as per approved work programme.
- (D) Only actual difference of rates of Bitumen will be payable / deductible to the contractor. No overhead charges and contractor profit etc. are to be added / deleted, no tender premium is to be added / deleted.”

- (E) The contractor can arrange the bitumen from any of the refinery subject to the condition that the quality of bitumen is as per the requirement of contract and specifications. Regarding payment of price variation of bitumen as per the agreement, that the escalation de-escalation will be paid on the basis of lesser cost implication to Department / Government on consideration of the difference in rates as given below subject to financial regularity and other terms and conditions of agreement :-
- (a) Prevailing rates of IOC refineries at Panipat at the time of tender and at the time of purchase of bitumen.
- (b) Prevailing rates at the source from which the bitumen is purchased by the contractual agency at the time of tender.

It is further clarified that:-

- (a) When recovery is due on account of decrease in rates of bitumen, higher of the difference in rates of IOC Panipat and that of private refinery / Sector, shall be considered.
- (b) When escalation is due to increase in rates of bitumen is due to agency, then lesser of the difference in rates of IOC Panipat and that of private refinery / Sector, from whom bitumen was purchased, shall be considered.

15 (a) (ii) Adjustment for Grey Cement (OPC/PPC) and, Steel for reinforcement and structural members (index for MS Long Products) :

Price adjustment for increase or decrease in the cost of Grey Cement (OPC/PPC) and, Steel for reinforcement and structural members (index for MS Long Products) shall be paid as follows:

- (A) If after submission of the, the price of Grey Cement (OPC/PPC) or Steel for reinforcement and structural members (index for MS Long Products) incorporated in the works (not being a material supplied from the Engineer-in-Charge's Store) increase (s) beyond the price (s) prevailing at the time of the last stipulated date for financial bid closing of tenders (including extensions, if any) for the work, then the amount of the contract shall accordingly be varied and provided further that any such increase shall not be payable if such increase has become operative after the stipulated date of completion of work in question.
- (B) If after submission of the, the price of Grey Cement (OPC/PPC) / or Steel for reinforcement and structural members (index for MS Long Products) incorporated in the works (not being a material supplied from the Engineer-in-Charge's Store) is decreased, Govt. shall in respect of these materials incorporated in the works (not being materials supplied from the Engineer-in-Charge's Stores) be entitled to deduct from the dues of the contractor such amount as shall be equivalent to the difference between the prices of Cement (OPC/PPC) as prevailed at the time of last stipulated date for receipt of tenders including extensions if any for the work and the prices of these materials on the coming into force of such base price of Cement (OPC/PPC) and issued under authority of Engineer-in-Chief, Haryana PWD B&R, Chandigarh.

- (C) It is further clarified that the decrease in the prices of Grey Cement (OPC/PPC) / or Steel for reinforcement and structural members (index for MS Long Products) and shall be deducted from the dues of the contractor if such decrease has become operative after the stipulated date of completion of work in question and increase shall not be payable if such increase shall not be payable if such increase has become operative after the stipulated date of completion of work in question.
- (D) The increase/ decrease in prices shall be determined by the All India Wholesale Prices Indices for Grey Cement (OPC/PPC) / or Steel for reinforcement and structural members (index for MS Long Products) as published by the Economic Advisor to Government of India, Ministry of Commerce and Industry) and base price for Grey Cement (OPC/PPC) / or Steel for reinforcement and structural members (index for MS Long Products) as mentioned in the Bid Document or if not mentioned then as issued under authority of Engineer-in-Chief, Haryana PWD B&R, Br. Chandigarh as valid on the last stipulated date of receipt of tender, including extension if any and for the period under consideration.

Adjustment Calculation Formula for Grey Cement

The amount of the contract shall accordingly be adjusted for Cement (OPC/PPC) will be worked out as per the formula given below:-

Adjustment for component of “Grey Cement (OPC/PPC)”

$$V_c = P_c \times Q_c \times \frac{CI - CI_0}{CI_0}$$

Where,

V_c = Variation in Cement (OPC/PPC) cost i.e. increase or decrease in the amount in rupees to be paid or recovered.

P_c = Base price of Cement (OPC/PPC) as mentioned in the Bid Document or if not mentioned then as issued under authority of Engineer-in-Chief, Haryana PWD B&R, Br. Chandigarh valid at the time of the last stipulated of receipt of tender including extension if any.

Q_c = Quantity of Cement (OPC/PPC) used in the works since previous bill.

CI_0 = All India wholesale price index for Cement (OPC/PPC) as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions if any.

CI = All India wholesale price index for Cement (OPC/PPC) for period consideration as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce

Adjustment Calculation Formula for Steel for reinforcement and structural members (index for MS Long Products)

$$V_s = P_s \times Q_s \times \frac{SI - SI_0}{SI_0}$$

V_s = Variation in cost of Steel (MS Long Products) i.e. increase or decrease in the amount in rupees in the amount in rupees to be paid or recovered.

Ps = Base price of Steel (MS Long Products), as mentioned in the Bid Document or if not mentioned then as issued under authority of Engineer-in-Chief, Haryana PWD B&R Br., Chandigarh at the time of the last stipulated date of receipt of tender including extensions, if any.

Qs= Quantity of Steel (MS Long Products) paid either by way of secured advance or used in the works since previous bill (Whichever is earlier).

S1o= All India wholesale Price Index for Steel (MS Long Products) for the period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any.

S1= All India Wholesale Price Index for Steel (MS Long Products) for the period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce.

Base rate of Cement (OPC/PPC) and Steel (MS Long Products)

Grey- Cement (OPC/PPC) : Rs. 4940 /- per MT excluding taxes.

Steel (MS Long Products) : Rs. 50000 /- per MT excluding Taxes.

No other increase/decrease in prices is permissible.

15 (a) (iii) Adjustment of POL (fuel and lubricant) component

Price adjustment for increase or decrease in the cost of POL (fuel and lubricant) shall be paid in accordance with the followings formula:

$$V_f = 0.85 \times P_f / 100 \times R \times (F_1 - F_0) / F_0$$

V_f = increase or decrease in the cost of work during the month under consideration due to changes in rates for fuel and lubricants.

F₀ = The all India wholesale price index for 'Fuel and Power' for the calendar month 28 days preceding the date of opening of bids as published by the Office of Economic Advisor, Government of India, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion with website www.eaindustry.nic.in

F₁ = The all India average wholesale price index for 'Fuel and Power' for the month under consideration as published by Office of Economic Advisor, Government of India, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion with website as www.eaindustry.nic.in

$$P_f = 5.$$

R = Value of work executed during the period.

16. The proportion of payments retained (Retention Money) shall be 6% from each bill subject to a maximum of 5% of final contract price.

[CI.48]

17. (a) Milestones to be achieved during the contract period.

<u>Financial works to be completed</u>	<u>Period from the start date</u>	[Cl. 49.1]
Milestone 1 i.e. 20%	25% of the stipulated time	
Milestone 2 i.e. 50%	50% of the stipulated time	
Milestone 3 i.e. 75%	75% of the stipulated time	
Milestone 4 i.e. 100%	100% of the stipulated time	
(b) Amount of liquidated damages for delay in completion of works	<u>For whole of work</u> (1/2000)th of the initial / revised Contract Price, rounded off to the nearest thousand, per day. <u>For non achievement of milestone.</u> (1/2000)th of the initial / revised Contract Price, rounded off to the nearest thousand, per day.	
(c) Maximum limit of liquidated damages for completion of work	10 (Ten) per cent of the contract price rounded off to nearest thousand.	

18.	The amounts of the advance payment are:		[CL:50]
	Nature of Advance	Amount	Conditions to be fulfilled
I	Mobilization	Maximum 5 % of the contract price	An interest bearing mobilization advance upto the extent of 5% of contract value (or such limit as prescribed) may be given to contractors for works costing more than Rs.2.00 crores, against unconditional and irrecoverable bank guarantees to be furnished by the contractor equal to the amount of advances paid from time to time. Interest @Marginal Cost of Funds based Lending (MCLR) of SBI prevalent at the time of tender per annum shall be charged on mobilization advance given to the contractor The recovery of the mobilization advance together with interest shall be done through percentage deductions from interim/running payments, in the manner prescribed in the contract. It shall be desirable to recover the total amount of mobilization advance alongwith interest within 80 % of the time stipulated for completion. The mobilization bank guarantee shall be released after the recovery of full mobilization advance, including interest thereon. In case, of slow progress of work, the 'Engineer' comes to a conclusion that the total amount of mobilization advance with interest cannot be recovered by the time 80% of stipulated time is over, the bank guarantee(s) furnished by the contractor may be encashed. If the tender document so provides, the contractor will have the option to furnish mobilization bank guarantee in parts and on recovering of $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ and full advance, proportional bank guarantees can be released.

II	Secured advance for non-perishable materials brought to site	75% of Invoice value	In case the contractor requires an advance on the non-perishable materials brought to site, 'Engineer' may, on written request from the contractor, sanction the advance upto an amount 75% or as decided by the 'Engineer' of the value (as assessed by themselves) as stated in the Contract Data of such materials, provided such materials are to be consumed within next three months and that a formal agreement is drawn up with the contractors under which Govt. secures a lien on the materials and is safeguarded against losses due to the contractor postponing the execution of the work or misuse of the material and against the expense entailed for their proper watch and safe custody. If the material is fire prone or can be destroyed fully/partially on storage, it shall be desirable to have it first insured by the contractor. Cases in which a contractor, whose contract is for finished work, requires an advance on the security of materials brought to site. Any secured advance should be settled / recovered within 3 months of its release. Note : Such advance will not be given for sand, aggregate, GSB and stone metal etc. The contractor will submit the original bills and e-way bills for the material for which secured advance is being claimed.
----	--	----------------------	--

III	Machinery Advance	Maximum 5 % of the contract price	For works costing more than Rs.10.00 crores another interest bearing machinery advance to a maximum of 5% of the contract price, depending on merits of the case, can be given against the new key construction equipment brought to the site and to be deployed on the work, if a written request is made by the contractor. The advance shall be paid only upon the contractor furnishing (i) an affidavit that the machinery in question is free of any charge or hypothecation with any bank or financial institution: (ii) unconditional and irrecoverable bank guarantee(s) (iii) satisfactory proof of purchase/payment of the machinery, and (iv) a written undertaking that the equipment so purchased by him is required for use on the work in question, is fully serviceable shall work only on that job and shall not be removed from the site without obtaining written approval of the 'Engineer's'. The recovery of machinery advance and the Interest @Marginal Cost of Funds based Lending (MCLR) of SBI prevalent at the time of tender per annum shall be charged. against the machinery advance given to the contractor. The recovery of the machinery advance together with interest shall be done through percentage deductions from interim/running payments, in the manner prescribed in the contract. It shall be desirable to recover the total amount of machinery advance alongwith interest within 80% of the time stipulated for completion. The mobilization bank guarantee shall be released after the recovery of full machinery advance, including interest thereon.
	The bank guarantee shall be unconditional, requiring the bank to pay the beneficiary the sum specified in the guarantee on the first demand and without demur, and without reference to the party on whose behalf it has been issued, notwithstanding any dispute or disagreement that might have arisen between the employer and the contractor. The form of bank guarantee shall be prescribed by the departments. It shall be the duty of the 'Engineer' to obtain independent confirmation about the genuineness of the bank guarantees directly from the bank issuing them. Further, he shall keep them in safe custody and hand them over to his successor when a change of charge takes place. Details of bank guarantees shall be entered into a register which shall be reviewed every month to ensure timely action in respect of renewal of any guarantee, if required, before it expires.		

	(The advance payment will be paid to the Contractor no later than 28 days after fulfillment of the above conditions)
	Always provided that the advance shall be completely repaid prior to the expiry of the original time for completion pursuant to clauses 17.
	The secured advance shall be repaid from each succeeding monthly payments to the extent material [for which advance was previously paid pursuant to Clause 51.4 of G.C.C.] have been incorporated into the Works.

19. The period for setting up a field laboratory with the prescribed equipment is **28** days from the date of notice to start work [Cl.31.1]
20. **The Defect Liability-cum-Maintenance Period is 1826 Days from the date of completion.** [Cl. 56]
21. The date by which “as-built” drawings (in scale as directed) in 2 sets are required is within 28 days of issue of certificate of completion of whole or section of the work, as the case may be. [Cl.58.2]
22. The amount to be withheld for failing to supply “as-built” drawings by the date required is **Rs. 0.5% of agreement amount.** [Cl.58.2]
23. The following events shall also be fundamental breach of Contract: [Cl.59.2 (h)]
 - (i) The Contractor has contravened Clause 7.1 or Clause 9 of Part I General Conditions of Contract
 - (ii)
24. The percentage to apply to the value of the work not completed representing the Employer’s additional cost for completing the Works shall be 20 (Twenty) percent. [Cl.60.1(i)]

S

Section 4-A
Detailed Scope of Work

Detailed Scope of Work.

Section 4-B

Technical Specifications

(1) Execution of Electrical Works

In case where the work involves electrical work also, the contractor will get the work executed through a sub contractor and will get the sub contractor approved from the employer before start of electrical work. The employer will examine the credentials of the electrical sub contractor on the basis of similar qualification criteria as has been applied for the civil works in this bid. The electrical sub contractor must have license of electrical works from Chief Electrical Inspector, Haryana.

(2) Execution of Public Health Works

The execution of shifting of Public Health utilities works shall be supervised by the PHED as agreed vide letter No. 100708/PHE/Plg. dated 10.11.2016. The payment shall be made by PWD (B&R) after getting verification of the bill with respect to the Public Health utilities by the PHED.

(3) List of Equipment, Plant and Machinery

Sr. No.	Type of Equipment	Maximum Age as on date of bid submission	Contract Value					
			Upto Rs. 50 lacs	More than Rs. 50 lacs upto Rs. 1 crore	Upto Rs. 5 crore	More than Rs. 5 crore upto Rs. 20 crore	More than Rs. 20 crore upto Rs. 50 crore	More than Rs. 50 crore
1.	Tipper Trucks	5-7	*	*	6	10	15	20
2.	Motor Grader	5	*	*	2	2	3	4
3.	Dozer	5	*	*	1	1	1	2
4.	Front end Loader	5	*	*	2	2	2	4
5.	Smooth Wheeled Roller	5	*	*	2	2	3	4
6.	Vibratory Roller	5	*	*	2	2	2	3
7.	Batch Type/Hot Mix Plant/Drum Type Hot Mix Plant with Electronic Controls (Minimum 80-100 TPH Capacity) as per BOQ	5	*	*	1	1	1	2
8.	Paver Finisher with Electronic Sensor	5	*	*	1	1	1	2
9.	Water Tanker	5	*	*	3	3	4	5
10.	Bitumen Sprayer	5	*	*	1	1	1	2
11.	Tandem Roller	5	*	*	1	1	1	1
12.	Concrete Mixers with Integral Weigh Batching facility	5	*	*	2	2	1	2
13.	Concrete Batching and Mixing Plant (Minimum Capacity – 15m ³ /hour)	5	*	*	-	-	1	1

Municipal Corporation/Urban Local Bodies

14.	Concrete paver capable of paving 7.5m width in one single pass including all accessories such as automatic dowel bar insertor, integral vibratory system and electronic sensors ancillary equipment for applying curing compound joint cutting etc.	5	*	*	-	-	-	1
15.	Concrete Batching and Mixing plant with automatic control (minimum 100 cum/hour)	5	*	*	-	-	-	1
		Total			24	28	36	54

Note: above list is only suggestive and not exhaustive. Any other machinery shall also be included and deployed for execution of work as per site requirement.

The Technical Personnel for work are to be deputed as given in table below:

Sr. No.	Personnel	Qualification	Contract value					
			Upto Rs. 50 lacs	More than Rs. 50 lacs upto Rs. 1 crore	More than Rs. 1 crore upto Rs. 5 crore	More than Rs. 5 crore upto Rs. 20 crore	More than Rs. 20 crore upto Rs. 50 crore	More than Rs. 50 crore
1.	Project Manager	BE.Civil + 10 Years Exp	-	1	1	1 No	1 No	1 No
2.	Site Engineer	BE.Civil+3 Years Exp. OR diploma with 7 years Exp.	-	1	1	2 No.	4 No.	6 No.
3.	Plant Engineer	BE. Mech. +3 Years Exp. Or Dip.Mech. + 7 Years Exp.	-	1	1	1 No	1 No	2 No.
4.	Quantity Surveyor	BE. Civil +3 Years Exp. Or Dip. Civil+7 Years Exp.	1	1	1	1 No	1 No	2 No.
5.	Soil & Material Engineer	B.E. Civil + 3 Years Exp. Or Dip. Civil + 7 Years Exp.	-	1	1	1 No	1 No	1 No
	Total:		1	5	5	6	8	12

5. The Defect Liability-cum-Maintenance Period (DLP)

(i) For improvement / special repair of roads DLP is 3 years for State Highway and MDR. For VT road and V1, V2, V3 roads it is 4 years. In case of new construction, DLP is 4 years.

(ii) For premix carpet work, 'Defect Liability-cum-Maintenance Period' is 2 years.

(iii) For surface dressing work, 'Defect Liability-cum-Maintenance Period' when executed on through rates from contractual agency is 1 ½ year.

Further, it is clarified that DLP for drains / retaining wall / culverts / bridges Inter-locking paver blocks shall be kept as per category of road (i.e. 3 years for SH / MDR and 4 years for ODRs) even in case of roads treated with premix carpet where DLP is for 2 years and treated with surface dressing where DLP is for 1 ½ year.

The 'Defect Liability-cum-Maintenance Period' is without any payment for maintenance activities.

iv) The defect liability for cement concrete pavement shall be ten years irrespective of category of road.

Technical Specifications for Road Works

- A. The work shall be carried out as per MoRT&H and PWD Specifications and also with latest applicable IRC codes.
- B. Maintenance during construction period

The contractor will maintain the existing road from start of contract to the completion of contract by filling potholes duly covered with bituminous material to keep the road in traffic worthy condition. This is incidental to main work and nothing extra shall be payable on this account.

C. Special Conditions for Bituminous work

- (a) **“Bitumen and** Bitumen Grade CRMB, wherever to be used in the work, will be purchased from the refineries only.”
- (b) An undertaking should be taken from the agency during the payment of every bill that:
 - i) He has actually purchased the bitumen as per list enclosed as annexure (the annexure should be part of undertaking).
 - ii) He has used this bitumen on this work only.
 - iii) He has not claimed its cost from any other division/office or anywhere else.
 - iv) The data submitted by him is totally correct.
 - v) He owns full responsibility for the quality & quantity of bitumen and submission of data.
- (c) For controlling the quantity of mixed material the following procedure be adopted:
 - (i) The contractor shall provide, install, maintain and operate at his own cost in good working condition a weigh bridge of suitable capacity at site of the hot mix plant under the direction of Engineer or his representative.
 - (ii) Each truck before loading of the mix shall be weighted on the Weigh Bridge and its weight shall be recorded in the measurement book under the signature of authorized representative of the contractor and of the Engineer.
 - (iii) The truck shall be again weighed on the weight bridge after loading of the mix and its weight recorded as per prescribed performa.

The details of mixed material be compiled as per following procedure:-

- i) A slip should be issued by JE at the plant site as per Annexure-II.
- ii) The slip book should be in three colors i.e. Pink, Yellow and White.
- iii) White slip shall be retained at plant site, Yellow & Pink shall be sent to work site. Yellow slip shall be returned to plant site JE duly signed by JE & SDE of site in-charge and Pink slip shall be retained by JE work site.
- iv) A register showing these details will be maintained at site.

The above instructions/ procedures are applicable for procurement of bitumen by department as well as through the contractors. These may also be made part of the contract document henceforth.

Annexure-I

Tanker No.	Refinery Indent No.	Date of indent	Date of receipt	Empty weight of Tanker	Loaded weight of Tanker	Weight of bitumen	Photograph of Tanker	Person in whose presence unloaded.

**Annexure-II
SLIP**

Sr. No. _____ Book No. _____
 1. Vehicle No. _____ Date & time _____
 2. Weight of loaded Tipper _____
 3. Weight of empty Tipper _____
 4. Weight of Mix Material _____

Signature of
JE at Hot Mix Plant.

Signature of
SDE at site of work.

Signature of
JE at site of

- (d) The agency to whom the work is allotted will have to produce original vouchers for all quantities in lieu of purchase of bitumen, steel, and cement from the original manufacturer or other authorized dealers/distributors to the entire satisfaction of the Engineer for ascertaining the genuineness of material. Attested copy of voucher will have to be submitted along with bills.
- (e) The Job mix formula will be got tested from CRRRI New Delhi, NIT Kurukshetra, PEC, Chd., TTI, Chandigarh, Shriram Institute, Delhi, DBSCR Govt. Polytechnic, Sampla (Rohtak) and testing charges will be borne by the agency. Nothing shall be paid on this account.
- (f) When the work under one agreement is being executed, the contractor shall not undertake any other work from same hot mix plant without written permission of the Engineer and shall also make separate arrangement of bitumen for that work.
- (g) Before carrying out bituminous work, coating & stripping of bitumen aggregate mix is to be performed in accordance with IS-6241. If coating and stripping of bitumen aggregate mix is less than 95%, anti-stripping agent will be used by the contractor. The anti-stripping agent should conform to the requirement as stipulated in IS 14982:2017. The cost so incurred will be considered as incidental to work and nothing extra shall be payable. The type and brand of anti-stripping agent along with procedure shall be approved by SE in-charge in writing before start of work. A proper record of results be maintained and same shall be submitted along with bills by the contractor.

D. ADDITIONAL CONDITIONS

- (i) Before laying any construction layer of GSB, sub grade or base course, earth work

on berms, if it is to be done by the agency against this agreement, should be completed in all respect simultaneously. Before taking work of any next layer, earth work on berms should be completed. Payment of any layer will be released only when earth work on berms are completed.

- (ii) No compensation for any damages caused to the earthwork by rains, floods or any other natural calamities shall be paid to the contractor. The contractor shall have to make good all such damages at his own cost as per direction of Engineer.
- (iii) The final payment of the tenderer will not be paid until and unless he furnishes to the satisfaction of the Engineer, proof that the price of earth used for the work having been fully paid to the owner of the land from which the earth was removed by the contractor from his (owner) land for the work and to indemnify against all the losses, damages, cost of land expenses which the Govt. suffer or incur as a result of such claim.
- (iv) In case of embankment with Fly Ash, the contractor shall take special care to keep the surface wet at all times so that the Fly Ash does not get mixed up with the atmosphere thus causing poor visibility besides health hazards. If the contractor does not comply with this provision, the Engineer shall make necessary arrangement after giving appropriate notice to the contractor, for keeping the fly ash surface wet and the contractor shall pay the expenses incurred on demand or otherwise the same shall be recovered by Engineer from bills due to the contractor.

E. GENERAL CONDITIONS

- (i) Correction of defects:- The Engineer shall give notice to the contractor of any defects before the end of Defect Liability-cum-Maintenance Period which begins at completion as per definition. The Defect Liability-cum-Maintenance Period shall be extended as long as defects remain to be corrected. Every time notice of a defect is given, the contractor shall correct the notice defect within the length of time specified by the Engineer's notice. If the contractor has not corrected a defect within the time specified in Engineer's notice, the Engineer will assess the cost of having the defect corrected and the contractor will pay the amount.
- (ii) The contractor shall have to provide a fields laboratory fully equipped at work site and hot mix plant for conducting all the relevant tests mentioned in the MORT&H specification subject to the approval of the Engineer or his representative. The record of such tests is to be maintained in proper register duly signed by the contractor or his representatives, which will become the property of the department. The contractor will bear all the running expenses for conducting such tests. All the tests will be carried in the presence of S.D.E.-in-charge and J.E.-in-charge.
- (iii) The quality control test will also be done by the department and the material for such test will be supplied by the contractor free of cost. In case the material is not found upto the requirement, the same will be rejected.
- (iv) Various quality control operation will be maintained as per Clause No. 901, 902, 903 of MORT&H (Road Wing) specification (5th revision) of latest edition and as per instructions issued by MORT&H from time to time upto date.
- (v) Contractor shall provide suitable measuring arrangement and leveling instruments of latest quality as approved by Engineer at the site of work.

- (vi) No extra payment on account of quality control measures shall be paid to the contractor.
- (vii) The Engineer at his discretion can get any type and Nos. of tests carried out from any other approved laboratory for his satisfaction for which all the expenses incurred would be borne by the agency. The result so obtained from the laboratory would be acceptable/binding to the agency.
- (viii) The contractor shall be required to provide all such materials/equipments at site to conduct field tests and to ensure that the quality of material/item shall be according to the prescribed specification and no payment of any kind for such tests shall be made to him. In case the material/item is not found upto mark, the same will be rejected.
- (ix) For cement, bitumen, mild steel and similar other material, the essential tests are to be carried out at the manufacturer's plant or at laboratories other than the site laboratory. The cost of samples, testing and furnishing of test certificates shall be borne by the contractor. He shall also furnish the test certificates to the Engineer.
- (x) Contractor has to submit the bills (Running as well as final bill) for payment along with quality control test results conducted as per frequency specified in MORT&H specification. No payment will be made without test results.
- (xi) OPC cement duly ISI marked of 43 grade such as JK, Lakshmi, L&T, A.C.C, Shree, Ambuja, Wonder Cement by RK Group and Birla or as approved by Engineer should be arranged by the contractor.
- (xii) TMT Steel Fe-500/ 500 D duly ISI marked manufactured by reputed brands such as Rashtriya Ispat Nigam Limited Vizag TMT 500 D/ Tata Iron & Steel Company (TISCO) /Steel Authority of India Limited (SAIL TMT Bar)/JSW(Jindal Panther TMT)/ Electrosteel (V-Xega) 550D TMT Bar/Shyam Steel Industries Ltd. (Shyam TMT ReBars Fe 500D) / Super Shakti Steel (Super Shakti Fe500), AF-Star manufactured by M/s M.S. Aggarwal Foundries Pvt. Ltd., Shri Bajrang Power & Ispat Ltd (Goel TMT Fe-550D), OCL Iron and Steel Company (Govvinda TMT Fe-550D), Rashmi TMT (Fe550D) etc. shall be arranged by the contractor.
- (xiii) Before executing the work of drain, proper drawing depicting L-section and X-section of drain along with its proper disposal will be got approved by S.E. in writing. All culverts and bridges will be constructed as per IRC-SP-13 and also approved by the SE-in-Charge.
- (xiv) Agency will have to submit to the Engineer, the original bills of cement and steel etc. in token of proof of purchase of material along with quality control test certificate of manufacturer failing which no payment shall be released.
- (xv) Agency will get the material tested from any approved laboratory as directed and whenever required by Engineer and all liability of testing shall be borne by the agency.
- (xvi) The rates are inclusive of cost of traffic management during construction, Contractor shall provide road signages, boards, gunny bags, sheet etc. for safety of traffic during construction period which will be incidental to work. Nothing extra shall be paid on this account.

- (xvii) The contractor will supply bills for purchase of RCC Hume Pipes clearly indicating name of manufacturer, date of manufacturing, Lot no. etc. These details must be painted on the RCC Hume Pipe. The pipe should be ISI marked. The manufacturer should give proof for validity of ISI license. In case of non supply of bills, no payment will be released.
- (xviii) The contractor himself will arrange all the material such as bitumen, cement, steel, bricks etc. at his own cost.
- (xix) The riding quality of reach after giving treatment of wearing coat will not have roughness more than 2000mm/km.
- (xx) The contractor shall submit the proposal of widening of existing stretch to get the centerline decided before commencement of work from Engineer.
- (xxi) For work of embankment, sub grade & pavement, construction of subsequent layer of same or other material over the finished layer shall be done after obtaining written permission from the Engineer. Similar written permission from the Engineer shall be obtained in respect of all other items of work prior to proceeding with the next stage of construction.
- (xxii) Before start of the work contractor will get his machinery inspected and approved from the Engineer.
- (xxiii) If at any stage, panel of concrete pavement develops cracks/disintegration during Defect Liability-cum-Maintenance Period, the whole panel will be changed by contractor at his own cost and nothing extra shall be paid.
- (xxiv) 80% material from scarification shall be credited & used at site in items as mentioned in the BOQ.
- (xxv) The pits on account of de-forestation of trees / roots, shall be filled with sand and compacted to the specification by the agency at his own cost in the entire length. No payment shall be made and the cost is incidental to work.

F. Requirements for use of Paver Blocks

There are 2 types of requirements for use of paver blocks:-

- (a) **Obligatory Requirements:-** As per clause 6.2 of IS Code-15658:2006
 - (i) Visual Inspection.
 - (ii) Dimensions and Tolerances.
 - (iii) Thickness of Wearing Layer
 - (iv) Water Absorption.
 - (v) Compressive Strength.
 - (vi) Abrasion Resistance.
- (b) **Optional Requirements:-** As per Clause 6.3 of IS Code-15658:2006
 - (i) Tensile Splitting Strength.
 - (ii) Flexural Strength / Breaking Load.
 - (iii) Freeze-Thaw Durability.
 - (iv) Colour and Texture.

G. TECHNICAL CONDITIONS

- (a) A register in prescribed form showing day to day receipt, consumption and balance of cement at site of work will be maintained at the work/test site by the department, which shall invariably be signed by the contractor or his authorized representative in token of its correctness.
- (b) The following basic records, in addition to what might be considered necessary, shall be kept at site and be made available to the inspecting officers.
- i. Record of placement of concrete and test cubes shall be maintained in the following form:

Date	Time of Start	Time of Completion	Unit/Member concreted	Bulking of sand if any	Extra sand used to take care of bulking
1	2	3	4	5	6

Water content of coarse aggregate	Water contents of fine aggregate	Extra water added	Total water content	Water cement ratio
7	8	9	10	11
Slump of concrete	Sources of supply of cement and batch No.	Whether the batch of cement tested or not	Identification number of concrete cube taken	7 days cube Strength as specified as per actual test
12	13	14	15	16
25 days cube Strength as specified / as per actual test	Sign of J.E.	Sign of SDE	Sign of Contractor	Remarks of Engineer-in-Charge.
17	18	19	20	21

- ii. Record of test for controlling the quality of concrete such as grading, analysis of Aggregates, silt content of fine aggregates, water content of fine aggregates, water content of coarse aggregate etc.
- iii. Record of test results on samples of mild steel. For steel, high tensile steel.
- iv. Record of cement tests for different consignment/batches/sources of supply.
- v. C.P.M/PERT chart, original and as revised/updated.

H. MATERIALS AND WORKS TEST REGISTER.

Register on prescribed proforma showing test results of materials and work tests will be maintained at the site of work by the department and every entry thereof, shall invariably be signed by the contractor or his authorized representatives in token of its correctness.

Technical Specifications For Building Works

1. SPECIFICATIONS

The work will be executed as per Haryana PWD B&R Specifications as per latest amendment. In case of any discrepancy the Bureau of Indian Standards shall be followed and then CPWD specifications shall be followed. These will be in order of preference as mentioned below:

- i) Haryana PWD (B&R) Specifications.
- ii) Bureau of Indian Standards.
- iii) CPWD Specifications.

In case, any item is not covered by all three above, then the decision of 'Engineer' shall be final.

1. PREAMBLE

- 1.1 The technical specifications contained herein shall be read in conjunction with the other bidding documents as specified in volume-1.

3. SITE INFORMATION

3.1 The information given here under and provided else, where in these documents is given in good faith by the employer but the contractor shall satisfy himself regarding all aspects of site conditions and no claim will be entertained on the plea that the information supplied by the employer is erroneous insufficient.

3.2 The area in which the works are located is mostly plain terrain.

4. GENERAL CLIMATIC CONDITIONS

4.1 The Variation in daily temperature in this region is as under :-

- (i) During summer months, from about 20° C minimum to 46° C maximum.
- (ii) During winter months, from about 2° C minimum to 28° C maximum.

4.2 The average annual rainfall in the area is of the order of 500mm. A good portion of which is concentrated during the months of August and September each year.

4.3 The range of relative humidity varies from a minimum of 40% to a maximum of 80%.

EXPLANATORY NOTES

1. The rates are for complete work including cost of all materials, labour, tools and plants and water etc. unless or otherwise specified.
2. All clauses and notes given in the Haryana PWD schedule of rates 2021 (2nd edition) and DSR 2018 with upto date correction slips issued upto the date of tender shall be applicable to all above items wherever necessary.
3. The description, rates, units, etc. of above schedule shall be corrected as per Haryana PWD schedule of rate 2021, (2nd edition) in case of any error or omission.
4. Chapter numbers with items referred to above are of Haryana PWD schedule of rates 2021 (2nd edition), corrected upto date.
5. The whole work shall be carried out strictly in accordance with the Haryana PWD specifications book 1990 latest edition as applicable to Haryana State with upto date correction slips and CPWD / MoRT&H / MoRD Specifications as applicable.
6. No premium shall be payable on the items which are not provided in the Haryana PWD schedule of rates 2021, corrected-up-to-date.
7. Samples of all building materials, doors and windows, fittings and other articles required for use on the work shall be got approved from the 'Engineer', Articles manufactured by firms of repute, approved by the 'Engineer' shall only be used. Only articles classified, as First Quality by the manufactures shall be used. Articles which are not First quality shall be rejected by the 'Engineer'. Preference shall be given to those articles, which bear I.S.I. certification mark. In case articles bearing ISI certification mark are not available, the quality of samples brought by the contractor shall be judged by the standards laid down in the relevant ISI specifications. All materials and articles brought by the contractor to the site of work for use shall confirm to the samples approved, which shall be preserved till the completion of work. Final decision to reject any material shall rest with the 'Engineer'.
8. The contractor shall provide suitable measuring arrangements at site for checking of various articles brought by him to ensure mixing in specified proportions.
9. The contractor shall provide such recesses, hole, openings etc. as directed by 'Engineer' as required for the Electrical / sanitary work and nothing shall be payable on this account.
For sanitary items : Public Health fixtures such as seat, urinal cistern, sinks etc reputed manufacturers such as Hindware, Parryware, TOTO, JAL, Jaquar, Cera, Kohler, Ruhe etc shall be used.
For piping, plumbing GI pipes of TATA/Jindal shall be used.
For piping, plumbing and drainage with CPVC/UPVC pipes the brands Finolex, Supreme, Prince, TATA Wondra, Astral, Ashirvad etc shall be used. CP Brass fitting of ISI mark or of reputed manufacturers such as Jaquar/Marc or equivalent should be used.
Rooftop Water Tanks of make. Finolex, Supreme, Prince, Sintex, Jindal, CT ROTO shall be used.
10. Thickness of RCC shall be measured and paid for structural sizes designed.

11. **Reinforcement shall be measured in length including hooks, if any, separately for different diameters actually used in work, during overlaps. From the length so measured, the weight of reinforcement shall be calculated in tones on the basis of IS:1732 Wastage, overlaps couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods for binding and placing, shall not be measured and cost of these items shall be deemed to be included in the rates for reinforcement.**
12. Where there is a provision for flush door shutters, only doors which bear the ISI certification marks and arranged from manufacturer of good repute like Green, Duro, Durenzo, Century shall be accepted. In case flush door shutters bearing ISI certification marks are not available in the market, flush door shutters confirming to ISI specifications and arranged from manufacturer of good repute shall only be accepted. They should be water proof, termite proof and have a guarantee for 10 years for any defect liability. The plyboard / mica / laminate / veneers / teak veneers/ block boards should also be of premium quality of reputed makes like Green, Duro, Durenzo, Century with ISI mark. For WPC doors, windows and frames thereof from brand Green, Duro, Durenzo, Century, COBE shall be accepted.
For Ceiling solutions : The items of brand names Armstrong, Gyproc, Decibel Ceiling & Acoustics, Shera, USG Boral and Gypsoman etc shall be accepted.
13. Steel butt hinges shall strictly confirm to Indian standard specification, IS-1341-1970 (Latest edition) and dimensions given in table 2 for medium weight cold rolled mild steel butt hinges of the above specifications Hinges shall be of good workmanship and manufactured by the firm of good repute.
14. Analysis of rates for non-schedule / non agreement items i.e. items which are not provided in the Notice Inviting Tender / Haryana PWD Schedule of Rates, 2021 (2nd editions) corrected upto date shall be payable as per actual lowest market rates from the recognized public market suitable to the executing division and wages of labour as applicable at the time of execution of work, plus admissible contractors profit and over head charge. For such items of materials the contractor shall be required to produce original vouchers which shall be subjected to verification by the 'Engineer'. The rates for non-schedule items shall be approved by the competent authority as recognized in the departmental financial rules in existence at the time of approval.
15. First Quality glazed/ceramic/vitrified tiles of reputed manufactures such as Kajaria, RAK, NITCO, Somany, Orient Bell, Jhonson, Simpolo /AGL tiles/Oasis Tiles/Home Square Tiles/ Italica Tiles/ Sega Tiles to be arranged by the contractor.
- 15 (a) OPC cement duly ISI marked of 43 grade such as JK, Lakshmi, L&T, A.C.C, Shree, Ambuja, Wonder Cement by RK Group and Birla or as approved by Engineer should be arranged by the contractor.
- 15 (b) TMT Steel Fe-500/ 500 D duly ISI marked manufactured by reputed brands such as Rashtriya Ispat Nigam Limited Vizag TMT 500 D/ Tata Iron & Steel Company (TISCO) /Steel Authority of India Limited (SAIL TMT Bar)/JSW(Jindal Panther TMT)/ Electrosteel (V-Xega) 550D TMT Bar/Shyam Steel Industries Ltd. (Shyam TMT ReBars Fe 500D) / Super Shakti Steel (Super Shakti Fe500). AF-Star manufactured by M/s M.S. Aggarwal Foundries Pvt. Ltd., Shri Bajrang Power & Ispat Ltd (Goel TMT Fe-550D), OCL Iron and Steel Company (Govvinda TMT Fe- 550D), Rashmi TMT (Fe-550D) etc. shall be arranged by the contractor.
16. Waterproofing Compound, membrane, PU coating for basement podium terrace puf

insulation, sunken portion treatment, Plasticizer, Super Plasticizer, Admixtures, Tile / Stone Adhesive / Tile / Epoxy Grout / Injection Grout, FRP / Fibre reinforcement wrap of reputed manufactures such as ASIAN SMARTCARE / GCP / BASF / Bitumet / Technicol / Fosroc / Sika / Pidilite/ UltraTech/ Synergy Telecommunications to be supplied by the Deptt. or arranged by the contractor.

For paint works like Eexterior emulsions, ACRYLC interior emulsion / water-based enamels / enamel and distempers the products of only Asian Paint, Birla Opus Prime, Dulux, Nippon, Nerolac, Berger and Woodco paints, Paints Forever, Interlux Paints, Halo etc shall be accepted.

For False Ceiling and acoustic wall paneling makes Hi-Steel (PR products) and Gyptech are approved.

For fire fighting equipment brand name Lifeguard Fire Fighting Equipment is approved.

17. The Tender with the condition regarding steel work to be done at labour rates shall be considered invalid and rejected straightway.
18. The quantities of all items given in the Schedule are tentative. These can be increased or decreased as per working Architectural drawings / structural drawings & nothing extra shall be paid.
19. For quality control, the contractor shall be required to use cement concrete mix giving a minimum cube strength as may be prescribed in the relevant structural drawings of work. For cement concrete and cement mortar work and other items the test should be regularly carried out as per procedure laid down in relevant I.S.I. & other codes at the expense of the contractor. The rates provided in the H.S.R. 2021 (2nd edition) included the cost of such testing.
20. Irrespective of what is stated in para 6 of General Rules of Haryana P.W.D. schedule of rates, 2021 (2nd edition) no carriage of cement, steel, bricks and water or any other type or material shall be admissible irrespective of any lead involved.
21. All the flooring like terrazzo, Kotah stone or marble flooring should be granite finished. No extra rate shall be paid on this account to the contractor.
22. Where-ever brick work or earth filling/embankment work is to be executed, the same has to be executed in accordance with the provision in the Fly Ash Notification dated 14.9.99 & 27.8.2003 i.e. by using Fly Ash brick and filling/embankment constn. by Pond Ash/Fly Ash as specified in the aforesaid notification after getting the design approved from 'Engineer's. Only I.S.I. marked factory manufactured flush door shutter ply and block board should be used, where ever required.
23. In case factory manufactured items, the contractor will get the name of manufacturers approved form deptt. and a warranty of 5 years certificate in favour of 'Engineer' in charge. In case of door shutters the type of wood used shall also be given by the manufacturer. The agency shall produced a certificate that door & window shutters fixed at site are actually factory manufactured - in case agency fails to do so the rate for the same shall be paid for site manufactured shutters as per HSR 17.30 & 17.31 of HSR 2021 2nd edition.
24. The agency will provide 2 Nos. boards of size 4' X 2½' at the site of work intimating the details of the project otherwise deduction will be made from the first running bill of

the Agency @ Rs 15000/- per board.

25. Contractor will use coarse aggregate (all type of stone grit) and coarse and i.e. stone dust (Zone II as per IS code). The material should conforming to the latest IS specification.
26. Regular and monthly quality control test as per frequency as per IS code specification / PWD specification is to be done by the Contractor at his own cost and submit the result to the 'Engineer' regularly and in case if he fails to do the same, 'Engineer' will get conduct all quality control test as per frequency for any reputed lab & amount of the same will be recovered for the agency. Beside this 'Engineer' will carry out their own quality control test and also will engage 3rd party quality control agency for proper quality control work and charges of this will be borne by the Govt.
27. All aluminum fittings for doors and windows shall be of 'Classic' or equivalents make conforming to I.S. Specifications as approved by the 'Engineer'.
28. **Third Party Inspection** - The Engineer-in-Charge may opt for 3rd party inspection other than department in addition to inspection by department staff, the 3rd party would inspect to ensure execution of work as per specification/ agreement and also quality control i.e. draw of samples, testing and other items etc. The report of the same would be submitted to Engineer-in-Charge by the 3rd party. The agency/ contractor shall be bound by the report of 3rd party inspection and shall take remedial measures for execution of work as per specifications in agreement at their own cost. The cost of 3rd party inspection will be borne by the employer.
29. **Cement contents** - Actual cement required for the aggregates in concrete to be used shall be determined by laboratory test while designing the concrete mixes. If the cement contents of the design mix of that grade come less than the provision of cement contents provided in the Haryana Schedule of Rates, (with latest amendments) due to durability conditions, the cement contents as provided in the Haryana Schedule of Rates shall be used and no extra payment on this account shall be made to the contractor. No extra amount over and above the minimum cement content as provided in the Haryana Schedule of Rates shall be paid.
30. **Design Mix** Design mix will be got carried out by the Engineer-in-Charge from any of the reputed laboratory at the cost of contractor. The source of aggregate shall be identified by the contractor and Engineer-in-Charge's representative shall be present while taking sealed samples for the design mix from such source. Frequency of carrying out Design Mix shall be as per relevant IS Codes and also when the source of aggregate will change, the design mix shall be carried out again.
31. **Conditions for Quality Control and Lab:**
 - i. The contractor shall have to provide a field laboratory fully equipped at work site before starting the execution of works for conducting all the relevant tests mentioned in the Haryana PWD specification subject to the approval of the 'Engineer's -in-charge or his representative. The record of such tests is to be maintained in proper register duly signed by the Contractor or his representatives, which will become the property of the department. The Contractor will bear all the running expenses for conducting such tests. All the tests will be carried in the presence of S.D.E.-in-charge of the work. All the entries are to be signed by the contractor, S.D.E. and J.E.-in-charge. **In case the contractor does not set up the field laboratory, an amount of Rs 10.00 lacs shall be withheld from the first running bill and if the contractor does not setup the**

laboratory, the same will be setup by the department from the withheld amount.

- ii. The quality control tests which are carried out by the department and the material for such tests will be supplied by the contractor free of cost. In case the material is not found up to the requirement, the same will be rejected.
- iii. Contractor shall provide suitable measuring arrangement and leveling instruments latest quality duly approved by 'Engineer's -in-charge at the site of work.
- iv. No extra payment on account of quality control measures shall be paid to the contractor.
- v. The 'Engineer's -in-charge at his discretion can get any type/Nos. of tests carried out any other approved laboratory for his satisfaction for which all the expenses incurred would be borne by the agency. The results so obtained from the laboratory would be acceptable and binding to the agency.
- vi. The Contractor shall be required to provide all such materials/equipment's at site to conduct field tests and to ensure that the quality of aggregate shall be according to the prescribed specification and no payment for material required for sample for such tests shall be made to him. In case, the material is not found up to mark, the same will be reject.
- vii. For cement, steel and similar other material, the essential tests are to be carried out at the manufacturer's plants or at laboratories other than the site laboratory, the cost of samples, testing and furnishing of test certificates shall be born by the contractor. He shall also furnish the test certificates to the 'Engineer'.
- viii. 25 % of the beams and columns in each floor before laying of slab for that floor of the building, shall be subjected to Rebound Hammer Test conforming to IS 13311 (Part 2): 1992 before proceeding further with construction of next story of Building. The tests shall be witnessed by SDE. In case the test result fails the column in parameters it shall be demolished and reconstructed at the cost of the contractor. The test results shall be tabulated and made part of the final bill.
- xi. The liquidated damages can be deferred/reduced/waived (whole or part) by the SE concerned for contract(s) upto Rs.1.00 cr., CE(Buildings) from Rs.1.00 cr. to Rs.10.0. cr. and E-In-C of Haryana PW(B&R) Deptt. for contract(s) above Rs.10.00 cr. This will be done on the written request of the contractor and written recommendations of EE/SE as the case may be.
- x. Upon completion and before offering the work for acceptance, the contractor shall remove all false work, excavated and useless materials, rubbish, temporary building constructed by him and shall leave the site and adjacent area in a neat and clean condition to the entire satisfaction of the 'Engineer's . The 'Engineer's , reserves the option to take away any item of work or any part thereof at any time during the currency of the contract and reallocate it to any other agency with due notice to the contractor without liability of any kind or payment of any compensation. Extra amount if incurred will be recovered from the agency.
- xi. The contractor has to make his own arrangements for water, bricks, wood and every item required directly or indirectly for completion of work.
- xii. No claim shall be entertained on account of increase in price of labour and material

other than provided in the contract due to any cause whatsoever.

- xiii. In case of emergency the Contractor shall be required to pay his labour every day and if this is not done, the 'Engineer' will make the requisite payment and recover the same from the contractor.
- xiv. Actual quantities of completed and accepted work shall only be paid.
- xv. No pits shall be dug by the contractor near the site of work or within Govt. land for taking out earth for use on the works. In case of default the pits so dug will be filled in by the department at the cost of the contractor plus fourteen percent departmental charges.
- xvi. The rates to be quoted by the contractor shall be inclusive of octroi terminal tax, royalty, cess and all other taxes (excluding GST) and charges. These are for complete work in all respects The GST amount shall be reimbursed on production of proof of deposit of GST with Govt. for the previous payment.
- xvii. The Contractor shall not be entitled for any payment on account of work done until he signs the agreement.
- ixvii. Nothing extra shall be paid for any lead and if unless otherwise specified for any material required directly or indirectly and the rates to be given in the tender shall include all leads in the contract schedule.
- xix. The Contractor shall be responsible for any /all losses of material, damage done to unfinished work as a result of floods and other acts of God. The Govt. will not be responsible for any compensation as a result of such damage or loss to the Contractor and the Contractor shall be liable to set right such damage at his own cost to the satisfaction of the 'Engineer's .
- xx. The royalty, sales tax, cess and any other taxes, if any shall be paid by the contractor direct to the respective department in accordance with their rules and regulations in force from time to time without intervention of the Public Works Department.
- xxi. Amount of work may be increased or decreased and any item committed and substituted in accordance with the requirement of the department and no claim on this amount shall be entertained. **The contractor will have to complete the whole building as per architectural plans submitted by the Chief Architect Haryana by the Architect hired by the department for the work.**
- xxii. All material left at site by the contractor for a period of more than one month after the completion of work shall become the property of the public works department and Contractor shall have no claim whatsoever for such material.
- xxiii. The Contractor shall maintain at site of work full details of specification of the work fixed by the 'Engineer' and approved drawing of the work.
- xxiv. Nothing extra shall be paid to the Contractor for diversion of water in the channels stream if it becomes necessary for the execution and completion of the work.
- xxv. The Contractor will not have any claim in case of delay by the Department for removal of tree or shifting, raising, removing of telegraph, telephone or electric lines (Over head

or under ground) and other structure, if any, which comes in the way of the work.

- xxvi. The percentage above and below HSR including ceiling premium if any should be quoted by the Contractor after making due diligence of the items in the BOQ and item rates for NS items in BOQ should be quoted without any condition. In case any condition is tendered this will be considered as null and void and only percentage above and below HSR item rates quoted for NS items by the tenderer shall be considered. In case any tenderer refuses to accept this, action shall be initiated as per provisions in the Bid Security Declaration Form or Bid Security shall be encashed.

32. Relation with Public Authorities:

The Contractor shall comply with all legal orders and directions given from time to time by any local or public authorities and shall pay out of his own money the fees or charges to which he may be liable.

33. Additional Conditions applicable to performance of Contractor

- i. Item for which no rate or price have been entered in, will not be paid for by the employer when executed and shall be deemed covered by the other rates and prices in the bill quantities (Refer: ITB Clause 13.2 and conditions of contract Clause 43.3).
- ii. Where there is discrepancy between percentage written in figures and words while quoting rates for HSR items, the percentage written in words shall be considered. Where there is a discrepancy between unit rate and the figures written in words for NS items, total resulting from multiplying the unit rate by quantity, the unit rate quoted shall govern (ITB clause 27.1(b)).
- iii. The agency to whom the work is allotted will have to produce original voucher for all quantities in lieu of purchase of bitumen, steel and cement from the original manufacture or the authorized dealer/ distributors to the satisfaction of the 'Engineer' for ascertaining the genuineness of material. Attested copy of such voucher will have to be submitted along with the bills.
- iv. The documentary proof of procurement of cement & steel from the reputed source and test result from CRRI or Sri Ram Test House, New Delhi will be produced by the agency.
- v. The contractor will be held strictly responsible to the true intent of the specification in regard to quality of materials, workmanship and the diligent execution of the contract.
- vi. All materials and each part of detail of the work shall be subject at all times to inspection by the Engineer-in-charge. Departmental Representative or other authorized subordinate who shall be furnished with reasonable facilities and assistance by the contractor for ascertaining whether or not the work as performed or the materials used are in accordance with the requirements and intent of the plans and specifications.
- vii. The contractor shall furnish written information to the 'Engineer' stating the original source of supply and dates of manufactures of all materials manufactured away from the actual site of work. The information shall be furnished at least two weeks (or such other period as may be

directed by 'Engineer' in advance of the incorporation of any such materials in the works.)

- viii. Any work done or materials used without supervision or inspection by the 'Engineer' /Departmental Representative is liable to be ordered to be removed and replaced at the contractor's expenses.
- ix. If so directed the Contractor shall at any time before the acceptance of the work, remove or uncover such portion of the finished work as may be directed. After examination, the contractor shall restore the said portion of the work to the standards required as per specifications. The work shall not be considered to have been completed in accordance with the terms of the contract until the 'Engineer's -in-charge shall have certified in writing that it has been completed to his satisfaction. No approval of materials or workmanship or approval of part of the work during the progress of execution shall bind the Engineer in any way or effect his power to reject the work when alleged to be completed or to suspend the issue of his certificate of completion until such alterations or modifications or reconstructions have been affected as shall enable him to certify that the work has been completed to his satisfaction.
- x. The inspection of the work or materials shall not relieve the Contractor any of his obligation to fulfill the terms of the contract as herein prescribed by the plans and specifications.
- xi. Failure to reject any defective work or material will not in any way prevent later rejection when such defect is discovered or obligate the department to make final acceptance.
- xii. If, the contractor seeks to some assistance from the department in connection with arranging water/electric connection from the public utility service authorities for the purpose of Govt. work such assistance only to the extent of writing a letter from the 'Engineer' to the authority concerned for giving such connection may be provided. All charges etc. shall be borne by the contractor.
- vxii. The contractor may, on application of the contractor, issue essentiality certificate for Diesel/Petrol (if it becomes a controlled commodity) required for materials to be used on the work but the department will not undertake any responsibility for the arrangement of such Petrol/Diesel, Non availability of any such materials will not absolve the contractor of his contractual obligation. No claim of any kind what-so-ever shall be entertained for any and all the losses or damages to the contractor due to the completion of the work getting delayed due to the failure or delay on the part of the public works department under the terms and conditions of the contract.
- xiv. The contractor shall supply at his own cost and expenses all labour materials etc. for labour and checking of any portion of the work during construction.

Whosoever required by the 'Engineer' or his representative and nothing extra shall be paid for same.

- xv. Occupation of Additional Lands:
In case, when it becomes necessary for due fulfillment of the contract for the contractor to occupy land outside the P.W.D. limits the contractor shall make his own arrangement with the land owners and pay such amount, as may be mutually agreed upon by them.
- xvi. No claim by the contractor for additional payment will be allowed on the ground of any misunderstanding or misapprehension in respect of any such matter or otherwise on the ground of any allegation or fact that incorrect information was given to him by any person whether in the employ of the Govt. or not or of the failure on his part to obtain correct information nor shall the contractor be relieved from any risk or obligations imposed on or undertaken by him under the contract on any such ground or on the ground that he did not or could not fore-see any matter which may in fact, effect or have affected the execution of the work.
- xvii. During the absence on work of the 'Engineer' he shall be represented by one of his subordinate whose duties are to watch and supervise the works, to test and examine any materials to be used or workmanship employed to ensure that the works are performed in conformity with the plans, estimates and specifications in all respects and to keep 'Engineer' informed of the progress of the works and the manner in which they are done. The 'Engineer' may from time to time delegate any of the powers and authorities vested in him to the departmental representative in writing.
- xviii. The Departmental representative shall have no authority to alter or waive the provisions of plans and estimates and specifications or to relieve the contractor or any of his duties or obligations under the contract. He shall however, have the authority to inform the contractor in writing to replace any materials considered defective and to suspend, to do, or rectify the work improperly performed or not according to plans and estimates or specifications in his judgment and the contractor shall comply.
- xix. Failure of the Departmental Representative to disapprove any work of materials shall not prejudice the power of the 'Engineer' thereafter to disapprove such work or materials and to order the pulling down, removal or breaking up thereof. If the contractor shall be dissatisfied by reason of any decision of the Departmental representative, he shall be entitled to refer the matter to the 'Engineer'. Who shall thereupon confirm or reverse such a decision.
- xx. The contractor shall also inform the 'Engineer' in writing when any portion is ready for inspection giving him sufficient notice to enable him to inspect the same without retarding the further progress of the work.
- xxi. Unless otherwise provided in the contract document materials such as rubble, gravel sand, murrum, kankar earth, soil, etc. obtained from excavation and materials obtained by dismantling any existing structures shall remain the property of the Government.
- xxii. Any tress branches, bushes, crops etc. which may be required to be cut during the execution of the work shall be handed over to the Public Works

Department or disposed of as directed.

xxiii The contractor will submit the design of temporary structure scaffolding to department in advance without any cost. The contractor will remain responsible for design and safety of scaffolding irrespective of approval by the Engineer-in Charge.

xxiv. The contractor shall install RO system of suitable capacity and check quality of water daily from the lab set up at site in addition to regular testing from reputed Lab to be conducted on monthly basis. The contractor will keep the RO in good working condition so that the quality of water is as per latest IS Specification IS 456/other relevant codes. No extra payment for installation of RO system and subsequent testing shall be admissible at any point of time during the execution or defect liability period later on

(i) A. FOR EXCESS CONSUMPTION OF MATERIALS FROM THE THEORETICAL CONSUMPTION

(i) No Claim for Excess Consumption of material other than those specified shall be entertained by the department.

B. FOR SHORT CONSUMPTION OF CEMENT

(i) Upto 5%, the recovery of cost of material thus saved shall be made from the contractor at the base price as applicable on the date of tender.

(ii) Less consumption by more than 5% (i.e. above 5 %) the rates of items of work involved shall be reduced. If it is not possible to determine the exact items on which less material has been used, the cost of the material so saved shall be recovered from the contractor at double the issue rate. The Executive Engineer reserves the right to take any other deterrent action which he deems fit against the contractor. It shall be at the discretion of the department to determine whether the stability of the structure is affected adversely due to less consumption of materials and in case it is felt that it is likely to be so, the Executive 'Engineer' shall reject the work and the decision of 'Employer' in such matter shall be final.

1.Conditions for MAINTAINENCE-CUM-DEFECT LIABILITY PERIOD [Building Works]

38.1 The defect liability-cum-maintenance period shall be **two years** from the date of completion in case of original works. For maintenance and S/R works, defect liability period will be **one year** and re-painting / white wash / snowcem / distempering will not be required. The date of completion shall be considered as the date certified by the 'Engineer'.

38.2 The Engineer shall give notice to the contractor of any defects before the end of the effects Liability-cum-Maintenance Period. The Defects Liability-cum-Maintenance period shall be extended for as long as defects remain to be corrected.

38.3 The Contractor shall correct the notified Defect / Defects within the length of time as specified by the Engineer's, notice.

38.4 The contractor will be fully responsible for the quality and workmanship of

the works executed by him. The liability on account of shortcomings in executed items found by any investigating agency during the defect liability period or afterwards shall be born by the agency.

- 38.5 The Contractor shall do the routine maintenance of building to the required standards in the manners as per Haryana PWD specifications latest edition, DNIT, agreement conditions and keep the whole building in defect free condition during defect liability period as defined above.
- 38.6 The routine maintenance standards shall meet the following minimum requirements to the entire satisfaction of 'Engineer':-
- i) Plaster work and flooring work to be repaired soon after these appear or brought to his notice either during contractor's monthly inspection or by the Engineer or otherwise. Repair shall be carried out in a manner which does not affect the aesthetics.
 - ii) Defective joinery such as door, window, cup-board shutters, chowkhats, wire gauge, glass panes, fitting, fixtures etc. to be rectified / replaced immediately after the defects appear.
 - iii) Any structural damage / fault / defect to be rectified to the satisfaction of 'Engineer' as soon as the same appears.
 - iv) Defective or incomplete/improper white washing / colour washing, distempering, painting etc. to be rectified immediately on notice by the 'Engineer's' .
 - v) All rain water pipes, sun-shades and the like components to be inspected every fortnightly and cleaned as and when required.
 - vi) Leakage of water of any kind in the building to be set right immediately on priority.
 - vii) All electrical / Public Health installations including wiring, pipelines etc. made in the building to be repaired / rectified / replaced as soon as any defect has appeared / notice.
 - viii) The agency shall make good all the items / works damaged during the repair being done by him and bring the same in original form.
 - ix) Any other maintenance operation required to keep the building use worthy at all the time during the maintenance period.
 - x) He shall maintain a register in the building for daily recording the defects, damages, shortcomings noticed by user and address the problem within three days or else he will approach the 'Engineer' for extension of this time.
 - xi) Before the end of defect-cum-maintenance period is completed, all damaged door /window should be replaced as per original work. All malfunctioning fittings and fixtures of doors/ windows and woodwork, Public Health fixtures, taps etc. of the whole building should be replaced to the satisfaction of Engineer/ Employer as per original work will be carried out by the contractor.

- 38.7 To fulfill the objectives laid down in above sub clauses, the Contractor shall undertake detailed inspection of the building at least once in a month. The 'Engineer' can reduce this frequency in case of emergency. The Contractor shall forward to the 'Engineer' the record of inspection and rectification every month. The contractor shall pay particular attention on the maintenance of building during rains and rainy season.
- 38.8 The Engineer may issue notice to the Contractor to carry out maintenance or remove defects, if any, notice in his inspection, or brought to his notice. The contractor shall remove the defects within the period specified in the notice and submit to the 'Engineer' a compliance report. By not giving notice, will not absolve the contractor from his responsibility.
- 38.9 In case the Contractor fails to make good the defects, the Executive Engineer may employ any other person to make good such defects and all expenses consequent and incidental there to shall be borne by the Contractor.
- 38.10 The contract shall not be considered as completed until a defect liability-cum-maintenance certificate has been signed by the Executive Engineer and delivered to the contractor stating that the works have been completed and maintained to his satisfaction. The defect liability-cum-maintenance certificate shall be given by the SE on the recommendations of XEN. SE will send copy of such certificate to CE (Bldgs) alongwith CD.
- 38.11 Department shall not be responsible for any depreciation in the value of securities, not for any loss of interest thereon.
- 38.12 There will be double lock system for the cement store. One Key of the lock will be with the representative of the department and other key of the lock will be with the agency.

Error: Subreport could not be shown.

Section 6

Bill of Quantities

Preamble

- 1) The Bill of quantities shall be read in conjunction with the instructions to Bidders, Conditions of contract, Technical Specifications and Drawings.
- 2) The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the contractor and verified by the Engineer and valued at the rates and prices tendered in the priced Bill of Quantities, where applicable, and otherwise at such rates as the Engineer may fix within the terms of the Contract.
- 3) The rates and prices tendered in the priced Bill of Quantities shall, except in so far as it is otherwise provided under the Contract, include all constructional plant, labour, supervision, materials, erection, maintenance, insurance, profit, all taxes (but excluding GST) and duties, together with all general risks, liabilities and obligations set out or implied in the Contract.
- 4) The rates and prices shall be quoted entirely in Indian Currency.
- 5) A rate or price shall be entered against each item in the Bill of Quantities, whether the quantities are stated or not. The cost of Items against which the contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 6) The whole cost of complying with the provisions of the Contract shall be included in the items provided in the priced Bill of Quantities, and where no Items are provided the cost shall be deemed to be distributed among the rates and prices entered for the related Items of work.
- 7) General directions and descriptions of work and materials are not necessarily repeated or summarized in the Bill of Quantities. References to the relevant sections of the contract documentation shall be made before entering rates or prices against each item in the Bill of Quantities.
- 8) Errors will be corrected by the Employer for any arithmetic errors pursuant to clause of the Instructions to Bidders.
- 9) Any items of work not provided in the contract schedule of rates if required to be executed will be paid as per Haryana PWD schedule of rates 2021 plus ceiling premium as applicable in DNIT subject to the premium tendered by the contractor. In case of non schedule item, these will be paid by the 'Engineer' based on market rates of that time after getting approval from the competent authority and will be binding upon the contractor.
- 10) The work will be carried out strictly in accordance with the PWD book of specification 1990 edition, CPWD Specifications and MoRT&H Specifications as applicable and that will form part and parcel of this contract agreement.

- 11) The 'Engineer' shall be entitled to order work against any item or work shown in this contract schedule of rates hereinafter called the "Schedule" to any extent and without any limitation whatsoever as may be required in his opinion for the purpose of work irrespective of the fact the quantities are omitted altogether in the "Schedule" or shown more or less than the work ordered to be carried out.
- 12) In this contract schedule of rates only essential portion of items has been written, but it will deem to cover the entire items as fully described in Haryana PWD schedule rates 2021 till the date of opening of tender and will be applicable on this contract schedule of rates.
- 13) All the items in this contract schedule of rates 2021 subject to the foot notes given in the Haryana PWD schedule of rates 2021 till the date of opening of tender and will be applicable on this contract schedule of rates.
- 14) Quantities given in the BOQ may vary at the time of execution of works done at site by the contractor.
- 15) Unless otherwise specified all material, machinery and labour input are to be arrange by the contractor.
- 16) All amendments issued to the Haryana PWD schedule of rates will be applicable on the contract schedule of rates.
- 17) As and when contractor gives condition that arrangement of water shall be made by the department, it shall be deemed that all the charges incurred thereon shall be borne by the department and recovery on the total work done shall be made from him.
- 18) No claim will be entertained from the contractor in case of any mistake in description, rate or unit occurred on account of typing or comparison or over sight. If there is any mistake, the same shall be rectifiable by the 'Engineer' at any stage as per Haryana PWD schedule of rates 2021 and all the amendments received from time to time.
- 19) The premium should be quoted above or below for HSR items and individual rates for NS Items. No conditional offer should be made. In case any conditions is tendered, this will be considered as null and void and only the premium or discount quoted by the tender shall be accepted. In case any tender refused to accept the above afterwards, his earnest money will be forfeited or the action as per conditions of Bid Security Declaration Form shall be taken.
- 20) Tender premium will not be allowed on new N.S. items.
- 21) Rate quoted by the contractor for each N.S. item shall be for complete job including all taxes (but excluding GST) , carriage etc. Nothing extra on any account shall be paid.
- 22) The payment will be made according to the actual work done by the contractor.

BILL OF QUANTITIES**Name of work:-Shifting of Milk Dairies in MC Hisar****HSR ITEMS:**

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
1.	[10.1]Providing and laying of base course of floors consisting of 100 mm thick cement 1:8:16 and 100 mm sand or stone filling. [Through Rate]	201.73	Sqm		
2.	[10.1.1.1]Providing and laying of base course of floors consisting of 100 mm thick cement 1:8:16 and 100 mm sand or stone filling. 1.1. Re-compacting excavated soil in plinth under floors, including watering, ramming, consolidating and dressing complete. [Through Rate]	43.60	cum		
3.	[10.29.1]Providing and laying of chequered terrazzo tiles 20 to 22 mm thick with graded marble chips of size up to 6 mm in floors, jointed with neat cement slurry mixed with pigment to match the shade of the tiles, including rubbing and polishing complete, on 20 mm thick bed of cement mortar 1:4 (1 cement :4 coarse sand) : 1. Light shade pigment using white cement [Through Rate]	2036.00	Sqm		
4.	[10.34]Providing and laying dry brick on edge flooring in required pattern with bricks of class designation 7.5 on a bed of 12 mm mud mortar, including filling joints with Jamuna sand, with common burnt clay non modular bricks. [Through Rate]	3000.00	Sqm		
5.	[10.37.1]Providing and fixing of Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 1. 25 mm thick [Through Rate]	37.78	Sqm		
6.	[10.38]Providing and fixing of Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. [Through Rate]	3.57	Sqm		
7.	[10.4]Providing and laying of screed of 50 mm thick cement concrete 1:8:16 to be laid below the topping. [Through Rate]	282.26	Sqm		
8.	[10.50.1]Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. 1. Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent. [Through Rate]	189.51	Sqm		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
9.	[10.51]Providing and fixing granite stone in all shades 15mm to 18 mm thick in skirting /dado, risers of steps, pillars and wall facing, laid in any pattern as specified over base of 12mm thick cement coarse sand mortar 1:3 and jointed with white cement slurry mixed with pigment to match the shade of Granite including labour for fixing cramps pins and dowels etc. [Through Rate]	127.08	Sqm		
10.	[10.57]Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete. [Through Rate]	34.73	Sqm		
11.	[10.58]Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete. [Through Rate]	94.04	Sqm		
12.	[10.59]Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., complete. [Through Rate]	696.14	Sqm		
13.	[10.63.1]Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. 1. Size of Tile 500x500 mm [Through Rate]	147.16	Sqm		
14.	[10.7]Providing and laying of conglomerate floor 50mm thick cement concrete topping 1:2:4 [Through Rate]	663.00	Sqm		
15.	[10.8]Providing and laying of conglomerate floor 40mm thick cement concrete topping 1:2:4 [Through Rate]	1241.03	Sqm		
16.	[11.25.2]Pointing on brick work or brick flooring with cement mortar 1:3 (1 cement : 3 fine sand): 2. Raised and cut pointing [Through Rate]	216.46	Sqm		
17.	[11.4.2]10 mm thick cement plaster 2. 1:3 (1 cement: 3 fine sand) [Through Rate]	487.57	Sqm		
18.	[11.5.3]12 mm cement plaster of mix : 3. 1:4 (1 cement: 4 fine sand) [Through Rate]	17456.56	Sqm		
19.	[11.5.4]12 mm cement plaster of mix : 4. 1:6 (1 cement: 6 fine sand) [Through Rate]	3880.80	Sqm		
20.	[11.52]Cement rendering on plaster 1 mm thick [Through Rate]	813.42	Sqm		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
21.	[11.58]Providing and applying two coats white cement based putty of approved brand and manufacturer, over plastered surface and grinding the surface smooth with sand paper to get an even and smooth finish including cost and carriage of all material, labour charges, scaffolding, sundries etc. complete [Through Rate]	1383.82	Sqm		
22.	[11.6.1]15 mm cement plaster on the rough side of single or half brick wall of mix : 1. 1:4 (1 cement: 4 fine sand) [Through Rate]	5483.83	Sqm		
23.	[11.64.1]Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : 1. New work (two or more coats) over and including water thinnable priming coat with cement primer [Through Rate]	1054.75	Sqm		
24.	[11.67.1]Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : 1. Water thinnable cement primer [Through Rate]	2117.61	Sqm		
25.	[11.71.1]Wall painting on a cement plaster surface with acrylic emulsion paint of approved brand and manufacture to give an even shade : 1. Two or more coats on new work [Through Rate]	406.64	Sqm		
26.	[11.74.2]Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. 2. Two coats [Through Rate]	618.96	Sqm		
27.	[11.78]Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade. [Through Rate]	115.86	Sqm		
28.	[11.93.1]Finishing walls with water proofing cement paint of required shade : 1. New work (Two or more coats applied @ 3.84 kg/10 sqm) [Through Rate]	541.10	Sqm		
29.	[11.95.1]Finishing walls with Acrylic Smooth exterior paint of required shade : 1. New work (Two or more coat applied @ 1.67 litre/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) [Through Rate]	8677.40	Sqm		
30.	[12.10.3.1]Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws. 3.1. Kiln seasoned selected planks of sheesham wood 35 mm thick [Through Rate]	13.81	Sqm		
31.	[12.105]Providing and fixing bright finished brass 100 mm mortice latch and lock, ISI marked, with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS : 1868) aluminium lever handles of approved quality with necessary screws etc. complete. [Through Rate]	5.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/ society	
				In figures	In words
32.	[12.157.1.2]Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : 1.2. For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron) [Through Rate]	1414.00	Kg.		
33.	[12.157.2.3]Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : 2.3. For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron) [Through Rate]	1414.00	Kg.		
34.	[12.158.1]Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. 1. Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side [Through Rate]	56.54	Sqm		
35.	[12.20.2]Providing and fixing wire gauge laminated veneer lumber shutters conforming to IS : 14616, using galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm as per IS :1568, for doors, windows and clerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, as per directions of Engineer-in-charge: (Note:- Butt hinges and necessary screws shall be paid separately) 2. 30 mm thick shutters [Through Rate]	43.61	Sqm		
36.	[12.36.1]Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 1. 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws [Through Rate]	8.75	Sqm		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
37.	[12.50.1]Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. 1. Fixed to steel windows by welding [Through Rate]	220.99	Kg.		
38.	[12.7.1.1]Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws, excluding panelling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid separately) 1.1. Second class teak wood 35 mm thick shutters [Through Rate]	45.29	Sqm		
39.	[12.98.2]Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 2. 250x16 mm [Through Rate]	52.00	Each		
40.	[12.99.1]Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 1. 300x10 mm [Through Rate]	10.00	Each		
41.	[12.99.2]Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 2. 250x10 mm [Through Rate]	10.00	Each		
42.	[13.21.1]Supply and fixing Windows frames (Chowkhats) including mullions consisting frame fabricated from sheet roll formed out of 1.2mm thick galvanized sheet as per IS:277 (Base steel as per IS 513) with zinc of 120 gm/sqm and Powder coated with pure Polyester powder up to 50 microns (as per approved colour), 3 Nos. 100mm butt - hinges 2mm thick, 6 Nos. 1.2mm thick CRCA electroplated stiffener, 6 Nos. M.S hold fast with split and tail welded to stiffener plate 200mm long, receiver for aldrop, weld less corner assembly with brackets and screws, M.S tie rod 50mm x 25mm to be fixed at bottom finished with powder coated total thickness of coating 0.6mm of approved shade, fixed in position including the cost of cement concrete for 1:2:4 for fixing lugs complete in all respects as per drawing, design, specification and entire satisfaction of Engineer-in-charge. 1. Door Frame of size 80mm x 50mm with 37mm wide single rebate for 35mm door shutter [Through Rate]	229.83	Metre		
43.	[13.21.2]Supply and fixing Windows frames (Chowkhats) including mullions consisting frame fabricated from sheet roll formed out of 1.2mm thick galvanized sheet as per IS:277 (Base steel as per IS 513) with zinc of 120 gm/sqm and Powder coated with pure Polyester powder up to 50 microns (as per approved colour), 3 Nos. 100mm butt - hinges 2mm thick, 6 Nos. 1.2mm thick CRCA electroplated stiffener, 6 Nos. M.S hold fast with split and tail welded to stiffener plate 200mm long, receiver for aldrop, weld less corner assembly with brackets and screws, M.S tie rod 50mm x 25mm to be fixed at bottom finished with powder coated total thickness of coating 0.6mm of approved shade, fixed in position including the cost of cement concrete for 1:2:4 for fixing lugs complete in all respects as per drawing, design, specification and entire satisfaction of Engineer-in-charge. 2. Door Frame of size 125mm x 60mm with 37mm wide double rebate for 35mm door shutter [Through Rate]	285.13	Metre		

DNIT Name : Shifting of Milk Dairies in...

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/ society	
				In figures	In words
44.	[13.29.2]Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. 2. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works [Through Rate]	148577.50	Kg.		
45.	[13.41]Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories and stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.). [Through Rate]	252.00	Kg.		
46.	[14.30.1]Double layer brick lining for storage tanks consisting of : (i) 10 mm thick cement mortar 1:5 in sub grade (ii) 22.86 cm x 11.11 cm size laid in 1:5 cement mortar (iii) sand-wiched plaster in 1:3 cement mortar 12 mm thick (iv) Second layer of brick laid in 1:3 cement mortar with 6 mm thick 1:3 cement mortar over sand-wiched plaster, including cost of dressing of sub-grade, scaffolding and curing etc. complete in all respects 1. in Bed [Through Rate]	5884.42	Sqm		
47.	[14.30.2]Double layer brick lining for storage tanks consisting of : (i) 10 mm thick cement mortar 1:5 in sub grade (ii) 22.86 cm x 11.11 cm size laid in 1:5 cement mortar (iii) sand-wiched plaster in 1:3 cement mortar 12 mm thick (iv) Second layer of brick laid in 1:3 cement mortar with 6 mm thick 1:3 cement mortar over sand-wiched plaster, including cost of dressing of sub-grade, scaffolding and curing etc. complete in all respects 2. in Side slopes [Through Rate]	2210.88	Sqm		
48.	[17.15.2]Granular Sub-Base with Coarse Graded Material - Grading-I or II or III (Table:- 400-2) Construction of granular sub-base by providing coarse graded material, spreading in uniform layers with motor grader on prepared surface, mixing by mix in place method with Rotavator at OMC, and compacting with vibratory roller to achieve the desired density, complete as per clause 401.of MORTandH specifications 2. Grading II material [Through Rate]	7711.44	cum		
49.	[17.5.3]Compacting Original Ground 3. Compaction of Earthwork Compaction of & preparation of sub grade including loosening, levelling of earth 225 mm thick top layer, rough dressing of soil, final dressing of earth to give level, camber, watering, rolling with road roller, compacting the bed to achieve minimum dry density as given in the Table 3000-2 as per technical clause 305 of MORT&H specifications [Through Rate]	66129.10	Sqm		
50.	[17.69.1]Interlocking Concrete Block Pavement 1. Providing and Laying 100 mm thick ISI marked Interlocking Paver Blocks conforming to IS 15658:2006/IRC SP 63: 2004 of all shapes and colours in design mix cement M 50 over the bed of 30 mm thick fine sand complete in all respect. [Through Rate]	65128.34	Sqm		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
51.	[17.69.2]Interlocking Concrete Block Pavement 2. Providing and Laying 80 mm thick ISI marked Interlocking Paver Blocks conforming to IS 15658:2006/IRC SP 63: 2004 of all shapes and colours in design mix cement M 40 over the bed of 30 mm thick fine sand complete in all respect. [Through Rate]	63.35	Sqm		
52.	[17.8.1]Compaction 1. Extra for laying earth/fly ash as per specifications in 20 cm layers and dressing but excluding the cost of rolling [Through Rate]	254114.97	cum		
53.	[2.HO002] HO002. Manure at source [Rate]	2016.13	cum		
54.	[2.HO101] HO101. Pressure compensating Non leakage drip emitters [Rate]	1200.00	Metre		
55.	[2.HO103] HO103. Micro sprinkler having 1.5-4 m throw radius with stake, vinyl tubing and all other accessories [Rate]	335.00	Metre		
56.	[2.HO104] HO104. Adjustable flow bubblers with connecting pipe and all other accessories [Rate]	140.00	Metre		
57.	[2.HO105] HO105. Pop up Impact Rotors 3/4" inlet and radius ranging from 7-12 m with interchangeable nozzles and all accessories complete [Rate]	15.00	Each		
58.	[2.HO107] HO107. Pop up Spray heads 1/2" inlet and radius ranging from 3-5 m [Rate]	15.00	Each		
59.	[2.HO113] HO113. Rain Gun with throw radius of 14-22 m, interchangeable [Rate]	10.00	Each		
60.	[2.HO116] HO116. Rain gun stand [Rate]	10.00	Each		
61.	[2.HO267] HO267. Marigold Jaffri orange/yellow/Russet colour well developed with fresh & healthy foliage with 40 to 50 flowers in bloom specimen 60 to 75 cm ht in 30 cm Earthen Pot/Plastic Pot. [Rate]	300.00	Each		
62.	[2.HO301] HO301. Celosia well developed fresh & healthy 20 to 25 cm ht. (attractive) multi branching at blooming stage in 20 cm Earthen Pot/Plastic Pot. [Rate]	300.00	Each		
63.	[2.HO302] HO302. Cladium Hybrid variety 3 to 4 well developed with fresh & healthy foliage 30 to 45 cm ht. in different colour 25 cm Earthen Pot/Plastic Pot. [Rate]	300.00	Each		
64.	[2.HO306] HO306. Gamphrena well developed fresh & healthy 30 to 45 cm ht. bushy 15 & above flower in 20 cm Earthen Pot/Plastic Pot. [Rate]	300.00	Each		
65.	[2.HO307] HO307. Kochia well developed fresh & healthy 20 to 25 cm ht. lush green well shaped in 15 cm Earthen Pot/Plastic Pot [Rate]	550.00	Each		
66.	[2.HO317] HO317. Budded Rose (H.T. variety) 3 to 4 healthy branch 30 cm and above ht. well developed with one and above flower in 15 cm Earthen Pot. [Rate]	550.00	Each		
67.	[2.HO318] HO318. Creeper Rose variety 3 to 4 healthy branch 60 cm and above ht. well developed with one and above flowers in 20 cm Earthen Pot. [Rate]	550.00	Each		
68.	[2.HO319] HO319. Standard Rose (H.T. variety) 3 to 4 healthy branch 90 cm and above ht. well developed with one and above flowers in 25 cm Earthen Pot, [Rate]	550.00	Each		
69.	[2.HO457] HO457. Phoenix sylvestris Roxb. (Wild date palm/khajur) height 150-165 cm. in 30-35 cm size HDPE Bag [Rate]	230.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
70.	[20.11.3]Providing and fixing cast iron double flanged swing check type reflux (non return) valves PN-1.6 marked with IS:5312 including nuts and bolts marked with IS:1363, rubber sheet marked with IS:638 etc., carriage loading, unloading, stacking, handling, re-handling etc. Complete in all respect to the satisfaction of Engineer-in-charge 3. 150 mm i/d [Through Rate]	14.00	Each		
71.	[20.11.4]Providing and fixing cast iron double flanged swing check type reflux (non return) valves PN-1.6 marked with IS:5312 including nuts and bolts marked with IS:1363, rubber sheet marked with IS:638 etc., carriage loading, unloading, stacking, handling, re-handling etc. Complete in all respect to the satisfaction of Engineer-in-charge 4. 200 mm i/d [Through Rate]	14.00	Each		
72.	[20.114.1]Supplying erection, testing of fully automatic electric control panel board for T/Wells in Pump Chamber consisting of MS sheet of thickness 14 gauge duly painted box type floor mounted made of angle Frame containing 1 no. fully automatic air brake starter suitable for Motor of the following capacity, Min switch of suitable range with HRC fuse, 1 no. volt meter (0 to 500 volts), 1 No. Amp. Meter of 0 to 100 amp. 3 sets of indicating lamp capacitor of suitable capacity and 1 no. single phase preventers with the timer switch including wiring in panel board and suitable electric energy meter wiring in Electric Control Panel Board complete in all respect as per specification given in Schedule No. II, Including MCB, suitable, Capacitor, Wooden Box etc as per site requirement complete in all respect. 1. 10 HP Motor [Through Rate]	2.00	Each		
73.	[20.114.3]Supplying erection, testing of fully automatic electric control panel board for T/Wells in Pump Chamber consisting of MS sheet of thickness 14 gauge duly painted box type floor mounted made of angle Frame containing 1 no. fully automatic air brake starter suitable for Motor of the following capacity, Min switch of suitable range with HRC fuse, 1 no. volt meter (0 to 500 volts), 1 No. Amp. Meter of 0 to 100 amp. 3 sets of indicating lamp capacitor of suitable capacity and 1 no. single phase preventers with the timer switch including wiring in panel board and suitable electric energy meter wiring in Electric Control Panel Board complete in all respect as per specification given in Schedule No. II, Including MCB, suitable, Capacitor, Wooden Box etc as per site requirement complete in all respect. 3. 20 HP Motor [Through Rate]	2.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
74.	[20.114.5]Supplying erection, testing of fully automatic electric control panel board for T/Wells in Pump Chamber consisting of MS sheet of thickness 14 gauge duly painted box type floor mounted made of angle Frame containing 1 no. fully automatic air brake starter suitable for Motor of the following capacity, Min switch of suitable range with HRC fuse, 1 no. volt meter (0 to 500 volts), 1 No. Amp. Meter of 0 to 100 amp. 3 sets of indicating lamp capacitor of suitable capacity and 1 no. single phase preventers with the timer switch including wiring in panel board and suitable electric energy meter wiring in Electric Control Panel Board complete in all respect as per specification given in Schedule No. II, Including MCB, suitable, Capacitor, Wooden Box etc as per site requirement complete in all respect. 5. 30 HP Motor [Through Rate]	2.00	Each		
75.	[20.114.9]Supplying erection, testing of fully automatic electric control panel board for T/Wells in Pump Chamber consisting of MS sheet of thickness 14 gauge duly painted box type floor mounted made of angle Frame containing 1 no. fully automatic air brake starter suitable for Motor of the following capacity, Min switch of suitable range with HRC fuse, 1 no. volt meter (0 to 500 volts), 1 No. Amp. Meter of 0 to 100 amp. 3 sets of indicating lamp capacitor of suitable capacity and 1 no. single phase preventers with the timer switch including wiring in panel board and suitable electric energy meter wiring in Electric Control Panel Board complete in all respect as per specification given in Schedule No. II, Including MCB, suitable, Capacitor, Wooden Box etc as per site requirement complete in all respect. 9. 50 HP Motor [Through Rate]	2.00	Each		
76.	[20.115.5]Supplying, erection, testing and commissioning of horizontal motor pumping set for clear water having head 20.00 m as per the indicated requirements of discharge in LPM and power capacity in BHP as per IS marked. 5. Discharge Capacity (LPM) 600 Power Capacity (BHP) 5 [Through Rate]	2.00	Each		
77.	[20.122.23]Supplying, erection, testing and commissioning of horizontal motor pumping set for clear water having head 45.00 m as per the indicated requirements of discharge in LPM and power capacity in BHP as per IS marked. 23. Discharge Capacity (LPM) 1500 Power Capacity (BHP) 25 [Through Rate]	2.00	Each		
78.	[20.122.42]Supplying, erection, testing and commissioning of horizontal motor pumping set for clear water having head 45.00 m as per the indicated requirements of discharge in LPM and power capacity in BHP as per IS marked. 42. Discharge Capacity (LPM) 2450 Power Capacity (BHP) 40 [Through Rate]	2.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
79.	[20.124.1]Supplying, erection, testing and commissioning of submersible pumping sets as per BIS SPECIFICATION No. 8034-1989 (as amended upto date for pumps) and IS 9283-1979 (as amended upto date for motor) the pump motor sets should be capable of pumping clear fresh cold water having characteristics as specified in Clause-4 of IS 8034-1989 and Clause 4.1 of IS 9283-1979. 1. LPM 400 Head 70 BHP 10.37 Say Round BHP 10.00 [Rate]	5.00	Each		
80.	[20.52.1]providing and placing in horizontal layers filtering media screened washed and cleaned as described below - 1. Top Layer: Fine sand screened, cleaned and washed and graded (effective size 0.2 to 0.4 mm with uniformity coefficient 2.0 to 3.0) from Ghaggar or other approved source [Through Rate]	264.96	cum		
81.	[20.52.2]providing and placing in horizontal layers filtering media screened washed and cleaned as described below - 2. Second layer Coursed sand screened, cleaned and washed and graded from 3 mm to 6 mm (from Ghaggar or approved equivalent quarry) [Through Rate]	57.60	cum		
82.	[20.52.3]providing and placing in horizontal layers filtering media screened washed and cleaned as described below - 3. Third layer Bajri (coursed) screened and washed graded from 20 mm to 25 mm (from Ghaggar or approved equivalent quarry) [Through Rate]	38.40	cum		
83.	[20.52.4]providing and placing in horizontal layers filtering media screened washed and cleaned as described below - 4. Fourth layer Bajri (coursed) screened and washed graded from 20 mm to 25 mm (from Ghaggar or approved equivalent quarry) [Through Rate]	34.56	cum		
84.	[20.52.5]providing and placing in horizontal layers filtering media screened washed and cleaned as described below - 5. Bottom layer Broken stone, screened, washed and graded from 50 mm to 75 mm (from Ghaggar or approved equivalent quarry) [Through Rate]	69.12	cum		
85.	[20.58.2]Providing and fixing Cast Iron Detachable Joints class-15 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 2. 100mm i/d CID Joint [Through Rate]	16.00	Each		
86.	[20.58.3]Providing and fixing Cast Iron Detachable Joints class-15 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 3. 150mm i/d CID Joint [Through Rate]	8.00	Each		
87.	[20.58.4]Providing and fixing Cast Iron Detachable Joints class-15 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 4. 200mm i/d CID Joint [Through Rate]	24.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
88.	[20.58.5]Providing and fixing Cast Iron Detachable Joints class-15 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 5. 250mm i/d CID Joint [Through Rate]	8.00	Each		
89.	[20.59.2]Providing and fixing Cast Iron Detachable Joints class-25 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 2. 100mm i/d CID Joint [Through Rate]	10.00	Each		
90.	[20.59.3]Providing and fixing Cast Iron Detachable Joints class-25 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 3. 150mm i/d CID Joint [Through Rate]	14.00	Each		
91.	[20.59.4]Providing and fixing Cast Iron Detachable Joints class-25 marked with IS: 8794 for use with asbestos cement pressure pipes complete with 2 Nos. rubber rings marked with IS:5382 and IS:10292 and appropriate number of nut and bolts marked with IS:1363 including carriage, loading, unloading etc. complete in all respects to the satisfaction of the engineer-in-charge. (Excavation will be paid separately) 4. 200mm i/d CID Joint [Through Rate]	20.00	Each		
92.	[20.62.1]Providing, lowering, laying, cutting (cut surface to be uniformly finished), jointing with rubber rings marked with IS : 5382 and testing of SPIGOT AND SOCKETTED RCC, NP2 MARKED WITH IS : 458-1988 and specials into trenches for all depths including carriage, loading, unloading, stacking, handling, re-handling etc. complete is all respects to the satisfaction to the Engineer - in -charge. 1. 200 mm i/d [Through Rate]	1021.10	Metre		
93.	[20.63.2]`Providing, lowering, laying in trenches, aligning, fixing in position and jointing Ductile Iron (DI) ISI marked K-9 grade SandS pipes as per 15:8329-2000 (amended up to date), with internal cement mortar lining for potable water with rubber ring (EPDM/SBR) joints as per IS: 5382 -1985 (excluding special accessories) complete including all material, labour, hydraulic testing and commissioning as per Technical Specifications and as per direction of Engineer. Note: E/W to be measured and paid separately. ` 2. 150 mm i/d [Through Rate]	1085.59	Per Metre		
94.	[20.63.3]`Providing, lowering, laying in trenches, aligning, fixing in position and jointing Ductile Iron (DI) ISI marked K-9 grade SandS pipes as per 15:8329-2000 (amended up to date), with internal cement mortar lining for potable water with rubber ring (EPDM/SBR) joints as per IS: 5382 -1985 (excluding special accessories) complete including all material, labour, hydraulic testing and commissioning as per Technical Specifications and as per direction of Engineer. Note: E/W to be measured and paid separately. ` 3. 200 mm i/d [Through Rate]	3922.84	Per Metre		
95.	[20.66.3]Cutting DI pipe and chipping or filling the surface to a uniform finish 3. 200 mm i/d [Through Rate]	7.80	Per cut		

DNIT Name : Shifting of Milk Dairies in...

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
96.	[20.67.3]Joining DI socketed pipes, valves and special with rubber tyton joints fitted complete including cost of labour and tools etc. and tested complete. 3. 200 mm i/d [Through Rate]	70.00	Per Joint		
97.	[20.68.1]Providing, lowering, laying in trenches, aligning, fixing in position and jointing at all level/depths Ductile Iron (DI) standard specials plain /flanged/ socketed confirming to IS9523-2000 with rubber ring (EPDM/SBR) joints such as tees, bends, tapers, caps etc. with in trenches in DI pipe line complete including all material, labour, testing and commissioning along with pipe line as per Technical Specifications and as per direction of Engineer. 1. Up to 300mm dia [Through Rate]	11500.00	Per Kg.		
98.	[20.69.1]Providing, lowering, laying in trenches, aligning, fixing in position and jointing at all level/depths cast iron (CI) standard specials plain /flanged/ socketed confirming to IS13382 with rubber ring, nut bolts and rubber sheet such as tees, bends, tapers, caps etc. complete including all material, labour, testing and commissioning along with pipe line as per Technical Specifications and as per direction of Engineer. 1. Up to 300mm dia [Through Rate]	6700.00	Per Kg.		
99.	[20.71.1]Supply, erection, testing of Ceiling fans IS marked (as per IS code 374) with suitable GI pipe complete in all respects complete as per directions of Engineer-in-charge 1. 48" (1200mm) [Through Rate]	6.00	Each		
100.	[20.72]Supplying, erection, testing of Exhaust fan (as per IS code 374) having a capacity of 45 cubic metre per minute complete with suitable G.I sheet ducting in structure confirming to latest IS specifications complete in all respect to satisfaction of Engineer-in-charge. [Through Rate]	4.00	Each		
101.	[20.74]Providing, laying , jointing and fixing of cast iron "V" notch, duly marked with beam including embedding in 1:2 cement and grouting levelling and finishing complete in respects [Through Rate]	140.00	Per Kg.		
102.	[20.75.3]Providing and fixing suitable floating arms with GI sheet (as per IS 277:2003) along with CI/DI swivel bend confirming to latest specifications complete in all respects 3. 250 mm [Through Rate]	1.00	one unit		
103.	[20.76.3]Design, Supply and erection of transformer of standard make Required 25 KVA 11/0.433 KVA rating outdoor type 11 KVA V.C.B, panel, G.O. switch, H. Pole , H.T metering panel, APFC panel, battery charges, 11 KVA substation, entire cable network from G.O. switch to H.T metering equipment and from H.T metering to Transformer. From transformer to main to L.T, panel earthing, safety equipment, fenced enclosure for transformer, and any other contingent thereto complete in all respect as per approved make and directions of Engineer-in-charge as per respective capacity. 3. 50 KVA [Through Rate]	1.00	Each		
104.	[20.78]Providing and fixing bed plates complete in all respect [Through Rate]	2227.20	Each		
105.	[20.84]Providing and fixing of insulated rubber matting suitable for 11 KV installation 1 M x 2 M x 12 mm thick (IS code 15652-40091) as per specification complete and as per directions of Engineer-in-charge [Through Rate]	8.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
106.	[21.102.1.1]Providing , lowering, laying, aligning, cutting (cut surface to be finished uniformly), jointing with coupling and EPDM rubber rings marked with IS: 5382 and testing, AC pressure sewerage and drainage pipes manufactured with Mazza process as per IS 6908:1991 and specials into trenches for all levels/depths including carriage, loading/ unloading, stacking, handling, rehandling etc. complete in all respects to the satisfaction of the Engineer in charge (Rates are inclusive of couplers, EPDM rubber rings and specials but exclusive of excavation and refilling) 1.1. Class I (Ultimate load capacity 60KN/sqm) - 100mm i/d [Through Rate]	8.54	Per Mtr.		
107.	[21.102.1.2]Providing , lowering, laying, aligning, cutting (cut surface to be finished uniformly), jointing with coupling and EPDM rubber rings marked with IS: 5382 and testing, AC pressure sewerage and drainage pipes manufactured with Mazza process as per IS 6908:1991 and specials into trenches for all levels/depths including carriage, loading/ unloading, stacking, handling, rehandling etc. complete in all respects to the satisfaction of the Engineer in charge (Rates are inclusive of couplers, EPDM rubber rings and specials but exclusive of excavation and refilling) 1.2. Class I (Ultimate load capacity 60KN/sqm) - 150mm i/d [Through Rate]	37.56	Per Mtr.		
108.	[21.28]Providing and fixing steel bar embedded plastic steps of size 263mm x 165mm of orange colour, confirming to specification in pump chambers, manholes etc., having minimum 3mm thick polypropylene polymer confirming to is:10910 encapsulated on 12mm dia ribbed steel bars per IS :1786. The rate include cost of setting the same to correct lines and levels duly embedded in 1:2:4 cement concrete including carriage, loading, uploading, stacking, handling, re-handling etc., complete in all respect to the satisfaction of Engineer-in-charge [Through Rate]	169.00	Each		
109.	[21.55]Constructing standard drain type II drain complete consisting of concrete drain moulded and laid concrete foundation, rendered and smooth with 6mm thick rendering concrete to be of I :3:6 parts by volume of cement sand stone bajri and rendering to be 1:1 cement sand mortar [Through Rate]	4507.11	Metre		
110.	[21.84.1]Constructing brick masonry inspection Chamber sizes as given below up to 0.60 metre average depth in cement mortar 1:5 lime concrete with 40 per cent lime mortar 2:3 in foundation cement concrete 1:2:4 benching 12mm thick cement plaster 1:2 with a floating coat of 1 mm thick of neat cement R.C.C. 1:2:4 slab 100 mm thick/cement concrete topping, 50mm thick with 455mmx455mm / 455mm x610mm inside light duty C.I. inspection chamber cover and frame weight as per I.S.I. specification painted with 3 coats of black bitumastic superior paint complete as per standard design. 1. Size 450 mm X450 mm inside (with 455 mm x 455 mm cover and frame light duty single seal weighing 20 kg with C.C. topping [Through Rate]	206.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
111.	[21.84.2]Constructing brick masonry inspection Chamber sizes as given below up to 0.60 metre average depth in cement mortar 1:5 lime concrete with 40 per cent lime mortar 2:3 in foundation cement concrete 1:2:4 benching 12mm thick cement plaster 1:2 with a floating coat of 1 mm thick of neat cement R.C.C. 1:2:4 slab 100 mm thick/cement concrete topping, 50mm thick with 455mmx455mm / 455mm x610mm inside light duty C.I. inspection chamber cover and frame weight as per I.S.I. specification painted with 3 coats of black bitumastic superior paint complete as per standard design. 2. Size 450 mm X 600 mm inside (with 455 mm x 610 mm cover and frame single seal pattern I weighing 38 kg with C.C. topping) [Through Rate]	8.00	Each		
112.	[21.84.3]Constructing brick masonry inspection Chamber sizes as given below up to 0.60 metre average depth in cement mortar 1:5 lime concrete with 40 per cent lime mortar 2:3 in foundation cement concrete 1:2:4 benching 12mm thick cement plaster 1:2 with a floating coat of 1 mm thick of neat cement R.C.C. 1:2:4 slab 100 mm thick/cement concrete topping, 50mm thick with 455mmx455mm / 455mm x610mm inside light duty C.I. inspection chamber cover and frame weight as per I.S.I. specification painted with 3 coats of black bitumastic superior paint complete as per standard design. 3. Size 600 mm X900 mm inside (with 455 mm x 455 mm cover and frame light duty single seal weighing 20 kg with R.C.C. slab) [Through Rate]	5.00	Each		
113.	[21.87.1.1]Constructing brick masonry road gully chambers as per standard drawings (as per sizes given below) including dressing of beds and sides of chambers to exact profiles, 15cm thick lime concrete 16:24:100 (as per specified in item No.10.6) in foundations 1st class brick work laid in cement sand mortar 1:5, 40 mm thick cement concrete 1:2:4 topping inside the chamber with a floating coat of 1.5mm thick neat cement laid in one operation to the topping, the entire inner surface of the chamber rendered with neat cement not less than 12mm in thickness of 1:2 cement sand plaster and finished with floating coat of neat cement 1 mm thick left absolutely smooth polished and correct to templates including labour for fixing the C.I. road gully grating and frame including painting with coal tar (as Specified in item No. Item 21.48) complete to the requirement of the Engineer in-charge 1.1. Single road gully chamber - Size: 610mm x 457mm x 800mm [Through Rate]	6.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
114.	[21.90.1.3]Construction of rectangular standard brick masonry manhole chambers to standard drawings on S.W. pipe sewers or other circular pipe sewers up to the required depth in 1.5 cement sand mortar, lime concrete in bed and sides of pipe sewer and cement concrete 1:2:4 in benching, 12 mm thick water tight 1:2 cement sand plaster with a floating coat of neat cement and finished with 2 coats of sodium silicate on interior surface where required, reinforced cement concrete slab 180mm thick fixing 560 mm internal diameter C.I. manhole cover and frame weight not less than 2.5 quintal painted with 3 coats of black bitumen paint, fixing galvanised malleable iron steps embedded in 1:2 cement sand mortar complete. the rate covers the cost of M.S. steel for R.C.C. slab labour for fixing and carriage of C.I. manhole frame and cover and malleable iron steps from the stores of the Engineer-in-charge of the works to the site of works. The rate also include the cost of accurately planned and fitted centring, supports for all works as well as for all curves and special work, cleaning out their beds etc. sodium silicate shall be supplied free of cost at the stores of the Engineer-in-charge. 1.3. On 100 mm internal diameter pipe sewer - for 1.80 meters depth below ground level [Through Rate]	1.00	Each		
115.	[21.90.10.1]Construction of rectangular standard brick masonry manhole chambers to standard drawings on S.W. pipe sewers or other circular pipe sewers up to the required depth in 1.5 cement sand mortar, lime concrete in bed and sides of pipe sewer and cement concrete 1:2:4 in benching, 12 mm thick water tight 1:2 cement sand plaster with a floating coat of neat cement and finished with 2 coats of sodium silicate on interior surface where required, reinforced cement concrete slab 180mm thick fixing 560 mm internal diameter C.I. manhole cover and frame weight not less than 2.5 quintal painted with 3 coats of black bitumen paint, fixing galvanised malleable iron steps embedded in 1:2 cement sand mortar complete. the rate covers the cost of M.S. steel for R.C.C. slab labour for fixing and carriage of C.I. manhole frame and cover and malleable iron steps from the stores of the Engineer-in-charge of the works to the site of works. The rate also include the cost of accurately planned and fitted centring, supports for all works as well as for all curves and special work, cleaning out their beds etc. sodium silicate shall be supplied free of cost at the stores of the Engineer-in-charge. 10.1. On 400 mm internal diameter pipe sewer - for 2.40 meters depth below ground level [Through Rate]	211.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
116.	[21.90.11.1]Construction of rectangular standard brick masonry manhole chambers to standard drawings on S.W. pipe sewers or other circular pipe sewers up to the required depth in 1.5 cement sand mortar, lime concrete in bed and sides of pipe sewer and cement concrete 1:2:4 in benching, 12 mm thick water tight 1:2 cement sand plaster with a floating coat of neat cement and finished with 2 coats of sodium silicate on interior surface where required, reinforced cement concrete slab 180mm thick fixing 560 mm internal diameter C.I. manhole cover and frame weight not less than 2.5 quintal painted with 3 coats of black bitumen paint, fixing galvanised malleable iron steps embedded in 1:2 cement sand mortar complete. the rate covers the cost of M.S. steel for R.C.C. slab labour for fixing and carriage of C.I. manhole frame and cover and malleable iron steps from the stores of the Engineer-in-charge of the works to the site of works. The rate also include the cost of accurately planned and fitted centring, supports for all works as well as for all curves and special work, cleaning out their beds etc. sodium silicate shall be supplied free of cost at the stores of the Engineer-in-charge. 11.1. On 450 mm internal diameter pipe sewer - for 2.40 meters depth below ground level [Through Rate]	100.00	Each		
117.	[21.90.4.1]Construction of rectangular standard brick masonry manhole chambers to standard drawings on S.W. pipe sewers or other circular pipe sewers up to the required depth in 1.5 cement sand mortar, lime concrete in bed and sides of pipe sewer and cement concrete 1:2:4 in benching, 12 mm thick water tight 1:2 cement sand plaster with a floating coat of neat cement and finished with 2 coats of sodium silicate on interior surface where required, reinforced cement concrete slab 180mm thick fixing 560 mm internal diameter C.I. manhole cover and frame weight not less than 2.5 quintal painted with 3 coats of black bitumen paint, fixing galvanised malleable iron steps embedded in 1:2 cement sand mortar complete. the rate covers the cost of M.S. steel for R.C.C. slab labour for fixing and carriage of C.I. manhole frame and cover and malleable iron steps from the stores of the Engineer-in-charge of the works to the site of works. The rate also include the cost of accurately planned and fitted centring, supports for all works as well as for all curves and special work, cleaning out their beds etc. sodium silicate shall be supplied free of cost at the stores of the Engineer-in-charge. 4.1. On 200 mm internal diameter pipe sewer - for 1.80 meters depth below ground level [Through Rate]	5.00	Each		
118.	[21.93.1]Providing and fixing SFRC MANHOLE COVERS AND FRAMES MARKED WITH IS: 12592 including setting the same to correct lines and levels in 1:3 cement sand mortar over manhole including carriage loading unloading stacking handling re-handling etc. complete in all respects to the satisfaction to the Engineer-in-charge. 1. Type:- Extra Heavy Duty Set (EHD-35) 560MM Clear Opening [Through Rate]	320.00	Each		
119.	[21.94.3]Providing salt glazed stone ware pipes grade 'A' in standard length of 600 mm each pipe marked with IS: 651 and their lowering, cutting, jointing and testing as described in item No. 21.38, 21.39, item 21.40 including the cost of jointing materials as well as carriage, loading, unloading, stacking, handling, re-handling etc. complete in all respects to the satisfaction of Engineer-in-charge. 3. 200mm i/d [Through Rate]	152.44	Per Mtr.		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
120.	[21.95.1]Providing lowering cutting jointing and testing RCC pipe class NP3 as per IS-458-2003 with spigot and socketed joints manufactured with ISI marked sulphate resistance cement as per ISI 12330 with rubber rings ISI marked antitermite as required at site in to trenches for all depths and laying out the same to correct alignment gradients and levels including dressing and trimming and cutting of concrete beds and side of trenches, if required jointing with rubber rings in trenches and jointing with 1:3/2 cement sand mortar and with end dowels filled with 1:3/2 cement sand mortar and finishing the joints at an angle of 45 degree with faces of spigot of socket joints cutting and finishing the cut surface to a uniform finish etc. as fully described in item No. 21.38, item 21.44, item 21.45, and item 21.46 including cartage loading and unloading complete in all respects. the internal diametric of the sewer being: 1. 350 mm [Through Rate]	39.11	Metre		
121.	[21.95.2]Providing lowering cutting jointing and testing RCC pipe class NP3 as per IS-458-2003 with spigot and socketed joints manufactured with ISI marked sulphate resistance cement as per ISI 12330 with rubber rings ISI marked antitermite as required at site in to trenches for all depths and laying out the same to correct alignment gradients and levels including dressing and trimming and cutting of concrete beds and side of trenches, if required jointing with rubber rings in trenches and jointing with 1:3/2 cement sand mortar and with end dowels filled with 1:3/2 cement sand mortar and finishing the joints at an angle of 45 degree with faces of spigot of socket joints cutting and finishing the cut surface to a uniform finish etc. as fully described in item No. 21.38, item 21.44, item 21.45, and item 21.46 including cartage loading and unloading complete in all respects. the internal diametric of the sewer being: 2. 400 mm [Through Rate]	4594.56	Metre		
122.	[21.95.5]Providing lowering cutting jointing and testing RCC pipe class NP3 as per IS-458-2003 with spigot and socketed joints manufactured with ISI marked sulphate resistance cement as per ISI 12330 with rubber rings ISI marked antitermite as required at site in to trenches for all depths and laying out the same to correct alignment gradients and levels including dressing and trimming and cutting of concrete beds and side of trenches, if required jointing with rubber rings in trenches and jointing with 1:3/2 cement sand mortar and with end dowels filled with 1:3/2 cement sand mortar and finishing the joints at an angle of 45 degree with faces of spigot of socket joints cutting and finishing the cut surface to a uniform finish etc. as fully described in item No. 21.38, item 21.44, item 21.45, and item 21.46 including cartage loading and unloading complete in all respects. the internal diametric of the sewer being: 5. 600 mm [Through Rate]	4650.00	Metre		
123.	[21.97.11] Providing, lowering, laying, aligning, fixing in position and jointing at all level/ depths ISI marked HDPE pipe of PE-100 grade and PN-6 for sewer. application as per IS 14333-1996 (amended up to date) in trenches in complete including cost of HDPE Specials, labour, sectional hydro testing (including the cost and conveyance of water to site for testing) and commissioning as per Technical Specifications and as per direction of Engineer. Note: E/w to be measured and paid separately. Rate includes cost of all specials like bends, tees required during laying of pipe line along required alignment. ` 11. 630 mm Outside Dia [Through Rate]	1941.07	Per Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
124.	[21.97.7] Providing, lowering, laying, aligning, fixing in position and jointing at all level/ depths ISI marked HDPE pipe of PE-100 grade and PN-6 for sewer. application as per IS 14333-1996 (amended up to date) in trenches in complete including cost of HDPE Specials, labour, sectional hydro testing (including the cost and conveyance of water to site for testing) and commissioning as per Technical Specifications and as per direction of Engineer. Note: E/w to be measured and paid separately. Rate includes cost of all specials like bends, tees required during laying of pipe line along required alignment. ` 7. 400 mm Outside Dia [Through Rate]	2319.71	Per Metre		
125.	[22.10.1.1] Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : 1.1. Kitchen sink with drain board 510x1040 mm bowl depth 250 mm [Through Rate]	1.00	Each		
126.	[22.100.3] Providing and fixing brass ferrule with C.I. mouth cover including boring and tapping the main : 3. 25 mm nominal bore [Through Rate]	6.00	Each		
127.	[22.102.1] Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 1. 100 mm diameter [Through Rate]	17.08	Each		
128.	[22.102.2] Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 2. 150 mm diameter [Through Rate]	22.56	Each		
129.	[22.106.1] Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 1. 15 mm nominal bore [Through Rate]	22.00	Each		
130.	[22.107.1] Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 1. 15 mm nominal bore [Through Rate]	26.00	Each		
131.	[22.109] Providing and fixing C.P. Brass extension nipple (size 15mmx50mm) of approved make and quality as per direction of Engineer-in-charge. [Through Rate]	45.00	Each		
132.	[22.15] Providing and fixing CP Brass 32mm size Bottle Trap of approved quality and make and as per the direction of Engineer-in-charge. [Through Rate]	22.00	Each		
133.	[22.159.1] Providing and laying Double Flanged (screwed / welded) Centrifugally (Spun) Cast Iron, Class B (IS : 1536) : 1. 100 mm dia C.I. Double Flanged Pipe [Through Rate]	40.00	Metre		
134.	[22.159.2] Providing and laying Double Flanged (screwed / welded) Centrifugally (Spun) Cast Iron, Class B (IS : 1536) : 2. 150 mm dia C.I. Double Flanged Pipe [Through Rate]	120.00	Metre		
135.	[22.16] Providing and fixing 40mm i/d G.I. waste pipe embedded in walls up to floor level including cost of union and plumber joint [Through Rate]	21.00	Each		
136.	[22.162.1.1] Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) : 1.1. 100 mm diameter Class I [Through Rate]	15.00	Each		
137.	[22.162.3.1] Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) : 3.1. 150 mm diameter Class I [Through Rate]	31.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
138.	[22.162.4.1]Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) : 4.1. 200 mm diameter Class I [Through Rate]	33.00	Each		
139.	[22.162.5.1]Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) : 5.1. 250 mm diameter Class I [Through Rate]	4.00	Each		
140.	[22.17.1]Providing and fixing 40mm i/d chromium plated trap with chromium plated pipe to wall with wallflange completed for use with sinks 1. With Bottle Trap (Indian make) [Through Rate]	1.00	Each		
141.	[22.182]Providing and fixing rectangular high density polyethylene water storage loft tank with cover, conforming to ISI : 12701, colour of opaque white or as approved by Engineer-in-charge. The rate includes making necessary holes for inlet, outlet and over flow pipes. The base support i/c fittings and fixtures for tank shall be paid separately. [Through Rate]	11000.00	Litre		
142.	[22.209]Providing and fixing 600x450 mm bevelled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. [Through Rate]	11.00	Each		
143.	[22.211]Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. [Through Rate]	12.00	Each		
144.	[22.212.1.2]Providing and fixing in position best Indian make coat and hat hooks fixed into wall with C.P. brass screws and rawl plugs etc. complete including cutting and making good the walls etc. 1.2. C.P Brass Two Way [Through Rate]	11.00	Per Set		
145.	[22.214]Providing and fixing in position best Indian make C.P. brass Tumbler cum Tooth Brash holder fixed in with rawl plugs with C.P. brass screws and complete including cutting and making good the walls etc. [Through Rate]	11.00	Per Set		
146.	[22.24.1]Providing and fixing white vitreous chinaware pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous chinaware flushing cistern and C.P. flush bend with fittings and C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : 1. W.C. pan with ISI marked white solid plastic seat and lid [Through Rate]	10.00	Each		
147.	[22.26.5]Providing and fixing white vitreous chinaware flat back half stall urinal of size 580x380x350 mm with white PVC flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required : 5. Range of four half stall urinals with 10 litre P.V.C. automatic flushing cistern [Through Rate]	6.00	Each		
148.	[22.3.1]Providing and fixing white vitreous chinaware wash basin including making all connections but excluding the cost of fittings : 1. Flat back wash basin of size 630x450 mm [Through Rate]	12.00	Each		

DNIT Name : Shifting of Milk Dairies in...

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
149.	[22.50.1.2.1]Providing and fixing partitions for different type of urinals. 1.2.1. Vitreous Chinaware Partition plate. Large size 835mm x 355 mm White [Through Rate]	7.00	Each		
150.	[22.81.1]Cutting chases in brick masonry walls for following diameter sand cast iron/centrifugally cast (spun) iron pipes and making good the same with cement concrete 1:3:6 (1 cement : 3 coarse sand :6 graded stone aggregate 12.5 mm nominal size), including necessary plaster and pointing in cement mortar 1:4 (1 cement : 4 coarse sand) : 1. 100 mm dia [Through Rate]	91.85	Each		
151.	[22.84]Making hole up to 20x20 cm and embedding pipes up to 150 mm diameter in masonry and filling with cement concrete 1:3:6 (1 cement : 3 coarse sand: 6 graded stone aggregate 20 mm nominal size) including disposal of malba. [Through Rate]	253.00	Metre		
152.	[22.86.1]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply, including all CPVC plain and brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes and fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 1. 15 mm nominal outer dia Pipes [Through Rate]	465.84	Metre		
153.	[22.86.2]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply, including all CPVC plain and brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes and fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 2. 20 mm nominal outer dia Pipes [Through Rate]	161.44	Metre		
154.	[22.86.3]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply, including all CPVC plain and brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes and fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 3. 25 mm nominal outer dia Pipes [Through Rate]	137.00	Metre		
155.	[22.86.4]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply, including all CPVC plain and brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes and fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 4. 32 mm nominal outer dia Pipes [Through Rate]	128.00	Metre		
156.	[22.87.1]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings This includes jointing of pipes and fittings with one step CPVC solvent cement, trenching, refilling and testing of joints complete as per direction of Engineer in Charge. External work 1. 15 mm nominal outer dia Pipes [Through Rate]	103.96	Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
157.	[22.87.2]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings This includes jointing of pipes and fittings with one step CPVC solvent cement, trenching, refilling and testing of joints complete as per direction of Engineer in Charge. External work 2. 20 mm nominal outer dia Pipes [Through Rate]	15.36	Metre		
158.	[22.87.3]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings This includes jointing of pipes and fittings with one step CPVC solvent cement, trenching, refilling and testing of joints complete as per direction of Engineer in Charge. External work 3. 25 mm nominal outer dia Pipes [Through Rate]	26.75	Metre		
159.	[22.87.4]Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot and cold water supply including all CPVC plain and brass threaded fittings This includes jointing of pipes and fittings with one step CPVC solvent cement, trenching, refilling and testing of joints complete as per direction of Engineer in Charge. External work 4. 32 mm nominal outer dia Pipes [Through Rate]	23.17	Metre		
160.	[22.98.1]Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 1. 25 mm nominal bore [Through Rate]	3.00	Each		
161.	[22.98.2]Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 2. 20 mm nominal bore [Through Rate]	51.00	Each		
162.	[22.98.3]Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 3. 32 mm nominal bore. [Through Rate]	6.00	Each		
163.	[22.98.4]Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 4. 40 mm nominal bore [Through Rate]	6.00	Each		
164.	[23.22.1.10]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 1.10. Supply and erection of Modular case circuit breaker single pole/4 pole on existing wall/pedestal/Panel including bounding to earth and making necessary connections required to complete the job in all respect up to the entire satisfaction of the Engineer-in-charge of the work. 4 pole MCCB 125 to 160 amp, 25 KA [Through Rate]	20.00	Each		
165.	[23.22.1.11]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 1.11. Supply and erection of Modular case circuit breaker single pole/4 pole on existing wall/pedestal/Panel including bounding to earth and making necessary connections required to complete the job in all respect up to the entire satisfaction of the Engineer-in-charge of the work. 4 pole MCCB 200 to 250 amp, 25 KA [Through Rate]	10.00	Each		
166.	[23.22.1.12]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 1.12. Supply and erection of Modular case circuit breaker single pole/4 pole on existing wall/pedestal/Panel including bounding to earth and making necessary connections required to complete the job in all respect up to the entire satisfaction of the Engineer-in-charge of the work. 4 pole MCCB 300 to 400 amp , 50 KA [Through Rate]	10.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
167.	[23.22.1.9]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 1.9. Supply and erection of Modular case circuit breaker single pole/4 pole on existing wall/pedestal/Panel including bounding to earth and making necessary connections required to complete the job in all respect up to the entire satisfaction of the Engineer-in-charge of the work. 4 pole MCCB 6 amp to 100 amp , 25 KA [Through Rate]	20.00	Each		
168.	[23.22.2.1]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 2.1. MCCB Enclosure made of Sheet Steel suitable for mounting MCCB of following ratings MCCB up to 125 A FP [Through Rate]	13.00	Each		
169.	[23.22.2.2]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 2.2. MCCB Enclosure made of Sheet Steel suitable for mounting MCCB of following ratings MCCB up to 250 A FP [Through Rate]	59.00	Each		
170.	[23.22.3.1]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 3.1. Supply and erection of sheet steel enclosures 1pole/2 pole/4 pole on wall/on existing pedestal complete as required. SP enclosure suitable for single pole MCB [Through Rate]	10.00	Each		
171.	[23.22.3.3]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 3.3. Supply and erection of sheet steel enclosures 1pole/2 pole/4 pole on wall/on existing pedestal complete as required. TPN enclosure suitable for TP , TPN or FP MCB [Through Rate]	10.00	Each		
172.	[23.22.4.1]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 4.1. Supply and erection of double door sheet steel enclosure distribution board suitable for MCBS and ELCBS etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect up to the entire satisfaction of the Engineer-in-Charge of the work. SPN DB Double Door 4 way (2 incoming and 2 outgoing) [Through Rate]	10.00	Each		
173.	[23.22.4.2]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 4.2. Supply and erection of double door sheet steel enclosure distribution board suitable for MCBS and ELCBS etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect up to the entire satisfaction of the Engineer-in-Charge of the work. SPN DB Double Door 8 way (2 incoming and 6 outgoing) [Through Rate]	10.00	Each		
174.	[23.22.4.3]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 4.3. Supply and erection of double door sheet steel enclosure distribution board suitable for MCBS and ELCBS etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect up to the entire satisfaction of the Engineer-in-Charge of the work. SPN DB Double Door 12 way (2 incoming and 10 outgoing) [Through Rate]	8.00	Each		
175.	[23.22.5.1]MCCB ,DISTRIBUTION BOARDS, MCB`s, RCCB`s, CHANGE OVER etc. 5.1. Supply and erection of miniature circuit Breaker 240/415 V in the existing distribution board including making necessary connections:- 6 amp. to 32 amp Single Pole [Through Rate]	202.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
176.	[23.22.5.6]MCCB ,DISTRIBUTION BOARDS, MCB's, RCCB's, CHANGE OVER etc. 5.6. Supply and erection of miniature circuit Breaker 240/415 V in the existing distribution board including making necessary connections:- 40 amp to 63 amp. MCBs TRIPLE POLE [Through Rate]	160.00	Each		
177.	[23.22.6.2]MCCB ,DISTRIBUTION BOARDS, MCB's, RCCB's, CHANGE OVER etc. 6.2. Supply and erection double pole/Four pole Residual (RCCB/ELCB) on 240/415V, 5Hz. AC supply installed in existing sheet steel enclosures including making necessary connections and bonding to earth with all labour and material required to complete the job in all respect up to the entire satisfaction of the Engineer-in-Charge of the work. DP RCCB 30ma sensitivity , 40 A [Through Rate]	21.00	Each		
178.	[23.23.1.1]MISCELLANEOUS 1.1. Supply and fixing Galvanised Iron flexible pipe complete with socket nipples and check nuts etc. at both ends (Up to length of one metre):- Size 15 mm dia [Through Rate]	100.00	Metre		
179.	[23.23.2.2]MISCELLANEOUS 2.2. Supply of GI pipe (B-Class) for suspension rod of ceiling fan including threading if required. 20 mm dia [Through Rate]	200.00	Metre		
180.	[23.23.6.3]MISCELLANEOUS 6.3. Supply and erection of MS cable tray , duly painted as required including erection of the same on wall or ceiling with necessary fixture and other material required to complete the job in all respect up to the entire satisfaction of Engineer-in-Charge of the work. MS perforated cable tray painted with powder coating 375 X 50 X 2 mm [Through Rate]	20.00	Metre		
181.	[23.23.7.3]MISCELLANEOUS 7.3. Supply and erection of cable tray cover made of 1.25 mm thick GI sheet as required including erection of the same on existing cable tray with necessary fixture and other material required to complete the job in all respect up to the entire satisfaction of Engineer-in Charge of the work. GI cable tray Cover , suitable for cable tray of 375 X 50 X 2 mm metre [Through Rate]	20.00	Metre		
182.	[23.24.1]MS STAND, BUS BAR CHAMBER AND PANELS 1. Supply and erection of M.S. angle iron frame duly welded for housing M.S. sheet & main switches etc. on it, fixed on wall by means of suitable size of rag bolts with cement concrete, duly painted with three coats of approved paint including one coat of red oxide. [Through Rate]	800.00	Kg.		
183.	[23.24.3.2]MS STAND, BUS BAR CHAMBER AND PANELS 3.2. Supply and erection of metal clad bus bar chamber made from 1.6 mm thick M.S. sheet and fixing with rag bolts on wall or on existing pedestal/angle iron frame including bonding, detachable top and bottom including painting and necessary connection etc. (Aluminium bars). 100 amp 4 bars of 55 cm each (cross section 25 mm x6 mm) chamber over all size 60 cm x 45 cm x 18cm [Through Rate]	30.00	Each		
184.	[23.24.3.5]MS STAND, BUS BAR CHAMBER AND PANELS 3.5. Supply and erection of metal clad bus bar chamber made from 1.6 mm thick M.S. sheet and fixing with rag bolts on wall or on existing pedestal/angle iron frame including bonding, detachable top and bottom including painting and necessary connection etc. (Aluminium bars). 200 amp 4 bars of 55 cm each (cross section 38 mm x 6 mm) chamber over all size 60 cm x 45 cm x 18cm [Through Rate]	30.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
185.	[23.24.4.4]MS STAND, BUS BAR CHAMBER AND PANELS 4.4. Supply, installation, testing and commissioning of load bank with digital meter module cost of digital Amp. / volt meter with selector switch wiring (but EXCLUDING COST of incoming and outgoing MCCBs) etc.suitable for operation of 240/415 volts A.C. Supply with both side cable allay, inter connection and fixing the same in existing MS pedestal/wall complete with all labour and material required for the same up to the entire satisfaction of Engineer-in-Charge of work. Load Bank 8 way 400 amp. [Through Rate]	10.00	Each		
186.	[23.26.4]SAFETY ITEMS 4. Supply & Erection of mild steel bucket stand suitable for 6 Nos. fire buckets,(but without bucket) including the cost of welding and painting of complete stand will one coat of red oxide and 2 coats of approved paint of red colour with all labour and material required to complete the job in all respect up to the entire Satisfaction engineer in charge of the work (size 6x4 made of GI pipe 32mm dia). [Through Rate]	3.00	Set		
187.	[23.27.1]Supply and erection of Godrej Almirah typeM.S. pedestal made of 50 mm x 50 mm x 6 mm angle iron frame with 3.00 mm thick M.S. sheet covering including shutters with suitable hinges and locking arrangement with Godrej type handle including round bars . The top covering should have downward overhang of 75 mm on all sides of pedestal , having two sets of water proof ventilation holes of suitable size on the sides , at top and bottom , each set containing four Nos. holes to discharge the heat produced by the current . The shutters fixed with rubber gasket of superior quality and of suitable size to make it water proof . The pedestal duly painted both inside and outside with two coats of approved paint and primary coat and its legs are embeded upto the entire depth in 1:2:4 cement concrete block , projected 75 mm all around the pedestal and and 200 mm above the ground level including the cost of all labour and material required to complete the job in all respect upto the entire satisfaction of the Engineer-in-charge of the work:- 1. M.S. pedestal of size 600 mm wide , 750 mm high ,300 mm deep and bottom totally open , duly embeded in 1:2:4 cement concrete block of size 750 mm x 450 mm x 200 mm above ground level , having a base of size 900 mm x 600 mm x 250 mm below ground level. 0 0 [Through Rate]	5.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
188.	[23.27.3]Supply and erection of Godrej Almirah type M.S. pedestal made of 50 mm x 50 mm x 6 mm angle iron frame with 3.00 mm thick M.S. sheet covering including shutters with suitable hinges and locking arrangement with Godrej type handle including round bars . The top covering should have downward overhang of 75 mm on all sides of pedestal , having two sets of water proof ventilation holes of suitable size on the sides , at top and bottom , each set containing four Nos. holes to discharge the heat produced by the current . The shutters fixed with rubber gasket of superior quality and of suitable size to make it water proof . The pedestal duly painted both inside and outside with two coats of approved paint and primary coat and its legs are embedded upto the entire depth in 1:2:4 cement concrete block , projected 75 mm all around the pedestal and and 200 mm above the ground level including the cost of all labour and material required to complete the job in all respect upto the entire satisfaction of the Engineer-in-charge of the work:- 3. M.S. pedestal of size 750 mm wide , 1200 mm high ,300 mm deep and bottom totally open , duly embeded in cement concrete block of size 900 mm x 450 mm x 200 mm above ground level , having a base of size 1050 mm x 600 mm x 250 mm below ground level . 0 0 [Through Rate]	5.00	Each		
189.	[23.3.1.1]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 1.1. Wiring for Light/Fan/call bell point in 1.5 sqmm FRLS PVC insulated copper conductor cable in 1.6 mm thick PVC conduit pipe. Group A [Through Rate]	89.00	Each		
190.	[23.3.1.2]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 1.2. Wiring for Light/Fan/call bell point in 1.5 sqmm FRLS PVC insulated copper conductor cable in 1.6 mm thick PVC conduit pipe. Group B [Through Rate]	68.00	Each		
191.	[23.3.1.3]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 1.3. Wiring for Light/Fan/call bell point in 1.5 sqmm FRLS PVC insulated copper conductor cable in 1.6 mm thick PVC conduit pipe. Group C [Through Rate]	28.00	Each		
192.	[23.3.4.1]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 4.1. Wiring in PVC conduit system for 3-pin 5amp. Plug point by using 2 no 1.5 sqmm FRLS copper wire and 1 no 1.5 Sqmm FRLS copper wire , including providing 1 no 5/6 Amp 3/5 pin socket and 1 no 5/6 Amp switch required MS Box etc complete as required Group A [Through Rate]	48.00	Each		
193.	[23.3.4.2]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 4.2. Wiring in PVC conduit system for 3-pin 5amp. Plug point by using 2 no 1.5 sqmm FRLS copper wire and 1 no 1.5 Sqmm FRLS copper wire , including providing 1 no 5/6 Amp 3/5 pin socket and 1 no 5/6 Amp switch required MS Box etc complete as required Group B [Through Rate]	31.00	Each		
194.	[23.3.4.3]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 4.3. Wiring in PVC conduit system for 3-pin 5amp. Plug point by using 2 no 1.5 sqmm FRLS copper wire and 1 no 1.5 Sqmm FRLS copper wire , including providing 1 no 5/6 Amp 3/5 pin socket and 1 no 5/6 Amp switch required MS Box etc complete as required Group C [Through Rate]	26.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
195.	[23.3.5.1]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 5.1. Wiring in PVC conduit system for 3-pin 15amp. Plug point by using 2 no 4 sqmm FRLS copper wire and 1 no 4 Sqmm FRLS copper wire for earthing , including providing 1 no 15/16 Amp 3/6 pin socket and 1 no 15/16 Amp switch required MS Box etc complete as required Group A [Through Rate]	25.00	Each		
196.	[23.3.5.2]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 5.2. Wiring in PVC conduit system for 3-pin 15amp. Plug point by using 2 no 4 sqmm FRLS copper wire and 1 no 4 Sqmm FRLS copper wire for earthing , including providing 1 no 15/16 Amp 3/6 pin socket and 1 no 15/16 Amp switch required MS Box etc complete as required Group B [Through Rate]	24.00	Each		
197.	[23.3.5.3]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 5.3. Wiring in PVC conduit system for 3-pin 15amp. Plug point by using 2 no 4 sqmm FRLS copper wire and 1 no 4 Sqmm FRLS copper wire for earthing , including providing 1 no 15/16 Amp 3/6 pin socket and 1 no 15/16 Amp switch required MS Box etc complete as required Group C [Through Rate]	11.00	Each		
198.	[23.3.6.1]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 6.1. Wiring main and sub mains in two single core for phase and neutral wire and one single core for earth wire PVC insulated Copper conductor cable 1100 Volts grade in PVC Conduit etc as required. 1 run of Size 1.50 Sqmm(1/1.40mm) [Through Rate]	3200.00	Metre		
199.	[23.3.6.2]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 6.2. Wiring main and sub mains in two single core for phase and neutral wire and one single core for earth wire PVC insulated Copper conductor cable 1100 Volts grade in PVC Conduit etc as required. 1 run of Size 2.50 Sqmm(1.1.80mm) [Through Rate]	2800.00	Metre		
200.	[23.3.6.3]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 6.3. Wiring main and sub mains in two single core for phase and neutral wire and one single core for earth wire PVC insulated Copper conductor cable 1100 Volts grade in PVC Conduit etc as required. 1 run of Size 4 Sqmm(1/2.24mm) [Through Rate]	220.00	Metre		
201.	[23.3.6.4]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 6.4. Wiring main and sub mains in two single core for phase and neutral wire and one single core for earth wire PVC insulated Copper conductor cable 1100 Volts grade in PVC Conduit etc as required. 1 run of Size 6 Sqmm(1/2.80mm) [Through Rate]	360.00	Metre		
202.	[23.3.6.5]COPPER WIRING IN PVC CONDUIT (SURFACE/RECESS) 6.5. Wiring main and sub mains in two single core for phase and neutral wire and one single core for earth wire PVC insulated Copper conductor cable 1100 Volts grade in PVC Conduit etc as required. 1 run of Size 10 Sqmm(1/3.50 mm) [Through Rate]	260.00	Metre		
203.	[23.6.6.1]MS CONDUIT PIPE ONLY (SURFACE OR RECESSED) FOR ELECTRICAL POINTS 6.1. Supply and erection of MS conduit pipe 1.6 mm thick , ISI marked surface/recessed in slab/wall/ceiling etc. including cost of MS bends, inspection box and all other material required to complete the job in all respect up to the entire satisfaction of Engineer-in-Charge of work. MS Pipe of 20 mm dia. [Through Rate]	544.00	Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
204.	[23.6.6.2]MS CONDUIT PIPE ONLY (SURFACE OR RECESSED) FOR ELECTRICAL POINTS 6.2. Supply and erection of MS conduit pipe 1.6 mm thick , ISI marked surface/recessed in slab/wall/ceiling etc. including cost of MS bends, inspection box and all other material required to complete the job in all respect up to the entire satisfaction of Engineer-in-Charge of work. MS pipe of 25 mm dia. [Through Rate]	100.00	Metre		
205.	[23.6.6.3]MS CONDUIT PIPE ONLY (SURFACE OR RECESSED) FOR ELECTRICAL POINTS 6.3. Supply and erection of MS conduit pipe 1.6 mm thick , ISI marked surface/recessed in slab/wall/ceiling etc. including cost of MS bends, inspection box and all other material required to complete the job in all respect up to the entire satisfaction of Engineer-in-Charge of work.c MS Pipe of 32 mm dia. [Through Rate]	60.00	Metre		
206.	[23.6.6.4]MS CONDUIT PIPE ONLY (SURFACE OR RECESSED) FOR ELECTRICAL POINTS 6.4. Supply and erection of MS conduit pipe 1.6 mm thick , ISI marked surface/recessed in slab/wall/ceiling etc. including cost of MS bends, inspection box and all other material required to complete the job in all respect up to the entire satisfaction of Engineer-in-Charge of work. MS pipe of 40 mm dia. [Through Rate]	120.00	Metre		
207.	[23.8.10.1]FITTING AND ACCESSORIES 10.1. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 1 & 2 Modules including combined plate for Telephone and data [Through Rate]	36.00	Each		
208.	[23.8.10.2]FITTING AND ACCESSORIES 10.2. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 3 Modules [Through Rate]	38.00	Each		
209.	[23.8.10.3]FITTING AND ACCESSORIES 10.3. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 4 Modules [Through Rate]	18.00	Each		
210.	[23.8.10.4]FITTING AND ACCESSORIES 10.4. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 6 Modules [Through Rate]	17.00	Each		
211.	[23.8.10.5]FITTING AND ACCESSORIES 10.5. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 8 Modules [Through Rate]	11.00	Each		
212.	[23.8.10.6]FITTING AND ACCESSORIES 10.6. Providing and fixing GI concealed sheet metal boxes with inner and outer face plate including concealing the box in wall and fixing in position with inner plate and face plate with all labour and material required for the job complete in all respects. 12 Modules [Through Rate]	11.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
213.	[23.8.11.10]FITTING AND ACCESSORIES 11.10. Providing and fixing modular type accessories of approved make in existing box including fixing and making necessary connections, complete in all respect. Blanking plate [Through Rate]	44.00	Each		
214.	[23.8.11.3]FITTING AND ACCESSORIES 11.3. Providing and fixing modular type accessories of approved make in existing box including fixing and making necessary connections, complete in all respect. 15 amp 1 way switch [Through Rate]	78.00	Each		
215.	[23.8.11.5]FITTING AND ACCESSORIES 11.5. Providing and fixing modular type accessories of approved make in existing box including fixing and making necessary connections, complete in all respect. 15 amp 6 pin Socket [Through Rate]	36.00	Each		
216.	[23.8.11.7]FITTING AND ACCESSORIES 11.7. Providing and fixing modular type accessories of approved make in existing box including fixing and making necessary connections, complete in all respect. step type Fan Regulator 2 modules 300 watt [Through Rate]	22.00	Each		
217.	[23.8.12]FITTING AND ACCESSORIES 12. Supply and Fixing 3 mm thick Bakelite sheet cover on existing MS/PVC junction box/tee etc including fixing with brass screws and washers. [Through Rate]	66.00	Each		
218.	[23.8.4]FITTING AND ACCESSORIES 4. Supply and erection of 10.5 cm dia M.S.Fan box including 8 mm dia 30 cm long M.S. Road made into suitable suspension hook and erected in R.C.C. slab for the erection of fan complete with all labour and material required to complete the job. [Through Rate]	26.00	Each		
219.	[24.1.1]EARTHING AND LIGHTENING ARRESTOR 1. Earthing with GL earth pipe 4.5 m long and 40 mm dia with masonry enclosures on the top etc. (but without charcoal or coke and salt) as required. [Through Rate]	8.00	Each		
220.	[24.1.13]EARTHING AND LIGHTENING ARRESTOR 13. Providing and fixing 4.00 mm dia G1. Wire on surface or in recess for loop earthing as required. [Through Rate]	600.00	Metre		
221.	[24.1.2]EARTHING AND LIGHTENING ARRESTOR 2. Extra for using salt and char coal/coke for pipe earth electrode as required. [Through Rate]	80.00	Each		
222.	[24.1.3]EARTHING AND LIGHTENING ARRESTOR 3. Earthing with G.I. earth plate 600 mmx 600 mm x 6 mm thick including accessories and providing masonry enclosures with cover plate having locking arrangement and watering pipe etc. (but without charcoal or coke and salt) complete as required. [Through Rate]	80.00	Each		
223.	[24.1.4]EARTHING AND LIGHTENING ARRESTOR 4. Earthing with tinned copper earth plate 600mmx600mmx3mm thick including accessories and providing masonry enclosures with cover plate having locking arrangement and watering pipe etc. (but without charcoal or coke and salt) etc. complete as required. [Through Rate]	20.00	Each		
224.	[24.1.5]EARTHING AND LIGHTENING ARRESTOR 5. Extra for charcoal or coke and salt for G.I. plate or copper plate earth electrode. [Through Rate]	20.00	Each		
225.	[24.1.9]EARTHING AND LIGHTENING ARRESTOR 9. Providing and fixing 25 mm x5 mm copper strip in 40 mm dia G.I. pipe from earth electrode as required. [Through Rate]	730.00	Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
226.	[24.11.32]LT CABLES (Aluminium Conductor, Armoured and Unarmoured) PROVIDING AND ERECTION/LAYING OF PVC/ XLPE INSULATED UNDERGROUND ALUMINIUM CONDUCTOR CABLE 0.75 METER BELOW GROUND LEVEL COVERED WITH SAND AND BRICKS INCLUDING EXCAVATION AND REFILLING OF TRENCHES 32. 25 Sq mm 4 core (Arm.) [Through Rate]	200.00	Metre		
227.	[24.11.40]LT CABLES (Aluminium Conductor, Armoured and Unarmoured) PROVIDING AND ERECTION/LAYING OF PVC/ XLPE INSULATED UNDERGROUND ALUMINIUM CONDUCTOR CABLE 0.75 METER BELOW GROUND LEVEL COVERED WITH SAND AND BRICKS INCLUDING EXCAVATION AND REFILLING OF TRENCHES 40. 35 Sq mm 4 core (Arm.) [Through Rate]	1480.00	Metre		
228.	[24.11.48]LT CABLES (Aluminium Conductor, Armoured and Unarmoured) PROVIDING AND ERECTION/LAYING OF PVC/ XLPE INSULATED UNDERGROUND ALUMINIUM CONDUCTOR CABLE 0.75 METER BELOW GROUND LEVEL COVERED WITH SAND AND BRICKS INCLUDING EXCAVATION AND REFILLING OF TRENCHES 48. 50 Sq mm 4 core (Arm.) [Through Rate]	10600.00	Metre		
229.	[24.11.54]LT CABLES (Aluminium Conductor, Armoured and Unarmoured) PROVIDING AND ERECTION/LAYING OF PVC/ XLPE INSULATED UNDERGROUND ALUMINIUM CONDUCTOR CABLE 0.75 METER BELOW GROUND LEVEL COVERED WITH SAND AND BRICKS INCLUDING EXCAVATION AND REFILLING OF TRENCHES 54. 70 Sq mm 3.5 core (Arm.) [Through Rate]	780.00	Metre		
230.	[24.11.82]LT CABLES (Aluminium Conductor, Armoured and Unarmoured) PROVIDING AND ERECTION/LAYING OF PVC/ XLPE INSULATED UNDERGROUND ALUMINIUM CONDUCTOR CABLE 0.75 METER BELOW GROUND LEVEL COVERED WITH SAND AND BRICKS INCLUDING EXCAVATION AND REFILLING OF TRENCHES 82. 185 Sq mm 3.5 core (Arm.) [Through Rate]	300.00	Metre		
231.	[24.3.3.2]HT CABLE 3.2. Supplying and making indoor cable end termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required :150 to 185 sqmm [Through Rate]	10.00	Set		
232.	[24.3.4.1]HT CABLE 4.1. Supplying and making outdoor cable end termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required :70 to 120 sqmm [Through Rate]	10.00	Set		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
233.	[24.4.15.3]STREET LIGHT 15.3. B.S.E.N. 10025 High Masts "Supply, installation, testing and commissioning of 20 mtr. long High Mast manufactured from B.S.E.N. 10025 or equivalent grade material in, 2 (two) section hot dip, galvanized inside and outside in single dip, suitable for wind velocity as per IS 875 Part-3 suitable for 9/12 nos. luminaire loading fully motorized (power tool) with starter & cable complete along with standard accessories supplied by the manufacturer with 3 nos. steel wire rope double drum system and twin dome aviation light with LED without foundation but including cost of set of foundation nut and bolts, installation at site complete in all respect upto entire satisfaction of Engineer -in-Charge Thickness of Top and Bottom Section = 3 mm & 4mm (minimum) Top Dia = 150 mm and Bottom Dia = 460mm Thickness of Galvanization - Top = 65 micron (minimum) and Bottom = 85 micron (minimum)" [Through Rate]	16.00	Each		
234.	[24.5.1.5]MISCELLANEOUS ITEMS 1.5. Supply and jointing three core submersible flat cables of approved make with bare bunched copper conductor insulated and sheathed with PVC for submersible pump motors /fountain lights etc with voltage grade 1100 volts marked with IS:694, 1990 including cost of jointing, materials as well as carriage, loading, unloading etc. complete in all respect up to the entire satisfaction of Engineer- in-Charge. Submersible Copper Cable 3 Core 10 sqmm [Through Rate]	80.00	Metre		
235.	[24.5.1.7]MISCELLANEOUS ITEMS 1.7. Supply and jointing three core submersible flat cables of approved make with bare bunched copper conductor insulated and sheathed with PVC for submersible pump motors /fountain lights etc with voltage grade 1100 volts marked with IS:694, 1990 including cost of jointing, materials as well as carriage, loading, unloading etc. complete in all respect up to the entire satisfaction of Engineer- in-Charge. Submersible Copper Cable 3 Core 25 sqmm [Through Rate]	120.00	Metre		
236.	[24.5.2.3]MISCELLANEOUS ITEMS 2.3. S/E mark double walled corrugated (DWC) HDPE, pipe 10 Kg/Cm ² ,laid 0.75 Metre below ground level including digging and refilling of earth including cost of suitable size socket/coupler for HDPE pipe including the cost of labour and material required to complete the job in all respect up to the entire satisfaction of Engineer in charge of the work. DWC/HDPE pipe 63/50 mm outer dia/inner dia [Through Rate]	3170.00	Metre		
237.	[24.5.2.4]MISCELLANEOUS ITEMS 2.4. S/E mark double walled corrugated (DWC) HDPE, pipe 10 Kg/Cm ² ,laid 0.75 Metre below ground level including digging and refilling of earth including cost of suitable size socket/coupler for HDPE pipe including the cost of labour and material required to complete the job in all respect up to the entire satisfaction of Engineer in charge of the work. DWC/HDPE pipe 90/75 mm outer dia/inner dia [Through Rate]	300.00	Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
238.	[24.5.2.6]MISCELLANEOUS ITEMS 2.6. S/E mark double walled corrugated (DWC) HDPE, pipe 10 Kg/Cm ² , laid 0.75 Metre below ground level including digging and refilling of earth including cost of suitable size socket/coupler for HDPE pipe including the cost of labour and material required to complete the job in all respect up to the entire satisfaction of Engineer in charge of the work. DWC/HDPE pipe 145/123 mm outer dia/ inner dia [Through Rate]	200.00	Metre		
239.	[24.7.8]RCC FOUNDATIONS FOR DG SET 8. 750 KVA DG Set [Through Rate]	3.00	Each		
240.	[24.9.3]RCC FOUNDATIONS FOR HIGH MAST OCTAGONAL POLES 3. Providing RCC foundation of M25 grade (1 Cement:1 Stone aggregate: 2 Coarse sand) i/c excavation, steel reinforcement (Fe 500) @ 75 kg/cum of concrete contents, concrete cover 50mm, anchor bolts etc. over a bed of PCC 1:5:10 of required dimensions for high mast octagonal poles of various heights as per following specifications complete in all respects and as per directions of Engineer-in-charge 20m high mast pole [Through Rate]	16.00	per foundation		
241.	[26.58.1]Supply and installation of garden bench 1. Chair type garden bench with L-shaped sides made of reinforced concrete (M30), thickness 100 mm, overall height 1000 mm, base width 620 mm. Back and seat shall consist of 5 Nos. reinforced concrete planks 1500 mm x 100 mm x 50 mm one plank 1500 mm x 200 mm x 50 mm. Seating height of the bench shall be 450 mm. The bench shall be fixed with nuts on concrete mount, all holes sealed after assembly and installation. All materials required to be as per BIS specifications. [Through Rate]	60.00	Each		
242.	[26.6]Maintenance of rough grassing, including 50 gm DAP and 50 gm Urea fertilizer application, watering and mowing etc for a period of one year. [Through Rate]	13440.84	per sqm per year		
243.	[26.7]Grassing of play grounds with doob grass including uprooting rank vegetation and weeds by digging area to a depth of 30 cm, removing all weeds and other growth with roots by forking repeatedly, ploughing and dragging with 'swagha' breaking of clods, removal of rubbish, dressing and supplying doob grass roots, and planting at 10 cm apart in both directions, watering weeding including supplying and spreading of farm-yard manure at the rate of 0.18 cum per 100 sqm fertilizers DAP 50 g per sqm etc and maintenance till weed free turf is formed [Through Rate]	13440.85	Sqm		
244.	[3.1.2]By Mechanical Transport including loading, unloading and stacking 2. Earth [5km]	254114.97	cum		
245.	[3.1.2]By Mechanical Transport including loading, unloading and stacking 2. Earth [Beyond 5km up to 10km per KM]	2656.93	cum		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
246.	[32.70.2]Supply Installation testing commissioning of Solar Photovoltaic grid connected roof top Plant conforming to MNRE specifications as amended, consisting of Mono/Poly Crystalline silicon solar cells, net metering facility, necessary protections, earthing, mounted on Aluminium/GI structure of suitable strength with following components complete as required:- (a) Solar Photovoltaic Module manufactured in India, conforming to IS 14286/IEC 61215, IS/IEC 61730-Part-1, IS/IEC 61730-Part-2. Solar Photovoltaic Module conversion efficiency shall not be less than 16.5%. PV modules used in solar power plants/ systems must be warranted for their output peak watt capacity, which should not be less than 90% at the end of 10 years and 80% at the end of 25 years. (b) Power Conditioning Unit (PCU) of 350-800 V DC Input voltage range and 400 V AC, three phase, 4 wire, 50Hz plus +/- 2.5 Hz, output voltage suitable to generate AC (c) Power with efficiency not less than 97%, total harmonic distortion less than 3% and suitable for ambient temperature from 0 to 50 degrees C. The PCU shall adjust the voltage and frequency level to suit grid frequency (d) Data Monitoring System complete with accessories. (e) Fixing of Array junction box and Main junction box with IP 65 protection and termination arrangement for incoming and outgoing cable along with glands, lugs and other accessories etc. as required. (f) Lightning and surge voltage protection. (g) Connections and Interconnections by supplying and fixing required size XLPE insulated copper conductor 1.1 kV grade armoured power and control cables between solar modules, main power cable to grid supply PCU unit along with supplying and fixing of necessary channel/conduit lugs and other accessories etc. as required. 2. Above 10 kWp and up to 100 Kw [Through Rate]	100.00	KWp		
247.	[34.22.1]Overhead sign board 12000x1500mm simply supported type double sided as per IRC 67-2012 with retro reflective Sheeting as per ASTM D 4956 – 09 and as per IRC 67 . fixed over 4mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 40x40x6mm angle iron supported on designed double support system of MS pipe and plates in the form of a simply supported type truss made with 350NB pipe @50kg per metre as vertical support, 50NB pipe @ 4.50kg per metre and 40NB pipe @ 3.61kg per metre for truss including base plates, gusset plates, designed RCC foundation for fixing in ground complete as per clause 802 of MORTandH specifications. Supplier shall provide a warranty as per clause 6.9 of IRC 67-2012 for retro reflective sheeting and a certified copy of test reports from an independent test laboratory including three year outdoor weathering test report for sheeting tested in India condition conforming to clause 6.7 of IRC 67-2012. 1. Using retro reflective Sheeting Type XI as per ASTM D 4956 09 and as per IRC 67 2012 [Through Rate]	4.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
248.	[34.9.1]Informatory sign board 600x450 rectangular as per IRC 67- 2012 with retro reflective Sheeting as per ASTM D 4956 09 and as per IRC 67 2012 fixed over 3 mm thick aluminium Composite material (ACM) sheeting having aluminium skin thickness of 0.4 to 0.5 mm on both sided and fixing the same with suitable size aluminium alloy rivets @ 200 mm c/c to back support frame of 25x25x3mm angle iron supported on a square hollow steel section post 60x60x3.2mm conforming to IS 4923 without cost of definition plate firmly fixed to ground in foundation concrete M-25 of size 0.45x0.45x0.75m for vertical post complete as per clause 801 of MORTandH specifications. Supplier shall provide a warranty as per clause 6.9 of IRC 67-2012 for retro reflective sheeting and a certified copy of test reports from an independent test laboratory including three year outdoor weathering test report for sheeting tested in India condition conforming to clause 6.7 of IRC 67-2012 1. Using retro reflective Sheeting Class C as per IRC 67 2012 [Through Rate]	70.00	Each		
249.	[4.12.1]Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in-charge. 1. All kinds of soil [Through Rate]	35644.56	cum		
250.	[4.14.1]Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. 1. All kinds of soil. [Through Rate]	6388.49	cum		
251.	[4.16.1.2]Excavating trenches of required width and depth for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m. 1.2. All kind of soil Pipes, cables etc, exceeding 80 mm dia but not exceeding 300 mm dia. [Through Rate]	4617.59	Metre		
252.	[4.16.1.3]Excavating trenches of required width and depth for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m. 1.3. All kind of soil Pipes, cables etc, exceeding 300 mm dia but not exceeding 600 mm dia. [Through Rate]	8949.29	Metre		
253.	[4.17]Extra for excavating trenches for pipes, cables etc. in all kinds of soil for depth exceeding 1.5 m, but not exceeding 3 m. (Rate is over corresponding basic item for depth up to 1.5 metre). [Through Rate]	390.00	Metre		
254.	[4.18]Extra for excavating trenches for pipes, cables, etc, in all kinds of soil for depth exceeding 3 m in depth, but not exceeding 4.5 m. (Rate is over corresponding basic item for depth up to 1.5 metre.) [Through Rate]	390.00	Metre		
255.	[4.31.1]Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials. 1. All kinds of soil [Through Rate]	21309.12	cum		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
256.	[4.32]Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m. [Through Rate]	1053.82	cum		
257.	[6.1.1]Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level: 1. 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size) [Through Rate]	704.01	cum		
258.	[6.1.2]Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level: 2. 1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size) [Through Rate]	7.68	cum		
259.	[6.1.5]Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level: 5. 1:3:6 (1 Cement : 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size) [Through Rate]	225.00	cum		
260.	[6.1.6]Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level: 6. 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size) [Through Rate]	4984.65	cum		
261.	[6.1.7]Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level: 7. 1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded stone aggregate 40 mm nominal size) [Through Rate]	9919.37	cum		
262.	[6.14.1]Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1. 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size) [Through Rate]	177.22	cum		
263.	[6.15.1]Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor four level, excluding cost of centering, shuttering, finishing and reinforcement : 1. 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size) [Through Rate]	55.36	cum		
264.	[6.16]Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor four level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size). [Through Rate]	147.20	cum		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
265.	[6.2.4]Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor four level, excluding the cost of centering, shuttering and finishing: 4. 1:5:10 (1 cement : 5 coarse sand (zone-III) : 10 graded stone aggregate 40 mm nominal size). [Through Rate]	11.79	cum		
266.	[6.25.1]Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. 1. All works up to plinth level [Through Rate]	363.68	cum		
267.	[6.25.2]Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge. 2. All works above plinth level up to floor IV level [Through Rate]	377.04	cum		
268.	[6.29.2]Centering and shuttering including strutting, propping etc. and removal of form work for : 2. Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc. [Through Rate]	342.60	Sqm		
269.	[6.30.1]Centering and shuttering including strutting, propping etc. and removal of form for 1. Foundations, footings, bases of columns, etc. for mass concrete [Through Rate]	335.73	Sqm		
270.	[6.30.2]Centering and shuttering including strutting, propping etc. and removal of form for 2. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc. [Through Rate]	2170.38	Sqm		
271.	[6.30.3]Centering and shuttering including strutting, propping etc. and removal of form for 3. Suspended floors, roofs, landings, balconies and access platform [Through Rate]	639.35	Sqm		
272.	[6.30.4]Centering and shuttering including strutting, propping etc. and removal of form for 4. Shelves (Cast in situ) [Through Rate]	25.09	Sqm		
273.	[6.30.5]Centering and shuttering including strutting, propping etc. and removal of form for 5. Lintels, beams, plinth beams, girders, bressumers and cantilevers [Through Rate]	195.20	Sqm		
274.	[6.30.6]Centering and shuttering including strutting, propping etc. and removal of form for 6. Columns, Pillars, Piers, Abutments, Posts and Struts [Through Rate]	556.91	Sqm		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
275.	[6.33.2]Steel reinforcement for R.C.C. work, where not included in the complete rate of RCC, including straightening, cutting, bending, placing in position, binding, wastage, overlaps, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire etc. complete in all respect below plinth level Note: Reinforcement shall be measured in length including hooks, if any, separately for different diameters as actually used in work , excluding overlaps. Wastage, overlaps, couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods of binding & placing shall not be measured and cost of these items shall be deemed to be included in the rates for reinforcement. 2. Hard drawn steel wire [Through Rate]	13714.00	Kg.		
276.	[6.33.3]Steel reinforcement for R.C.C. work, where not included in the complete rate of RCC, including straightening, cutting, bending, placing in position, binding, wastage, overlaps, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire etc. complete in all respect below plinth level Note: Reinforcement shall be measured in length including hooks, if any, separately for different diameters as actually used in work , excluding overlaps. Wastage, overlaps, couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods of binding & placing shall not be measured and cost of these items shall be deemed to be included in the rates for reinforcement. 3. Cold twisted bars [Through Rate]	19811.51	Kg.		
277.	[6.33.6]Steel reinforcement for R.C.C. work, where not included in the complete rate of RCC, including straightening, cutting, bending, placing in position, binding, wastage, overlaps, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire etc. complete in all respect below plinth level Note: Reinforcement shall be measured in length including hooks, if any, separately for different diameters as actually used in work , excluding overlaps. Wastage, overlaps, couplings, welded joints, spacer bars, chairs, stays, hangers and annealed steel wire or other methods of binding & placing shall not be measured and cost of these items shall be deemed to be included in the rates for reinforcement. 6. Thermo-Mechanically Treated bars of grade Fe-500D or more [Through Rate]	83997.81	Kg.		
278.	[6.39.1]Providing and fixing at or near ground level precast cement concrete in kerbs, edgings etc. as per approved pattern and setting in position with cement mortar 1:3 (1 Cement : 3 coarse sand), including the cost of required centering, shuttering complete. 1. 1:1½:3 (1 Cement: 1½ coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size). [Through Rate]	13.37	cum		
279.	[6.9.1]Providing and laying damp-proof course with cement concrete 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III): 3 graded stone aggregate 20mm nominal size) 1. 50 mm thick [Through Rate]	512.08	Sqm		
280.	[7.20.1]Brick work with common burnt clay modular bricks of class designation 10.5 in foundation and plinth in: 1. Cement mortar 1:4 (1 cement : 4 coarse sand) [Through Rate]	4487.18	cum		
281.	[7.20.2]Brick work with common burnt clay modular bricks of class designation 10.5 in foundation and plinth in: 2. Cement Mortar 1:6 (1 cement : 6 coarse sand) [Through Rate]	110.12	cum		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
282.	[7.21.1]Brick work with common burnt clay non-modular bricks of class designation 10.5 in foundation and plinth in: 1. Cement mortar 1:4 (1 cement : 4 coarse sand) [Through Rate]	181.16	cum		
283.	[7.22.1]Brick work with common burnt clay non-modular bricks of class designation 10.5 in superstructure above plinth level up to floor IV level in all shapes and sizes in : 1. Cement mortar 1:4 (1 cement : 4 coarse sand) [Through Rate]	778.18	cum		
284.	[7.22.2]Brick work with common burnt clay non-modular bricks of class designation 10.5 in superstructure above plinth level up to floor IV level in all shapes and sizes in : 2. Cement mortar 1:6 (1 cement : 6 coarse sand) [Through Rate]	21.70	cum		
285.	[7.28.2]Half brick masonry with common burnt clay non-modular bricks of class designation 10.5 in superstructure above plinth level up to floor IV level. 2. Cement mortar 1:4 (1 cement :4 coarse sand) [Through Rate]	204.84	Sqm		
286.	[7.47.2]Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor IV level in : 2. Cement mortar 1:6 (1 cement: 6 Coarse sand) [Through Rate]	137.95	cum		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
287.	[8.32]ALUMINIUM COMPOSITE PANELS Designing, fabricating, testing, installing and fixing in position Curtain Wall with Aluminium Composite Panel Cladding, with open grooves for linear as well as curvilinear portions of the building , for all heights and all levels etc. including: (a) Structural analysis and design and preparation of shop drawings for pressure equalisation or rain screen principle as required, proper drainage of water to make it watertight including checking of all the structural and functional design. (b) Providing, fabricating and supplying and fixing panels of aluminium composite panel cladding in pan shape in metallic colour of approved shades made out of 4mm thick aluminium composite panel material consisting of 3mm thick FR grade mineral core sandwiched between two Aluminium sheets (each 0.5mm thick). The aluminium composite panel cladding sheet shall be coil coated, with Kynar 500 based PVDF / Lumiflon based fluoropolymer resin coating of approved colour and shade on face # 1 and polymer (Service) coating on face # 2 as specified using stainless steel screws, nuts, bolts, washers, cleats, weather silicone sealant, backer rods etc. (c) The fastening brackets of Aluminium alloy 6005 T5 / MS with Hot Dip Galvanised with serrations and serrated washers to arrest the wind load movement, fasteners, SS 316 Pins and anchor bolts of approved make in SS 316, Nylon separators to prevent bi-metallic contacts all complete required to perform as per specification and drawing The item includes cost of all material and labour component, the cost of all mock ups at site, cost of all samples of the individual components for testing in an approved laboratory, field tests on the assembled working curtain wall with aluminium composite panel cladding, cleaning and protection of the curtain wall with aluminium composite panel cladding till the handing over of the building for occupation. Base frame work for ACP cladding is payable under the relevant aluminium items. The Contractor shall provide curtain wall with aluminium composite panel cladding, having all the performance characteristics all complete , as per the Architectural drawings, as per item , as specified, as per the approved shop drawings and as directed by the Engineer-in-Charge. However, for the purpose of payment, only the actual area on the external face of the curtain wall with Aluminium Composite Panel Cladding (including width of groove) shall be measured in sqm up to two decimal places. [Through Rate]	162.19	Sqm		
288.	[9.14.1]Providing and laying brick tiles over mumty roofs, grouted with cement mortar 1:3 (1 cement : 3 fine sand) mixed with 2% of integral water proofing compound by weight of cement, over 12 mm layer of cement mortar 1:3 (1 cement : 3 fine sand) and finished neat: 1. With common burnt clay non-modular brick tiles of class designation 10 [Through Rate]	297.15	Sqm		
289.	[9.17.1]Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design : 1. In 75x75 mm deep chase [Through Rate]	64.80	Metre		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate to be quoted by the contractor/society	
				In figures	In words
290.	[9.18]Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete. [Through Rate]	7.00	Each		
291.	[9.57.2]Providing and fixing on wall face Unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 2. 110 mm diameter [Through Rate]	30.80	Metre		
292.	[9.57.3]Providing and fixing on wall face Unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 3. 150 mm diameter [Through Rate]	1913.54	Metre		
293.	[9.58.5.2]Providing and fixing on wall face Unplasticised - PVC moulded fittings/ accessories for Unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. 5.2. Bend 87.5° 110 mm bend [Through Rate]	11.00	Each		

NS ITEMS:

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate(Rs.) to be quoted by the contractor/ society	
				In figures	In words
1.	Push Hends or Arm Wheel :- Providing, designing and fixing Arm Wheel in a pair of size 850 X 800 X 1800 mm fabricated with main post of 114mm dia and 3.00 mm thick and other pipes of 40mm dia 3.00mm thick all pipes made up of hot rolled tubular steel and hot dipped galvanized, and powder coated using Akzo Nobel or equivalent of 80-120 micron thick. All welding joints of pipe are robotic welded with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Handle bars are to be provided with high quality grip rubber. Padals shall be made up of Nylon alloy with rounded edge of prevent any impact of injury and seat to be made from virgin LLDPE manufactured by rotational moulding with minimum thickness of plastic 4.00mm, colourful and U V resistant environmental friendly. Bearing used shall be maintenance free, duly oiled sealed and self lubricated made by reputed company to be approved by Engineer-in-Charge. Equipment to be fitted within built limiters to prevent unwanted movements. All open ends of pipe to be coloured by GI/LLDPE caps for user safety. The equipment to be fixed on ground with concrete of minimum strength M25 and J shaped welded bolts and once the concrete is set, fix the equipment on to it and cover nuts and bolts with the base plate cover, all complete as per direction and approval of Engineer-in-Charge regarding material, shape of equipment, colour on metal, seat and base cover plate and fixing of equipment etc	3.00	Each		
2.	Pull and Power Push Chair:- Providing, designing and fixing of Pull pair of size 2500 X 800 X 2000 mm fabricated with main post of 114mm dia and 3.00 mm thick and other pipes of 40mm dia 3.00mm thick all pipes made up of hot rolled tubular steel and hot dipped galvanized, and powder coated using Akzo Nobel or equivalent of 80-120 micron thick. All welding joints of pipe are robotic welded with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Handle bars are to be provided with high quality grip rubber at top end. Padals shall be made up of Nylon alloy with rounded edge of prevent any impact of injury and seat to be made from virgin LLDPE manufactured by rotational moulding with minimum thickness of plastic 4.00mm, colourful and U V resistant environmental friendly. Bearing used shall be maintenance free, duly oiled sealed and self lubricated made by reputed company to be approved by Engineer-in-Charge. Equipment to be fitted within built limiters to prevent unwanted movements. All open ends of pipe to be coloured by GI/LLDPE caps for user safety. The equipment to be fixed on ground with concrete of minimum strength M25 and J shaped welded bolts and once the concrete is set, fix the equipment on to it and cover nuts and bolts with the base plate cover, all complete as per direction and approval of Engineer-in-Charge regarding material, shape of equipment, colour on metal, seat and base cover plate and fixing of equipment etc..	3.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate(Rs.) to be quoted by the contractor/ society	
				In figures	In words
3.	Triple Twister :- Providing, designing and fixing Twister of size 1700 X 1300 X 1300 mm fabricated with main post of 114mm dia and 3.00 mm thick and other pipes of 40mm dia 3.00mm thick all pipes made up of hot rolled tubular steel and hot dipped galvanized, and powder coated using Akzo Nobel or equivalent of 80-120 micron thick. All welding joints of pipe are robotic welded with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Handle bars are to be provided with high quality grip rubber. Foothold shall be made up of Nylon alloy with rounded edge of prevent any impact of injury and seat to be made from virgin LLDPE manufactured by rotational moulding with minimum thickness of plastic 4.00mm, colourful and U V resistant environmental friendly. Bearing used shall be maintenance free, duly oiled sealed and self lubricated made by reputed company to be approved by Engineer-in-Charge. Equipment to be fitted within built limiters to prevent unwanted movements. All open ends of pipe to be coloured by GI/LLDPE caps for user safety. The equipment to be fixed on ground with concrete of minimum strength M25 and J shaped welded bolts and once the concrete is set, fix the equipment on to it and cover nuts and bolts with the base plate cover, all complete as per direction and approval of Engineer-in-Charge regarding material, shape of equipment, colour on metal, seat and base cover plate and fixing of equipment etc..	3.00	Each		
4.	Dual Sky Stepper or Double Cross Walker :- Providing, designing and fixing Double Cross Walker of size 1600 X 600 X 1600 mm fabricated with main post of 114mm dia and 3.00 mm thick and other pipes of 40mm dia 3.00mm thick all pipes made up of hot rolled tubular steel and hot dipped galvanized, and powder coated using Akzo Nobel or equivalent of 80-120 micron thick. All welding joints of pipe are robotic welded with joints scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. Padals shall be made up of Nylon alloy with rounded edge of prevent any impact of injury and seat to be made from virgin LLDPE manufactured by rotational moulding with minimum thickness of plastic 4.00mm, colourful and U V resistant environmental friendly. Bearing used shall be maintenance free, duly oiled sealed and self lubricated made by reputed company to be approved by Engineer-in-Charge. Equipment to be fitted within built limiters to prevent unwanted movements. All open ends of pipe to be coloured by GI/ LLDPE caps for user safety. The equipment to be fixed on ground with concrete of minimum strength M25 and J shaped welded bolts and once the concrete is set, fix the equipment on to it and cover nuts and bolts with the base plate cover, all complete as per direction and approval of Engineer-in-Charge regarding material, shape of equipment, colour on metal, seat and base cover plate and fixing of equipment etc...	3.00	Each		
5.	Providing and fixing of a Garden Hut- Octagonal One Side Length 9` Outer Side Hight 8` Center Hight 11` Complete with Bench.....	4.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate(Rs.) to be quoted by the contractor/ society	
				In figures	In words
6.	Chain Swing Jhulla- (Two sheater) (10' height) x (8' width) with Bearing along with 2" dia M.S. pipe length and top 48' 1.25" pipe and support 7' with Chain and hook etc. along with Bearing and bracket Top box of M.S. sheet and 4 Nos M.S. sheet of Patti seat for children with coat paint of Berger paint (painting charges) Bottom hole fast 4 Nos. 1" round axle for bearing 2 Nos.....	3.00	Each		
7.	Multiplay Station jhula with size 27*15*13ft with 1 Nos climber/Height Gainer, 2 Nos Canopy of 4mm thick, 6.5 ft long Spiral Slider of 6mm thick, 10 ft long Wave Slider of 6mm thick, Tunnel 5 ft long of 4mm thick Etc. with 3" sq. pipe, 1.6" sq. pipe, 3"*1" sq. pipe, 8mm chain with two Nos Chain Swing Sheat Jhula with 2 Nos. Sq. Doom.....	3.00	Each		
8.	Supply and erection of Railing Ornament (Bhala Design)	22176.00	Each		
9.	Supply and laying of HDPE liner on bed	13000.00	Sqm		
10.	Providing and Fixing HDPE Geo Cells on side slopes (75 mm 0.712 mm)	2760.00	Sqm		
11.	Supply and erection of LED Flood light 240 watt of Makes Bajaj (Model No.BJFL 240W LED) High Wattage Floodlight 3rd generation LED luminaire with ultra sleek, light weight and with secondary optics, made of pressure die cast housings with IP 66 rating with all allied accessories required to complete the job in all respect including erection on existing pole for fixing including connection of the same upto the entire satisfaction of Engineer in Charge of the work (Phillips and Crompton, Surya).	144.00	Nos.		
12.	Supply and erection of 2.5 Sqmm, 3 core PVC insulated copper cable	1440.00	Metre		
13.	32 Amp. 3 Pole/230V Astronomical automatic time switch	8.00	Nos.		
14.	Supply and Erection of Rubber mat of size 2mX1m	12.00	Each		
15.	Supply and erection fo fire extinguisher ISI marked Co2 type 4.5 Kg. Capacity	6.00	Each		
16.	Supply, Erection, Testing, commissioning of 11 Kv outdoor type HT Metering Panel complete with CT `s,PT cubical and Electronic meter with accuracy class0.5 as per required/approved by UHBVN required to complete the job in all respect upto the entire satisfaction of Engineer-in-Charge of work.	1.00	Each		
17.	Supply of 1000KVA, Outdoor type, oil cooled Transformer	2.00	Each		
18.	Supply of 800KVA, Outdoor type, oil cooled Transformer	2.00	Each		
19.	S/E OF 11kv gang operated switch Jai Shree make conforming to IS with latest amendment including suitable size of copper blade erection of same on existing `h` pole with the help of 3 no channel of size 75mm x 40mm x 6mm, 1.8 long fixed with suitable size MS clamp, nuts and bolt including cost of 6 no 11 KV insulator with GI pin, RD fuses and painting with 2 coat of approved paint and one coat of red oxide material required to completer the job in all respect upto the entire satisfaction of Engineer-in Charge of work	2.00	Each		
20.	Supply and erraction of 630V, 11 KV indoor VCB, copper Bus Bar, 12 KV, Motorise charging, O/c/E/f relay	5.00	Each		

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate(Rs.) to be quoted by the contractor/ society	
				In figures	In words
21.	Supply and erection of prestressed CC pole as per IS: 1678-196011 metres long 152 mm x 203 mm at top and 152 mm x 368 mm at bottom with working load of 360 Kg. buried 2.20 m in ground.	262.00	Nos.		
22.	APFC Panel- Incomer 1 no MCCB TP Pole 800A Ics= 50kA Thermal magnetic with Double break roto mechanism. Intelligent APFC Relay with 350 kVAr MPP Heavy duty Capacitor with suitable rating of contactors and Short ckt protection device for each banking. Banking of Capacitor should be 12.5 X2 no, 25 X 1no, 50 X 2no. 100X 2 no.complete in all respect upto the entire satisfaction fo Engineer- in Charge of work. Make -Havells , CG , Crompton, Voltamp, ABB, Siemens, Schneider.	3.00	Nos.		
23.	ESSENTIAL LOAD PANEL Supply, installation, testing and commissioning of powder coated of Siemens grey or of approved colour compartmentalised cubicle MV Panel fabricated out of 14 SWG thick CRCA sheet steel with chemical wash after 7 tank process and suitable for operation on 415 volts, 50Hz, 3 Phase 4 wire AC supply . The panel includes cost of metering equipment for 2 Feeders from main Panel and 2 nos. DGs separately Digital Multifunction Meter with RS 485 communication port, 3Ph 4wire System 415Vac, CL$\square$1.0, with V,A,F,PF, KW,KWH with 3Row Display with Analog Bar graph. CTR-/5A, 96x96mm, Aux. Supply -220Vac, The panel shall be indoor free standing, floor mounting, dust and vermin proof type, adequate size cable alley with front operated rotary handles for MCCB's complete with gland plates, lifting hooks, ventilating louvers, busbars, Inter connections, earthing, labelling electrical interlocking as per specification and drawings, suitable for termination of cables as per single line diagram including. supply and fixing of following switchgear and accessories complete as required. A separate earth copper bus bar of size as per transformer load to be provided throughout the length of the panel. The panel should be complete with both Electrically and mechanically interlocking fool proof system. Programmable logical controller(PLC Based) AMF (with battery) cum load management control panel to control 2 nod set. The Panel should be extendable type. Make of panel, Trico lite, INCOMER FEEDERS Air circuit breaker 800 Amp, 415V, 50Hz, 4P Icu=Ics=Icw=50KA (1 Sec) Electrical Draw out ,with Zone Selective Interlocking with inbuilt Microprocessor based (Make of ACB : Schneider Easyact MVS with ETV6V/ Siemens 3WL-ETU76B), LandT (C-power SR71) =02 Nos. DG-500KVA x 2no.	1.00	Each		

DNIT Name : Shifting of Milk Dairies in...

Municipal Corporation/Urban Local Bodies

Air circuit breaker 800 Amp, 415V, 50Hz, 4P Icu=Ics=Icw=50KA (1 Sec) Electrical Draw out ,with Zone Selective Interlocking with inbuilt Microprocessor based (Make of ACB : Schneider Easy pact MVS with ETV6V/ Siemens 3WL-ETU76B), LandT (C-power SR71) =02 Nos. LTPB = 05 Nos. Both I/C are Electrical and mechanical interlocking = 01 No. MFM= 04 Nos. RYB Indication Lamp LED= 12 Nos. 800/5Amp. 15 VA CL-1 Current Transformer= 12 Nos. 06Amp. Control SP MCB = 12 Nos. CT Short Link= 12 Nos. Neutral Link= 04 Nos. Bus Coupler ACB Air circuit breaker 800 Amp, 415V, 50Hz, 4P Icu=Ics=Icw=50KA (1 Sec) Electrical Draw out ,with Zone Selective Interlocking with inbuilt Microprocessor based (Make of ACB : Schneider Easy pact MVS with ETV6V/ Siemens 3WL-ETU76B), LandT (C-power SR71) =01 No. OUTGOING FEEDER FOR ESSENCIAL SERVICES PANEL TP MCCB 400 A, 36 KA, for MRI 150 KW.CATH LAB 150 KW =02 Nos. Spreader links for 400Amp MCCB =02 Nos. Extended Rotary Handle =02 Nos. TP MCCB 250 A,36 KA, . for ULTRA SOUND AND X-RAY PANEL 100 KW., CT SCAN 100 KW,LABORATORIES 100 KW, DYLLISIS,LABOR ROOM,SNCU 100 KW, OTs 4 Nos.100 KW = 05 Nos. Spreader links for 250Amp MCCB =05 Nos. Extended Rotary Handle =05 Nos. TP MCCB 200 A 36 KA for CSSD 50 KW,MANIFOLD AND GAS PIPELINE 50 KW. Spare =03 Nos. Spreader links for 200Amp MCCB =03 Nos. Extended Rotary Handle =03 Nos. TP MCCB 160 A, 36 KA, , for LIGHT LOAD DUCT 1 59.120 KW =01 Nos. Spreader links for 160Amp MCCB =01 Nos. Extended Rotary Handle =01 Nos. TP MCCB 125 A 36 KA ,for LIGHT LOAD DUCT 2 44.120 KW, ESSENCIAL POWER LOAD plus KITCHEN 40 KW =02 Nos. Spreader links for 125Amp MCCB =02 Nos. Extended Rotary Handle =02 Nos. TP MCCB 100 A 36 KA, for LIGHT LOAD DUCT 3 27.300 KW, LIGHT LOAD DUCT 4 27.220 KW, Spare =03 Nos. 1000A Copper Bus Bar, Load wise Sub Feeder Bus Bar Colour Coated Heat Shrink Bus Bar sleeve Nut-Bolt, Washer ,Hardware etc. WIRING and ACCESSORIES Power and Control Wiring will be (ISI 1100V) flams smoke FRLS PVC Single Core Copper Wire, Copper Lugs, PVC Sleeve, Ferrules Numbers.					
--	--	--	--	--	--

Municipal Corporation/Urban Local Bodies

Sr. No	Description of Item with brief specification and reference to book of specification.	Quantity	Unit	Rate(Rs.) to be quoted by the contractor/ society	
				In figures	In words
24.	Supplying and erection of galvanised stay set for 11 KV over head lines complete with 19/ 20 mm dia X 1.8 metres long stay rod, anchor plate of size 45 cm X 45 cm X 7.5 mm thick, thimble, stay clamps, turn buckle (20 mm X 600 mm), 7/ 4.00 mm dia G.I. stay wire and 11 KV strain insulator etc in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required	30.00	Set		
25.	Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per,metre) pole top bracket/ cross arm for single 11 KV over head, line conductor complete with 50 mm X 6mm flat iron clamp, bolts, nuts and washers including drilling holes for insulator pins, bolts and nuts etc and painting with primer and finish paint as required.	6.00	Nos.		
26.	Erection of Pole top/ straight two wire/ V shape two wire, angle iron/ channel iron, cross arm on steel tubular/ rail/ PCC pole for 11/22/33 KV as required	12.00	Nos.		
27.	Supplying and erection of 11 KV pin insulator complete with large steel head G.I. pin, nuts, washers etc. as required.	12.00	Set		
28.	Supplying and erection of three piece nonlinear resistor type lightning arrestor suitable for 3 wire, 11 KV overhead lines with rated voltage 9 KV (rms) with a nominal discharge current rating of 5 KA and complete with galvanised clamping arrangement, G.I. bolts, nuts, washers etc. as required.	2.00	Set		
29.	Designing, providing, fixing, commissioning and testing of gas chlorinator make Regal USA/ ECO CHLOR of CIT(USA) having capacity upto 2000 grams/ hrs. as designed having the control of gas upto 20th part of max. dose and which can start working automatically on switching on the supply of water complete in all respect with including one year defect liability period and trial run of 3 months. The complete system consists of (a) Vacuum regulator (b) Measuring Glass Tube (c) Ejector (d) PF tubing (e) Spanner with cylinder opening key (f) Ammonia Gas (Liquid) for leaking test (g) 1" dia. PVC pipe with PVC fitting, ball Valves, etc. h) 2 No. chlorine gas cylinder capacity 100kg duly certified and approved by BIS and Explosive Department Govt. of India. (1) Electronic Chlorine gas leak detector with sensor and hooter. (j) Eye Goggles (k) mask with canister	1.00	Job		

Total Bid Price (in figures) -----

(in words) -----

Signature _____

Notes:-

1. The item for which no rate or price has been entered in will not be paid for by the Employer when executed and shall be deemed to be covered by the other rates and prices in the Bill of Quantities (Refer: ITB Clause 13.2).
2. Unit rates and prices shall be quoted by the bidder in Indian rupees excluding GST [ITB Clause 14.1].

Section 7

Standard Forms

Letter of Acceptance

and

Other Forms

Standard Forms

(A) Letter of Acceptance

LETTER OF ACCEPTANCE

(Letterhead paper of the Employer)

No. _____

Dated _____

To

_____ (Name and address of the Contractor)

Dear Sirs,

This is to notify you that your Bid dated _____ for execution of the _____ (name of the contract and identification number as given in the contract data) for the contract Price of Rupees _____ (amount in words and figures), as corrected and modified in accordance with the Instructions to Bidders¹ is hereby accepted.

You are hereby requested to furnish Performance Security, (and additional security for unbalanced bids in terms of ITB Clause 29.3) [*where applicable*] in the form detailed in Clause 34.1 of ITB for an amount equivalent to Rs. _____ within 15 days of the receipt of this letter of acceptance valid up to 28 days from the date of expiry of **Defect Liability-cum-Maintenance Period** i.e. up to _____ and sign the contract, failing which action as stated in Clause 34.3 of ITB will be taken.

Yours faithfully,

Authorized Signature

Name and title of Signatory

Name of Employer

for and on behalf of Governor of Haryana

(B) Issue of Notice to Proceed with the Work

ISSUE OF NOTICE TO PROCEED WITH THE WORK

(Letter head of the Employer)

No. _____

Dated

To

_____ (Name and address of the Contractor)

Dear Sirs:

Pursuant to your furnishing the requisite Performance Security as stipulated in ITB Clause 34 and signing of the Contract for the work of _____

_____ at a bid price of Rs. _____.

You are hereby instructed to proceed with the execution of the said works in accordance with the contract documents.

Yours faithfully,

(Signature, name and title of signatory,
authorized to sign on behalf of Employer)

(C) Standard Form of Agreement

STANDARD FORM: AGREEMENT

This Agreement, made the _____ day of _____ 20_____,
between _____

_____ [name and address of
Employer]

(hereinafter called “the Employer”) of the one part, and

[name and address of Contractor] (hereinafter called “the Contractor” of the other part).

Whereas the Employer is desirous that the Contractor execute

_____ [name and identification number of Contract]

(hereinafter called “the Works”) and the Employer has accepted the Bid by the
Contractor for the execution and completion of such Works and the remedying of any
defects therein at a cost of Rupees.....

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.

3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and remedying the defects within the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:
 - i) Letter of Acceptance;
 - ii) Notice to Proceed with the works;
 - iii) Contractor's Bid;
 - iv) Contract Data;
 - v) Special Conditions of Contract and General Conditions of Contract;
 - vi) Specifications;
 - vii) Drawings;
 - viii) Bill of Quantities; and
 - ix) Any other document listed in the Contract Data as forming part of the Contract.

In witness whereof, the parties thereto have caused this Agreement to be executed the day and year first
before written.

The Common Seal of _____

was hereunto affixed in the presence of:

Signed, Sealed and Delivered by the said _____

in the presence of:

Binding Signature of Employer _____

Binding Signature of Contractor _____

(D) Form of Unconditional Bank Guarantee from Contractor for Performance Bank Guarantee

(BANK GUARANTEE)

WHEREAS, _____ [Name of Bidder] (hereinafter called “the Bidder”) has submitted his Bid dated _____ [date] for the construction of _____ [name of contract hereinafter called “the Bid”].

KNOW ALL PEOPLE by these presents that

We _____
[name of Bank] of _____ [name of country] having our registered office at _____ (hereinafter called “the Bank”) are bound unto _____ [name of Employer] (hereinafter called “the Employer”) in the sum of _____ * for which payment well and truly be made to the said Employer the Bank itself, his successors and assigns by these presents.

SEALED with the common seal of the said Bank this _____ day of _____, 20

THE CONDITIONS of this obligation are;

(1) If after Bid opening the Bidder withdraws his bid during the period of Bid validity specified in the from of tender.

OR

(2) If the Bidder having been notified to the acceptance of his bid by the Employer during the period of Bid validity:

(a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if
required; or

(b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders; or

We undertake to pay to the employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date _____ ** days after the deadline for submission of Bids or as such deadline as is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

DATE _____

SIGNATURE _____

WITNESS _____

SEAL

[Signature, name and address]

* The Bidder should insert the amount of the guarantee in words and figures denominated in Indian Rupees.

** 45 days after the end of the validity period of the Bid. Date should be inserted by the employer before the Bidding documents are issued.

Earnest Money Declaration Form

(in case of bidder is registered as contractor with Haryana Government on Haryana Engineering Works Portal)

(refer Clause 16.2 of Section 1)

1. I hereby submit a declaration that the bid submitted by the undersigned, on behalf of the bidder, (name of the Bidder), shall not be withdrawn or modified during the period of validity i.e. not less than 120 (one hundred twenty) days from the bid due date.
2. I, on behalf of the bidder, (Name of Bidder), also accept the fact that in case the bid is withdrawn or modified during the period of its validity or if we fail to sign the contract in case the work is awarded to us or we fail to submit a performance security before the deadline defined in clause 34.1 of the tender document, then (Name of Bidder) will be debarred for participation in the tendering process in any of the Department/Boards/Corporations etc. of the Government of Haryana for a period of Two year from the bid due date of this work

(Signature of the Authorized Signatory)
(Official Seal)

PERFORMANCE BANK GUARANTEE

To

_____ [name of Employer]
_____ [address of Employer]

WHEREAS _____ [name and address of Contractor] (hereafter called “the contractor”) has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ [name of Contract and brief description of Works] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligation in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of _____ [amount of guarantee]* _____ (in words), such sum being payable in the types and proportions of currencies in which the Contract Price is Payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ [amount of guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until 45 days from the expiry of the **Defect Liability-cum-Maintenance Period**.

Signature and Seal of the guarantor _____
Name of Bank _____
Address _____
Date _____

* An amount shall be inserted by the Guarantor, representing the percentage the Contract Price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.

(E) Format for Equipment/Machinery Lease Agreement

EQUIPMENT/MACHINERY LEASE AGREEMENT

The Lease Agreement (the “agreement”) is made and entered on dated _____, by and between (“Lessor” and (“ Lessee”) (collectively referred to as the parties).

The parties agree as follows:-

1 Lessor hereby leases to Lessee the following machinery and equipment:

2 LEASE TERM: The Lessee will start on dated _____ (begin date) and will end on dated _____ (end date).

3 LEASE PAYMENT: Lessee agrees to pay lessor as rent for the equipment/ machinery the amount of Rs. _____ (“RENT”) each month in advance on the first day of each month at _____ (Address for rent payment) or at any other address designated by Lessor. s

4 LATE PAYMENT: If any amount under this agreement is more than _____ days late, lessee agree to pay a late fees of Rs. _____ per day.

5 SECURITY DEPOSIT: Prior to taking possession of the Equipment/ machinery, Lessee shall deposit with Lessor in trust, a security deposit of Rs. _____ as security for the performance by Lessee of the terms under this agreement and for any damages caused by Lessee or Lessee’s agents to the equipment/ machinery during the lease term. Lessor may use part or all of security deposit to repair any damage to Equipment/ machinery caused by Lessee or Lessee’s agents. However, lessor is not just limited to security deposit amount and lessee remains liable for any balance. Lessee shall not use or apply any such security at any time in lieu of payment of rent. If lessee breaches any terms or conditions of this Agreement, Lessee shall forfeit any deposit, as permitted by law.

6. DELIVERY: Lessee shall not be responsible for all expenses and costs i) at the beginning of the Lease Term, of transporting the equipment/ machinery Lessee’s premises and ii) at the end of the Lease Term, of transporting the equipment/ machinery back to Lessor’s premises.s

7. POSSESSION AND SURRENDER OF EQUIPMENT/ MACHINERY: Lessee shall be entitled to possession of the equipment/ machinery on the first day of Lease Term. At the expiration of the lease term, Lessee shall surrender the equipment/ machinery to Lessor by delivering the equipment/ machinery to Lessor or Lessor agents in good condition and working order, ordinary wear and tear excepted, as it was at the commencement of the agreement.

8. USE OF EQUIPMENT/ MACHINERY: Lessee shall only use the equipment/ machinery in a careful and proper manner and will comply with all laws, rules, ordinances, statues and orders regarding the use, maintenance of storage of the equipment/ machinery.

9. CONDITIONS OF EQUIPMENT/ MACHINERY AND REPAIR: Lessee or Lessee’s agent has inspected the equipment/ machinery and acknowledges that the equipment/ machinery is in good and acceptable condition.

10. **MAINTENANCE, DAMAGE AND LOSS:-** Lessee will, at Lessee's sole expense, keep and maintain the equipment/ machinery clean and in good working order and repair during the Lessee Term. In the event the equipment/ machinery is lost or damaged beyond repair, Lessee shall pay to Lessor the replacement cost of equipment/ machinery, in addition, the obligations of this Agreement shall continue in full force and effect through the Lease term.
11. **INSURANCE:** Lessee shall be responsible to maintain insurance on the equipment/ machinery with losses payable to Lessor against fire, theft, collision and other such risks as are appropriate and specified by Lessor, upon request by Lessor, Lessee shall provide proof of such insurance.
12. **OWNERSHIP:** The equipment/ machinery is and shall remain the exclusive property of Lessor.
13. **BINDING EFFECT:** The covenants and conditions contained in the Agreements shall apply to and bind the Parties and the heirs, legal representatives, successors and permitted assigns of the Parties.
14. **GOVERNING LAW:** This agreement shall be governed and constructed in accordance with the Laws of State of Haryana.
15. **NOTICE:** Any notice required or otherwise given pursuant to this Agreement shall be in writing and mailed certified return receipt requested, postage prepaid, or delivered by courier or speed post to Lessor/ Lessee.

Address of the Lessor	Address of the Lessee

Either party may change such address from time to time by providing notice as set for the above.

In witness whereof, the parties have caused this Agreement to be executed the day and year first above written.

LESSOR

LESSEE

(F) Format For Joint Venture Memorandum of Understanding/Agreement (wherever applicable)

**FORMAT FOR JOINT VENTURE MEMORANDUM OF
UNDERSTANDING/AGREEMENT**

THIS JOINT VENTURE MEMORANDUM OF UNDERSTANDING (MOU)/AGREEMENT
EXECUTED AT ON THIS DAY OF 2021
BETWEEN M/s Registered office at
..... as the first party and M/s
..... Registered office at
..... as the Second party as
thirty party. (The expression and words of the first and second and third party shall mean and
include their heirs successors, assigns, nominees execution, administrators and legal representatives
respectively.)

WHEREAS the parties herein above mentioned are desirous of entering into a Joint Venture
for carrying on Engineering and/or contract works, in connection with
..... and other works mentioned in Tender Notice No.
..... Dated of PWD B&R Department or any
other work or works, as mutually decided between the parties to this Joint Venture.

WHEREAS all the parties are desirous of recording the terms and conditions of this Joint
Venture to avoid future disputes.

NOW THIS MoU/AGREEMENT WITNESSTH AS UNDER:

1. That in and under this Joint Venture agreement the work will be done jointly by the First Party and Second Party in the name and style of M/s _____ M/s _____ and M/s. _____).
2. This all the parties shall be legally liable, severally and or jointly responsible for the satisfactory/successful execution/completion of the work in all respects and in accordance with terms and conditions of the contract.
3. That the role of each constituent of the said Joint Venture in details shall be as under:-

The first party shall be responsible for _____

The second party shall be responsible for _____

The third party shall be responsible for _____
4. The share of profit and loss of each constituent of the said Joint venture shall be as under:-
5. That all the parties of this Joint Venture shall depute their experienced staff as committed commensuration with their role and responsibility and as required for the successful completion of the works in close consultation with each other.
6. That the investment required for the works under this Joint Venture shall be brought in by the parties as agreed to between them from time to time.
7. That all the Bank guarantee shall be furnished jointly by the parties in the name of Joint Venture.
8. That the party number _____ to this Joint Venture shall be the prime (lead) contractor and will be responsible for timely completion of work and to coordinate with the Department to receive payments and also to make all correspondence on behalf of this Consortium/Joint Venture.
9. That all the above noted parties i.e. _____ not to make any change in the agreement without prior written consent of the competent authority of the department.

NOW THE PARTIES HAVE JOINED HANDS TO FORM THIS JOINT VENTURE ON THIS _____ DAY OF _____ TWO THOUSAND WITH REFERENCE TO AND IN CONFIRMATION OF THEIR DISCUSSIONS AND UNDERSTANDING BROUGHT ON RECORD ON _____.

IN WITNESS THEREOF ALL/BOTH THE ABOVE NAMED PARTIES HAVE SET THEIR RESPECTIVE HANDS
ON THIS JOINT VENTURE AGREEMENT ON THE DAY, MONTH AND YEAR FIRST ABOVE MENTIONED IN THE PRESENCE OF THE FOLLOWING WITNESS;

WITNESSES:

1. FIRST PARTY
2. SECOND PARTY

(G) Bank Guarantee for Advance Payment

BANK GUARANTEE FOR ADVANCE PAYMENT

To

_____ [name of Employer]
_____ [address of Employer]
_____ [name of Contractor]

Gentlemen :

In accordance with the provisions of the Conditions of Contract, sub-clause 51.1 (“Advance Payment”) of the above-mentioned Contract, _____ [name and address of Contractor] (hereinafter called “the Contractor”) shall deposit with _____ [name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of _____ [amount of Guarantee]*
_____ [in words].

We, the _____ [bank of financial institution], as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to _____ [name of Employer] on his first demand without whatsoever right of obligation on our part and without his first claim to the Contractor, in the amount not exceeding _____ [amount of guarantee]*
_____ [in words].

We further agree that no change or addition to or other modification of terms of the Contractor or Works to be performed thereunder or of any of the Contract documents which may be made between _____ [name of Employer] and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until _____ [name of Employer] receives full repayment of the same amount from the Contractor.

Yours truly,

Signature and Seal of the guarantor _____
Name of Bank _____
Address _____
Date _____

* An amount shall be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, and denominated in Indian Rupees.

(H) Indenture For Secured Advances

INDENTURE FOR SECURED ADVANCES

FORM 31

(for use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time).

This indenture made the _____ day of _____, 20____
BETWEEN _____ (hereinafter called the contractor which expression shall
where the context so admits or implies be deemed to include his executors, administrators and
assigns) or the one part and the Employer of the other part.

Whereas by an agreement dated _____ (hereinafter called the said
agreement) the contractor has agreed.

AND WHEREAS the contractor has applied to the Employer that he may be allowed advanced
on the security of materials absolutely belonging to him and brought by him to the site of the works
the subject of the said agreement for use in the constructions of such of the works as he has
undertaken to execute at rates fixed for the finished work (inclusive of the cost of materials and
labour and other charges).

AND WHEREAS the Employer has agreed to advance to the Contractor the sum of Rupees
_____ on the security of materials the
quantities and other particulars of which are detailed in Accounts of Secured Advances attached to the
Running Account bill for the said works signed by the Contractor on _____ and the Employer has
reserved to himself the option of making any further advance or advances on the security of other
materials brought by the Contractor to the site of the said works.

Now THIS INDENTURE WITNESSETH that in pursuance of the said agreement and in
consideration of the sum of Rupees _____ on or before the execution of these
presents paid to the Contractor by the Employer (the receipt where of the Contractor doth hereby
acknowledge) and of such further advances (if any) as may be made to him as a for said the
Contractor doth hereby covenant and agree with the President and declare as follows:

- (1) That the said sum of Rupees _____ so advanced by the Employer to the
Contractor as aforesaid and all or any further sum of sums advanced as aforesaid shall be employed
by the Contractor in or towards expending the execution of the said works and for no other purpose
whatsoever.
- (2) That the materials details in the said Account of Secured Advances which have been
offered to and accepted by the Employer as security are absolutely the Contractor's own
property and free from encumbrances of any kind and the contractor will not make any
application for or receive a further advance on the security of materials which are not
absolutely his own property and free from encumbrances of any kind and the Contractor
indemnified the Employer against all claims to any materials in respect of which an
advance has been made to him as aforesaid.
- (3) That the materials detailed in the said account of Secured Advances and all other materials
on the security of which any further advance or advances may hereafter be made as
aforesaid (hereafter called the said materials) shall be used by the Contractor solely in the
execution of the said works in accordance with the directions of the 'Engineer'.

- (4) That the Contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe custody and protection against all risks of the said materials and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and on his own responsibility and shall at all times be open to inspection by the 'Engineer' or any officer authorized by him. In the event of the said materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a greater degree than is due to reasonable use and wear thereof the Contractor will forthwith replace the same with other materials of like quality or repair and make good the same required by the 'Engineer'.
- (5) That the said materials shall not be any account be removed from the site of the said works except with the written permission of the 'Engineer' or an officer authorized by him on that behalf.
- (6) That the advances shall be repayable in full when or before the Contractor receives payment from the Employer of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payments are made to the Contractor on account of work done than on the occasion of each such payment the Employer will be at liberty to make a recovery from the Contractor's bill for such payment by deducting there from the value of the said materials than actually used in the construction and in respect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials at the rates at which the amounts of the advances made under these presents were calculated.
- (7) That if the Contractor shall at any time make any default in the performance or observance in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing of the Employer shall immediately on the happening of such default be re-payable by the Contractor to be the Employer together with interest thereon at twelve per cent per annum from the date or respective dates of such advance or advances to the date of repayment and with all costs, charges, damages and expenses incurred by the **Employer** in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and the Contractor hereby covenants and agrees with the **Employer** to repay and pay the same respectively to him accordingly.
- (8) That the Contractor hereby charges all the said materials with the repayment to the Employer of the said sum of Rupees _____ and any further sum of sums advanced as aforesaid and all costs, charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is hereby agreed and declared that notwithstanding anything in the said agreement and with- out prejudice to the power contained therein if and whenever the covenant for payment and repayment here-in-before contained shall become enforceable and the money owing shall not be paid in accordance there with the **Employer** may at any time thereafter adopt all or any of the following courses as he may deem best :
- (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the contractor in accordance with the provisions in that behalf contained in the said agreement debiting the contractor with the actual cost of effecting such completion and the amount due to the contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the contractor, he is to pay same to the **Employer** on demand.
- (b) Remove and sell by public auction the seized materials or any part there of and out of the

moneys arising from the sale retain all the sums aforesaid repayable or payable to the **Employer** under these presents and pay over the surplus (if any) to the Contractor.

- (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except in the event of such default on the part of the contractor as aforesaid interest on the said advance shall not be payable.
- (10) That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been here-in-before expressly provided for the same shall be referred to the Employer whose decision shall be final.

(I) Integrity Pact Format

INTEGRITY PACT FORMAT

Not applicable

(J) Undertaking

UNDERTAKING

Description of the Works :

To :

Address :

1. With full understanding that Part II of our bid (Financial bid) will be opened only if I/We qualify on the basis of evaluation in Part I of the Bid (Technical bid), I/We offer to execute the Works described above and remedy any defects therein in conformity with the conditions of Contract, specifications, drawings, Bill of Quantities and Addenda for an amount quoted in the Financial Bid.
2. I/We agree to abide by this Bid for the period of 120 days from the date fixed for receiving the same, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
3. Unless and until a formal Agreement is prepared and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
4. I/We undertake, if our Bid is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Engineer's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the document.
5. I/We understand that you are not bound to accept the lowest or any tender you may receive.

Signature of Authorised Signatory

Name and Title of Signatory.....

Name of Bidder

Authorised Address of Communication.....

Telephone Nos (Office)

Mobile No.

Facsimile (Fax) No.

Electronic Mail Identification (Email ID)

Place:

Date:

(K) AFFIDAVIT

FORMAT FOR THE AFFIDAVIT

(NOTE: This affidavit should be on a non-judicial stamp paper of Rs.10/- and shall be attested by Magistrate/Sub-Judge/ Notary Public)

Name of work _____

I, ... (name of the authorised representative of the bidder) son/daughter of resident of

..... (full address), aforesaid
solemnly affirm and state as under:

1. I, undersigned, do hereby certify that all the information furnished and statement's made in response to this notice inviting bid are true and correct and nothing has been concealed.
2. I, undersigned or our firm M/s _____ have never been blacklisted or debarred by any State Govt. /Central Government/Autonomous Body/Authority in Law.
3. I, undersigned or our firm M/s _____ have never been declared bankrupt/ insolvent as on date.
4. The undersigned hereby authorize(s) and request(s) any bank, person, firm PSU/ Authority or Corporation to furnish pertinent information deemed necessary and requested by the Department to verify this statement or regarding may (our) competence and general reputation.
5. The undersigned understand and agrees that further qualifying information may be requested, and agrees to furnish any such information at the request of the Department/ Project implementing agency.
6. I, the undersigned do hereby undertake that our firm M/s _____ would invest a minimum cash upto 25% of the value of the work during implementation of the Contract.
7. I, the undersigned do hereby undertake that our firm M/s _____ agree to abide by this bid for a period of 120 days from the date fixed for receiving the same and it shall be binding on us and may be accepted at any time before the expiration of that period.
8. I, the undersigned do hereby undertake that our firm M/s _____ agree to deploy on this work the machinery, equipment and technical personnels as mentioned in the bid document.
9. *I hereby certify that I have been authorised by
..... (the bidder) to sign on their behalf, the bid mentioned in paragraph 1 above.

Deponent
Signed by an
Authorized
Officer of the firm
(Deponent)

Place:

Date:

* not applicable if the bidder is an individual and is signing the bid on his own **behalf**.

Signature Not Verified

Digitally signed by Amit Kumar Sharma
Date: 2026.06.09 10:32:42 IST
Location: Haryana-HR