

eNotice Inviting Tender (NIT)

The Director, International Centre for Automotive Technology (ICAT), a division of National Automotive Board (NAB), Govt. of India, hereby invites tenders through CPPP in two bid system for “Supply, fabrication and installation of aluminium partitions for the control room including false ceiling and awnings in FTL-B4 at ICAT Centre 1, Manesar (Haryana)” as per following details:

Tender Activity Schedule:

| | |
|-------------------------------|--|
| Job Description | Supply, fabrication and installation of aluminium partitions for the control room including false ceiling and awnings in FTL-B4 at ICAT Centre 1, Manesar (Haryana). |
| Scope of Work/Services | As Per Annexure “C” |
| Eligibility Criteria | <p>Minimum Eligibility Criteria: The bidder whose bid meets the following eligibility criteria would only be considered.</p> <ul style="list-style-type: none"> • Legal Valid Entity: The bidder shall necessarily be a legal valid entity in the form of a Proprietary Firm, Partnership Firm, Private Limited Company. Proof of the legal validity of the Bidder shall be submitted. • The bidder must have a valid PAN No. & GST Documents. • Bidder shall have executed at least 3 work order w.r.t. in Building Construction works, Interior work, any civil construction work. • The bidder should have an average annual turnover of at least INR 12.00 Lac in the last three financial years (2022-23, 2023-24, 2024-25). Relevant proof for supporting the above shall be submitted. • The bidder should have completed works of Building Construction works, Interior work, any civil construction work, in the last seven financial years and the cost is not less than the above-mentioned value. • Satisfactory completion of minimum 3 works of Rs 1,46,000 each. <p align="center">OR</p> <ul style="list-style-type: none"> • Satisfactory completion of minimum 2 works of Rs. 1,82,000 each. <p align="center">OR</p> <ul style="list-style-type: none"> • Satisfactory completion of minimum 1 work of Rs 2,92,000 each. <p>If the Bidder fails to submit the authenticated documents in support of his/their credentials as specified in tender documents, his/their tender will be liable to be rejected summarily.</p> |

| | |
|---|---|
| <p>Evaluation Criteria</p> | <p>It is mandatory for the bidder to comply with the complete technical requirement given in the bid document. In the event the bidder does not comply with the technical requirement, he shall be disqualified and any deviation proposed on technical requirement from the bidder end will not be considered at all. Disqualified bidders will not be eligible to make any claim. Those bidders who meet our technical requirements will be moved forward for financial evaluation. The order would be awarded to the L1 bidder among the technically qualified bidders.</p> |
| <p>Payment Terms</p> | <p>100% payment shall be released after successful supply, Installation and satisfactory completion of the work at the ICAT site, upon submission of the invoice along with a valid E-Way Bill (Part A & Part B) at ICAT Site.</p> |
| <p>Delivery/Completion Period</p> | <p>Within 45 Days from the date of Issuance NTP (Notice to Proceed).</p> |
| <p>Liquidity Damages</p> | <p>0.5% of the final Contract Price Per Week beyond the completion date up to a maximum of 10% of the total contract price.</p> |
| <p>Price Validity</p> | <p>6 Months (180 Days).</p> |
| <p>Delivery Terms</p> | <p>For Up to ICAT Centre - 1.</p> |
| <p>Guarantee/Warranty Period</p> | <p>The Contractor warrants that all works related to the Supply and Installation of aluminum partitions for the control room including false ceiling and awnings shall be free from defects in materials and workmanship for a period of 12 Months from the date of Final Acceptance of the works by the Employer.</p> <p>During this warranty period, the Contractor shall, at their own cost and within a reasonable time, repair or replace any part of the Supply and Installation of aluminium partitions including false ceiling and awnings that is found to be defective or fails under normal use and service conditions, due to:</p> <ul style="list-style-type: none"> ➤ Faulty or improper installation, ➤ Use of substandard or non-compliant materials, ➤ Workmanship not in accordance with the specifications |
| <p>Work Site</p> | <p>International Centre for Automotive Technology (Centre - 1), Plot No. 26, Sector - 3, Near HSIIDC, IMT Manesar, Gurgaon 122050</p> |
| <p>Billing Address</p> | <p>International Centre for Automotive Technology (Centre - 1), Plot No. 26, Sector - 3, Near HSIIDC, IMT Manesar, Gurgaon 122050 GST No. 06AABAN9435G2ZI</p> |
| <p>Last Date of online submission of Bid on eProcurement</p> | <p>Up to 1700 Hrs. on 21st May' 2026, on eProcurement Portal.</p> |

- Bidders to comply with Rule 144 (xi) of GFR 2017 (refer Office Memorandum of Department of Expenditure dated 23rd July 2020
<https://doe.gov.in/sites/default/files/OM%20dated%2023.07.2020.pdf>
- **Preference to Make in India:** As per the revised order issued by Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-PP (BE-II) dated 04.06.2020. The purchaser reserves the right to give preference to the local supplier.
<https://dpiit.gov.in/sites/default/files/PPP%20MII%20Order%20dated%204th%20June%202020.pdf>

Bidders shall ensure that their tender, duly signed, complete in all respects as per the instruction contained in the NIT/Tender documents

Note: ICAT reserves the right to reject/modify/cancel the tender without assigning any reason thereof.

Annexure: A

Proposal Invited for “Supply, fabrication and installation of aluminium partitions for the control room including false ceiling and awnings in FTL-B4” at ICAT Centre 1, Manesar (Haryana).

1. Eligibility Criteria:

Minimum Eligibility Criteria: The bidder whose bid meets the following eligibility criteria would only be considered.

- **Legal Valid Entity:** The bidder shall necessarily be a legal valid entity in the form of a **Proprietary Firm, Partnership Firm, Private Limited Company**. Proof of the legal validity of the Bidder shall be submitted.
- The bidder must have a **valid PAN No. & GST Documents**.
- Bidder shall have executed at least **3** work order w.r.t. in **Building Construction works, Interior work, any civil construction work**.
- The bidder should have an average annual turnover of at least **INR 12.00 Lac** in the **last three financial years (2022-23, 2023-24, 2024-25)**. Relevant proof for supporting the above shall be submitted.
- The bidder should have completed works of **Building Construction works, Interior work, any civil construction work**, in the **last seven financial years** and the cost is not less than the above-mentioned value.
- Satisfactory completion of minimum 3 works of Rs **1,46,000 each**.
- OR
- Satisfactory completion of minimum 2 works of Rs. **1,82,000 each**.
- OR
- Satisfactory completion of minimum **1** work of Rs **2,92,000 each**.
- **If the Bidder fails to submit the authenticated documents in support of his/their credentials as specified in tender documents, his/their tender will be liable to be rejected summarily.**

2. ICAT Terms & Conditions:

- **Scope of Service: Supply, fabrication and installation of aluminium partitions for the control room including false ceiling and awnings in FTL-B4” at ICAT Centre 1, Manesar (Haryana).**
- The bidder is required to sign each page of each part of this tender document (NIT) for acceptance of terms and conditions and submitting along with the bid. ICAT reserves the right to reject any or all the tenders in part in full without assigning any reason thereof.
- It is mandatory for the bidder to comply with the complete technical requirement given in the bid document. In the event the bidder does not comply with the technical requirement, he shall be disqualified, and any deviation proposed on technical requirement from the bidder end will not be considered at all. Disqualified bidders will not be eligible to make any claim. Those bidders who meet our technical requirements will be moved forward for financial evaluation. The order would be awarded to the L1 bidder among the technically qualified bidders.
- **Bid Validity/Price Validity: 180 days** from the bid end date.
- **Billing:** All bills and accompanying documents should be raised and submitted in original, as per the payment terms and should be accompanied by original copies of duly receipted/certified delivery challan/work progress or completion certificate, as applicable. No payment shall be released against any duplicate bills, work progress report or completion certificate or delivery challan. All applicable taxes such as GST, service tax, works contract tax shall be mentioned separately in the invoice.

- **Payment Terms:** 100% payment shall be released after successful supply, Installation and satisfactory completion of the work at the ICAT site, upon submission of the invoice along with a valid E-Way Bill (Part A & Part B) at ICAT Site.
- **Completion Period:** Within 45 Days from the date of Issuance NTP (Notice to Proceed).
- **Liquidity Damages/Penalty for Delay:** The delivery of the item shall be completed strictly as per time limits specified in the work contract/agreement, failure to complete the delivery within the stipulated time will make you liable to an unconditional penalty of ½% (Half Percent) of the value of work per week subjected to a maximum of 10% (Ten Percent) of the work contract.
- Interested bidders must quote compulsorily for all the **Supply and Installation** as per NIT, else their bid will not be considered for further processing and shall be liable for disqualification without further notice.
- **Guarantee/Warranty Period:** The Contractor warrants that all works related to the **Supply and Installation of aluminum partitions for the control room including false ceiling and awnings** shall be free from defects in **materials and workmanship** for a period of **12 Months** from the date of **Final Acceptance** of the works by the Employer.

During this warranty period, the Contractor shall, at their own cost and within a reasonable time, repair or replace any part of the **Supply and Installation of aluminium partitions including false ceiling and awnings** that is found to be defective or fails under normal use and service conditions, due to:

- Faulty or improper installation,
- Use of substandard or non-compliant materials,
- Workmanship not in accordance with the specifications or industry standards.
- Applicable statutory taxes will be deducted at source.
- **Delivery Terms:** FOR Up to ICAT Site - 1 (Inclusive of Packing, Forwarding, Loading, Insurance, Transportation and Unloading of Equipment at ICAT Site).
- **Valid E-way bill:** Material needs to be delivered along with valid E-way bill (Part A+ Part B) and within the validity of e-way bill.
- **Site Address: Centre -1:** International Centre for Automotive Technology (Centre - 1), Plot No.26, Sector: 3, near HSIIDC, IMT Manesar, Gurgaon- 122050.
- **Billing Address:** International Centre for Automotive Technology (Centre - 1), Plot No. 26, Sector-3, Near HSIIDC, IMT Manesar, Gurgaon- 122050, **GST No.: 06AABAN9435G2ZI.**
- **Submission of Following Documents to ICAT: -**
 - Original Commercial Invoice.
 - E-way Bill (Both Part A + Part B)
 - Consignee LR Copy.

3. Special Instructions and Conditions:

The contractor must follow the instructions before starting the work and during the work:

- All materials required for aluminum partitions for the control room including false ceiling and awnings will be in scope of the bidder. The bidder should ensure that all materials required for the work to be supplied shall be new and free from all defects and faults, Prior approval will be taken from ICAT Representative before supplying or use the material.
- All aspects of safe delivery shall be the exclusive responsibility of the bidder. ICAT will have the right to reject the material supplied if they do not comply with the specification at any point of use or inspection. If any material or part thereof is lost or rendered defective during transit, the

supplier shall immediately arrange for the supply of material or part thereof, as the case may be, at no extra cost.

- All tools, equipment, machinery and consumable items will be in scope of bidder.
- All safety measures will be taken by the contractor during work and all safety equipment such as safety helmet, safety shoes, safety belt, safety goggles etc. will be in scope of the contractor and must be used during the work.
- It is the responsibility of the bidder to keep the material safe at ICAT site.
- It is the responsibility of the bidder to keep the site safe and clean as much as possible.
- After the completion of the project, the site should be neat and cleaned before handover.
- The contractor must follow the procedure for material approval and work permission.
- While working at site, some restrictions may be imposed by Site In-Charge/Security Staff of ICAT or Local Authorities regarding Safety and Security etc. The contractor shall be bound to follow all such restrictions/instructions & nothing extra shall be payable on this account.
- No compensation shall be payable to the contractor for any damage caused by rains lightning, wind, storm, floods Tornado, earthquakes or other natural calamities during the execution of work. He shall make good all such damages at his own cost and no claim on this account will be entertained.
- No labour hutment shall be allowed in premises. All laborers should leave the site after a day's work. The security & Watch Ward of site contractor materials/work etc. shall be at his cost only.
- All rates quoted by the bidders shall remain firm for the contract period/extended contract period.
- If the contractor fails to proceed with the work within the stipulated time as specified from the date of issue of letter of intent/letter to proceed with the work, the ICAT reserves the right to cancel the Contract and apply all remedies available to him under the terms and conditions of this contract.
- The contractor shall fully be responsible for the any injury or damage caused to the workmen deployed by him at site for carrying out the work and ICAT has nothing to do with such happenings and in no way shall be held responsible for the same.
- Statutory labor compliance is in the scope of contractors. (WC Policy, CAR Policy, ESIC and EPF)

Annexure: B

Technical Bid for “Supply, fabrication and installation of aluminum partitions for the control room including false ceiling and awnings in FTL -B4 at ICAT Centre 1, Manesar (Haryana).

| Sl. No | Item Description | Unit | Quantity |
|--------|--|------|----------|
| 1 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required Dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitered and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately), Powder coated aluminium (minimum thickness of powder coating 50 micron) Make - Jindal/Equivalent | kg | 100 |
| 2 | For shutters of sliding doors, doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately), Powder coated aluminium (minimum thickness of powder coating 50 micron) Make - Jindal/Equivalent | kg | 40 |
| 3 | Providing and fixing 12mm thick prelaminated particle board flat pressed three layers or graded wood particle board conforming to IS:12823 Grade I Type II, in paneling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides, Make - Action test/Equivalent | Sqm | 22 |
| 4 | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item), With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) Make - Saint Gobain / ASAHI or Equivalent | Sqm | 15 |
| 5 | Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Make - Dorset/Godrej/Equivalent | Nos | 4 |
| 6 | Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. complete as per direction of Engineer-in-charge, Powder coated minimum thickness 50-micron aluminium | Nos | 8 |
| 7 | Providing and fixing aluminium tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required color or shade with necessary screws etc. complete : | | |
| (i) | 150x10 mm | Nos | 2 |

| | | | |
|------|---|-------|-----|
| (ii) | 200x10 mm | Nos | 2 |
| 8 | Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight up to 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. Dorset/Godrej/Equivalent | Nos | 2 |
| 9 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. | Nos | 2 |
| 10 | Removing of Grid false ceiling and stacking all framing materials and tiles within 50 meters lead. | Sqm | 16 |
| 11 | False Ceiling : Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. 8 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit. Make -USG Boral/Stain Gobain / Equivalent | Sqm | 22 |
| 12 | Extra charges for toughening of 5 mm glass | sqm | 15 |
| 13 | Providing and fixing frosted film including existing film removing. Make: LG / Garware/Equivalent | sqm | 25 |
| 14 | Providing and fixing black films including existing film removing, Make : LG / Garware/Equivalent | sqm | 25 |
| 15 | Providing and fixing the wheel set for aluminium sliding door | set | 3 |
| 16 | Providing and fixing of PVC awning for door and window Specification Details - PVC Fabric thickness -600 GSM MS Pipe Size 1 inch x 1 inch (Square Pipe) MS Pipe Thickness -2 mm Finish Powder Coated / Painted on MS Pipe (as per | Sqft. | 240 |

| | | |
|---|--|--|
| requirement) Usage Heavy-duty awning with durable weather- resistant fabric and strong steel frame Make - SRF Fabawn/Sunbrella or Equivalent | | |
|---|--|--|

For any technical queries please feel free to contact the undersigned:

Contact Person: Mr. Pradeep Saroha

Contact No: +91- 7015491190

Email address: pradeep.saroha@icat.in

LIST OF VENDORS

The list of vendors is given below for reference purpose only and the bidder may choose any other vendor as appropriate. In all the cases, the successful bidder shall have to take prior approval of ICAT for such items listed below and its vendors.

| Sl. | Description of Items | Name of Vendor |
|------------|-----------------------------|---|
| 1. | Paint | Berger, Asian, Nerolac |
| 2 | Toughened Glass. | Saint Gobain / ASAHI or Equivalent, Thickness - 12 mm |
| 3 | Frosted film and black film | LG/Equivalent |
| 4 | Aluminum partition member | Jindal/Equivalent |
| 5 | Grid False Ceiling | USG Boral/Stain Gobain / Equivalent |
| 6 | PVC awning | SRF Fabawn/Sunbrella or Equivalent |
| 7 | Door Lock | Dorset/Godrej/Equivalent |
| 8 | prelaminated particle board | Action test/Equivalent |
| 9 | Door Closer | Dorset/Godrej/Equivalent |


The bidder shall get approve the makes of specified work from ICAT in case make of that item is not mentioned but shall be required to complete as per scope of work and drawings. The ICAT shall reserve the right to approve stringent makes whatsoever it may be. The bidder shall be bound to accept stringent provisions without any extra costs as per provision of tender conditions.

International Centre for Automotive Technology (ICAT)

Plot No. - 26, Sector-3, HSIIDC, IMT Manesar, Gurgaon-122050, Haryana, India

Phone: +91-124-4586-111, FAX: +91-124-2290005, Email: purchase@icat.in,Website www.icat.in


Image for Reference:



Reception Area



Awning



Control Room

Annexure: C

Financial Bid for “Supply, fabrication and installation of aluminum partitions for the control room including false ceiling and awnings in FTL -B4 at ICAT Centre 1, Manesar (Haryana).

| Sl. No | Item Description | Unit | Quantity | Rate (INR) | Amount (INR) |
|--------|---|------|----------|------------|--------------|
| 1 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately), Powder coated aluminium (minimum thickness of powder coating 50 micron) Make - Jindal/Equivalent | kg | 100 | | |
| 2 | For shutters of sliding doors, doors, windows & ventilators including providing and fixing hinges/pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately), Powder coated aluminium (minimum thickness of powder coating 50 micron) Make - Jindal/Equivalent | kg | 40 | | |
| 3 | Providing and fixing 12mm thick prelaminated particle board flat pressed three layers or graded wood particle board conforming to IS:12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides, Make - Action tesa//Equivalent | Sqm | 22 | | |
| 4 | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item), With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) Make - Saint Gobain / ASAHI or Equivalent | Sqm | 15 | | |
| 5 | Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete. Make -Dorset/Godrej/Equivalent | Nos | 4 | | |
| 6 | Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. complete as | Nos | 8 | | |

| | | | | | |
|------|--|-----|----|--|--|
| | per direction of Engineer-in-charge, Powder coated minimum thickness 50-micron aluminium | | | | |
| 7 | Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete : | | | | |
| (i) | 150x10 mm | Nos | 2 | | |
| (ii) | 200x10 mm | Nos | 2 | | |
| 8 | Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight up to 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete. Dorset/Godrej/Equivalent | Nos | 2 | | |
| 9 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. | Nos | 2 | | |
| 10 | Removing of Grid false ceiling and stacking all framing materials and tiles within 50 meters lead. | Sqm | 16 | | |
| 11 | False Ceiling : Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. 8 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16mm thick fire retardant | Sqm | 22 | | |

| | | | | | |
|----|---|------|-----|--|--|
| | PVC film on the face side and 12micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit. Make -USG Boral/Stain Gobain / Equivalent | | | | |
| 12 | Extra charges for toughening of 5 mm glass | sqm | 15 | | |
| 13 | Providing and fixing frosted film including existing film removing. Make: LG / Garware/Equivalent | sqm | 25 | | |
| 14 | Providing and fixing black films including existing film removing. Make : LG / Garware/Equivalent | sqm | 25 | | |
| 15 | Providing and fixing of wheel set for aluminium sliding door | set | 3 | | |
| 16 | Providing and fixing PVC awning for door and window Specification Details - PVC Fabric thickness -600 GSM MS Pipe Size 1 inch × 1 inch (Square Pipe) MS Pipe Thickness -2 mm Finish Powder Coated / Painted on MS Pipe (as per requirement) Usage Heavy-duty awning with durable weather-resistant fabric and strong steel frame Make - SRF Fabawn/Sunbrella or Equivalent | sqft | 240 | | |
| | | | | Amount (Rs) | |
| | | | | GST @18% | |
| | | | | Total Amount Including GST (Rs) | |

Annexure-D

{Format for *each* of the Declarations to be typed on the bidder's letterhead separately and to be submitted in the tender document}

DECLARATION -1

(Declaration regarding Make in India)

In line with Government Public Procurement Order No. **P-45021/2/2017-BE-II dt. 15.06.2017 & P-45021/2/2017-PP (BE-II) dated 28.05.2018**, we hereby certify that we M/s _____ (supplier name) are local supplier meeting the requirement of minimum local content (____%) as defined in above orders against Tender/Enquiry No. _____

Details of the location at which local value addition will be made are as follows:

(Signature of the bidder with seal/ rubber stamp)

DECLARATION-2

(Declaration regarding compliance of Rule 144 (xi) of GFR 2017)

"I/We have read the clause regarding restrictions on procurement/sub-contracting from an entity/natural person/agent/consortium/Joint venture having beneficial ownership in countries which share land border with India. I/We certify that neither we are not from such a country nor having any beneficial ownership from such a country. If I/We are from such a country or having beneficial ownership, we register with the competent authority. I/We hereby certify that we fulfill all requirements in this regard and are eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]

Authorized Signatory

* We also understand, false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules and would be a ground for immediate termination and further legal action in accordance with law.

Annexure -E

VENDOR INFORMATION FORM (VIF)

Bidders are requested to fill up this VIF & submit along with their bids.

| | |
|---|--|
| Name of the Firm | |
| Nature of Business (Product/Services) | |
| Company Category (Micro Unit/Small Unit/Medium Unit/ Ancillary Unit/SSI) (Please enclose relevant self-attested photocopy of Certificates) | |
| Company's Legal Status (Proprietor/Limited Company/Undertaking/Joint Venture/Partnership/Others) | |
| Bidder Type (Indian/Foreign) | |
| Full Address of Registered Office with Postal Code | |
| Telephone Numbers (Mobile & Landline) | |
| Fax Numbers | |
| Email Address | |
| Contact Person | |
| Name of the Proprietor/Partners, Address, Mobile No. | |
| D.O.B. | |
| Registration No. for registration under Companies Act 1956. (Please enclose the self-attested photocopy of Certificates) | |
| Company Establishment Year | |
| PAN | |
| GST | |
| Bidder Bank A/C No. (Attach Bankers certificate of account maintenance for last two years) | |
| Name of the Bank | |
| Bank Address | |
| Branch Code | |
| IFSC Code | |