



OFFICE OF THE CHIEF EXECUTIVE OFFICER,
JHARKHAND STATE KHADI AND VILLAGE INDUSTRIES BOARD,
UDYOG BHAWAN, 2ND FLOOR, RATU ROAD, RANCHI-834001.



TENDER DOCUMENT For e-Procurement System for F2 FORM OF CONTRACT
(Includes e-Procurement Notice, N.I.T., General Rules, Special Condition of Contract, Condition of Contract,
Format of Affidavit, and Instruction to Bidders & Template based B.O.Q.)
E-Procurement-<http://jharkhandtenders.gov.in>.

e-Procurement Notice

Tender Ref.no.: NIT-03/JSKVIB/RIADA-EMP/2026-27 Date: 19.05.2026

1.	Mode of tender	Online through http://jharkhandtenders.gov.in .
2.	Name of the work	Repairing and Furnishing work of Johar Emporium at Riada Building, Main Road, Ranchi (Jharkhand), 2026-2027
3.	Estimated Cost	Rs.11,68,900.00 (Rupees Eleven Lacs Sixty Eight Thousand nine hundred)Only
4.	Time of Completion	01 Month
5.	Date & Time of Publication of Tender on Website	20.05.2026 at 10:00 Hrs.
6.	Start Date Time of bid online submission	21.05.2026 10:30 Hrs.
7.	Pre-Bid Meeting	22.05.2026 at 12:30 Hrs. (2nd Floor, Udyog Bhawan, Ratu Road, Ranchi – 834001)
8.	Last Date and Time to submit pre-bid queries	25.05.2026 at 5:00 P.M.
9.	Publishing of corrigendum, if any	28.05.2026 at 5:00 P.M.
10.	Last Date & Time of Bid Submission	10.06.2026 at 3:00 P.M.
11.	Opening date of Technical bid	11.06.2026 at 3:30 P.M. at JSK&VIB office Ranchi.
12.	Date & Time for Opening of Financial Bid	Will be intimated later by Competent Authority to the technically qualified bidders only
13.	Place of opening of Technical bid	Office of the Chief Executive Officer, Udyog Bhawan, 2 nd Floor, Ratu Road, Ranchi.
14.	Submission of Tender Fee & EMD	Tender fee Rs. 2000.00/-(Rs. Two thousand) only (non-refundable) & EMD Rs. 20,000.00/-(Rs. Twenty thousand) only is to be received through online mode only. Bidders can use internet banking facility for faster processing of Tender fee Alternatively, Bidders can use NEFT/RTGS challan generated for the tender from http://jharkhandtenders.gov.in portal. Refund will only be issued to Originated bank account used for the payment of EMD. So, bidders are advised NOT to close the above Bank Account used for online payment NEFT/RTGS of EMD.

No Hardcopy/Physical copy is required to be submitted for tender opening/evaluation. However, Department may ask original documents for verification before award of contract.

Note: Only e-tenders will be accepted.

Further details are available on Jharkhand Government e-procurement website-<http://jharkhandtenders.gov.in> & www.jharkhandkhadi.net


19/05/26
Chief Executive Officer,
Jharkhand State Khadi and
Village Industries Board, Ranchi



GOVT. OF JHARKHAND
OFFICE OF THE CHIEF EXECUTIVE OFFICER,
JHARKHAND STATE KHADI AND VILLAGE INDUSTRIES BOARD
Udyog Bhawan, 2nd Floor, Ratu Road, Ranchi-834001.



INVITATION FOR BIDS (IFB)

NATIONAL COMPETITIVE BIDDING

Tender Ref. No.:- NIT-03/JSKVIB/RIADA-EMP/2026-27 Date: 18.05.2026

The undersigned, on behalf of the Government of Jharkhand invites online **item rate** e-tender from approved and eligible contractors, registered in appropriate class with building construction department Govt. of Jharkhand. The intending bidder must read the terms and conditions of F2 FORM OF CONTRACT Carefully.

The bid shall be submitted online in the Website <http://jharkhandtenders.gov.in>. The bidder(s) should have necessary portal enrolment with their own Digital Signature Certificate:

Sl. No.	Name of the work	Estimated cost (Rs.)	Bid Security (Rs.)	Cost of Tender Fee (Rs.)	Time of Completion
1	2	3	4	5	6
1	Repairing and Furnishing work of Johar Emporium at Riada Building, Main Road, Ranchi (Jharkhand), 2026-2027.	11,68,900.00	20,000.00	2000.00	01 Month

2. Period of availability of tenders online/date & time of bidding on-line date of opening of tender papers are as given below-

Sl no	NIT Inviting officer	Place of opening	Availability of tender online (date & time)		Date & time of opening of technical bid
			From	To	
1	2	3	4	5	6
1	CEO, JSKVIB, Ranchi	Office of the Chief Executive Officer, Udyog Bhawan, 2 nd Floor, Ratu Road, Ranchi.	20.05.2026 10:30 Hrs.	10.06.2026 up to 15:00 Hrs.	11.06.2026 at 15:30 Hrs.

3. Agreement with Bidders selected through e-procurement shall be eventually drawn in PWD Form No.F2.
4. The work shall be completed in all respect in (mention the time of completion) from the date of written order to commence the work. The items of work, plan, specifications or any information in connection with the work can be seen in the office of the Office of the CEO, JSKVIB on any working day during office hours before submitting bid.
5. (i) Tender fee Rs. 2000/-(Rupees two thousand) only (non-refundable) & EMD Rs. 20,000/-(Rupees twenty thousand) only (Refundable) is to be received through online mode only. Bidders can use internet banking facility for faster processing of Tender fee alternatively, Bidders can use NEFT/RTGS challan generated for the tender from <https://jharkhandtenders.gov.in>. portal.
Refund will only be issued to Originated bank account used for the payment of EMD. So, bidders are advised NOT to close the above Bank Account used for online payment NEFT/RTGS of EMD.
(ii) Online EMD submitted by the L-1 bidder will be refunded in the same bank account before AOC process is started.
6. Clauses 5.(i) to 5.(ii) shall not apply to tendere(s) who are exempted from depositing E.M.D but such tenderer(s) must enclose color pdf scan copy of the exemption certificate issued by the competent authority in this respect.
7. Tender will be decided as (Sankalp No. 2146(s) dated 09.09.2020 of Road Construction Department Jharkhand Ranchi) Copy Enclosed.
8. It will be obligatory on the part of the tenderer to keep their offer open for acceptance for a period of **120 days** from the date of opening of the tender.
9. Tenderer (s) shall enclose scanned copy of his/her/their registration & exemption certificate (if any) in absence of which the tender(s) may not be considered.
10. Up-to-date Income Tax certificate, G.S.T Registration certificate, UCAN, Letter of Registration of contractor in appropriate category, Experience certificate of similar nature work, Turn over as prescribed in the tender document shall be submitted by the tenderer, otherwise it may be rejected.

NIT-03/JSKVIB/RIADA-EMP/2026-27 Date: 19.05.2026

- 116
11. Authority reserves the right to reject any of all the tender(s) received or to all to the work to one or more contractor(s) without assigning any reasons thereof.
 12. In the case of successful tenderer (hereinafter called contractor) the amount of Earnest Money (EMD) will be refunded and deposited towards Initial Security Deposit in such a manner so that the security deposit will form part of 5% of the approved amount of the approved tender & the remaining 5% shall be recoverable from the subsequent bills of the contractor.
 13. The NIT along with general rules, conditions of contract and special conditions of contract copies of which are available on the website—<http://jharkhandtenders.gov.in> will form part of the Contract Document.
 14. It is essential for the tenderer to have minimum technical persons attached with them.
 - a. For tender up to value of 1.0 crore Diploma holder -1Nos
 - b. For tender above value of 1.0crore Degree holder -2Nos
 - c. Diploma holder -2 Nos
 15. The Earnest Money of the successful tenderer (hereinafter called the contractor) which accompany the tender will be forfeited in case the tenderer declines to sign the agreement or fails to deposit Security Money within 10 days of being called upon to do so. Those contractors, who are exempted from depositing Earnest Money (EMD), will deposit initial security money within 10 days of being called upon to do so. If they fail to do so or decline to sign the agreement within the stipulated period, the requisite sum of money will be forfeited by way of adjustment from any sum to be paid to him by the department for other works, including his security money and in addition he may be Black Listed and subsequently his registration may be cancelled.
 16. The NIT along with general rules, conditions of contract and special conditions of contract copies of which are available on the website—<http://jharkhandtenders.gov.in> will form part of the Contract Document.
 17. Payment against works will be made subject to availability of fund.
 18. The process of e-Tendering would be of Two Bid System. (i) Technical Bid (ii) Financial Bid.
 19. The bidder should have experience of 3 similar supply works for project value INR 40 (Forty) Lakhs each year for any Department/Agency/PSU in any State or Central Government of India during last 03years (FY 2022-23, 2023-24 and 2024-25).
 20. The bidder must have average annual turnover of ₹60 (Sixty) Lakh in last three financial years (2023-24, 2024-25 and 2025-26) along with UDIN certified.
 21. IT returns for said financial years to be enclosed in the Technical Bid.
 22. Certificate of Positive Net Worth for the three financial years (2023-24, 2024-25 and 2025-26) (CA Certificate of Positive Net Worth).
 23. Tenderers should have experience of Similar Work minimum three years within last 5 years.
 24. The process of e-tendering shall be on item rate.

Ghosh
19/05/26

CEO
JSKVIB, Ranchi

- GENERAL RULES -

1. Bidders have to fill in all such information as required in the tender documents.
2. The item rates quoted by the tenderer shall be inclusive of Income Tax, GST, Royalty or any other Provincial and Central Taxes applicable at that time including road permit for the site. Provisional or conditional tender shall not be accepted.
3. The tenderer shall be presumed to have carefully examined the conditions of the contract and specifications of the work. The tenderer will also be deemed to have inspected the work site and to have satisfied himself/herself/themselves independently as to the nature, extent and practicality of all works and required road approaches & other means of communication & access to the site, lands, buildings, available for accommodation that may be required for temporary purpose in connection with the contract of work, as also availability of construction materials, location of work site including its climate & other geological characteristic, availability of skilled, semi-skilled & un-skilled labourers. The consequences of the lack of necessary knowledge will be borne entirely by tenderer.
4. The tenderer shall submit a program of the execution of the work along with the tender.
5. The tenderer will maintain watch guards for the safety of the materials, if any, supplied by the department at his own cost.
6. All labourers engaged in the work are to be paid wages as per Minimum Wages Act in force at the time of execution of this work.
7. The tenderer will provide to the labourers, huts for shelter, drinking water and medical facilities at site and keep the site clean at his own cost.
8. Up to date attested copy, PAN card, UCAN certificate, Character certificate, Registration Certificate, G.S.T Registration certificate, power of attorney and past experience of similar job done by the tenderer should be accompanied with the tender.
9. Up to date attested copy of registration certificate in appropriate category must be submitted along with the tender.
10. Materials to be supplied and fixed in the work by the successful tenderer should be approved by the Engineer in charge before the use which should be as per ISI marked quality. Non- standard and unapproved materials if used in the work by the successful tenderer will be outright rejected which will have to be replaced by the tenderer on his own cost and expense and no claim for the same what so ever will be entertained.
11. Authority reserves the right to reject any or all the tenders of part of the tenders or to distribute the work among more than one tenders without assigning any reason, whatsoever.
12. Payment shall be made subject to availability of fund and no advance payment shall be made.
13. Extension of time maybe granted on valid ground by the competent authorities as per Government rules and circulars in force and as revised from time to time.
14. The Earnest Money of the successful tenderer (herein after called the contractor) which accompany the tender will be forfeited in case the tenderer declines to sign the agreement or fails to deposit initial Security Money within 10 days of being called upon to do so after approval of the tender by the Competent Authority.
15. On receipt of the written order from the CEO, JSKVIB, Ranchi , Ranchi the successful tenderer will first deposit the balance amount of initial security deposit (ISD) within the specified period of Ten days and then enter into an agreement with Executive Engineer on the basis of the stipulation in the approved tender documents before the issue of work order.
16. The agreement with successful tenderer may be terminated at any time and can be awarded to other and necessary action should be taken as per prevailing law if it is found that tender is not complying with the direction of site engineers or has not completed the work with stipulated time.
17. The contractor will have to arrange own vehicle and storage place of material. The department shall not be liable for any theft, pilferage etc.
18. The contractors have to provide sufficient no of skilled staff for carrying out the work under the experienced supervisor.
19. The department shall not be liable for any accident or injuries during the work or shall not bear any compensation or losses for such accidents of injuries.
20. The contractor will inform the concerned engineer with particulars of staff (name with designation and address).

15

The contractor will ensure that staff deployed at site are of sound character and has nothing adverse against him.

21. The contractor has to maintain attendance register of staffs which deployed in site.
22. In case of Negligence found during the maintenance work by the contractor or his sub-ordinate during the period of contract, department may take disciplinary action such as blacklisting the contractor or imposing penalty if any of complaint remain unattended beyond reasonable time.
23. The items of works, plans, specification or any other information in connection with the work can be seen in the office of the CEO, JSKVIB, Ranchi, on any working day during office hour before filling the tender.
24. (a) If the rate quoted by the tenderer is above the BOQ rate and the competent officer has approved above the BOQ rate, then the enhancement over the BOQ rates shall not be applicable over the cost of materials applicable as per latest Energy Department circular.
(b) If the tenderer quotes the rate below the BOQ rate and the competent officer approves it, then the reduction over the BOQ rate shall be applicable on all items of work including the cost of materials applicable as per latest Energy Department circular.
25. The defect liability period of the work shall be **06 months**.


19/05/26

CEO
JSKVIB, Ranchi

Instructions to Bidders for e-procurement

Detailed instructions & documents to be furnished for online bidding.

1. Guidelines for online submission of bid can be downloaded from the website <http://jharkhandtenders.gov.in&www.jharkhandkhadi.net>.
2. Interested bidders can download the bid from the website <http://jharkhandtenders.gov.in> & www.jharkhandkhadi.net.
3. Bidders in order to participate in the bidding process have to get 'Digital Signature Certificate (DSC)' as per Information Technology Act-2000 to participate in online bidding. This certificate will be required for digitally signing the bid. Bidders can get the above-mentioned digital signature certificate from any approved vendors (CCA). Bidders, who already possess valid Digital Certificates, need not procure new Digital Certificate.
4. Bidders have to submit their bids online in electronic format with digital Signature. Bids without digital signature will not be accepted. No proposal will be accepted in physical form.
5. Bids will be opened online as per time schedule mentioned in the NIT.
6. Bidders should be ready with the scanned copies of cost of documents & EMD as specified in the tender document. Before submission of online bids, bidders must ensure that scanned copies of all necessary documents have been attached with bid.
7. Uploaded documents of the successful bidder will be verified with the original before finalizing Tender/signing the agreement. The successful bidder has to provide the originals to the authority concerned.
8. The department will not be responsible for any delay in online submission due to any reason what so ever.
9. All required information for bid must be filled and submitted online.
10. Other details can be seen in the bidding documents.

B. Details of documents to be furnished for online bidding

1. Scanned copies of the following documents to be up-loaded in pdf format on the website <http://jharkhandtenders.gov.in>
 - i. GST registration certificate
 - ii. Financial Turnover of previous three Financial Years. (I,e. F.Y. 2022-23, 2023-24 & 2024-25)
 - iii. PAN Card
 - iv. Letter of Registration.
 - v. Income Tax Certificate last 03 years. (I,e. F.Y. 2022-23, 2023-24 & 2024-25)
 - vi. Character Certificate (if validity will be not mentioned the validity will be one year in the Character Certificate issued by Deputy Commissioner/ Superintendent of Police).
 - vii. A statement mentioning name of tendering firm/ tenderer, official address, postal address, E-mail ID, Mobile/ Phone no. Status of firm (whether Public Limited Company or Single Proprietary or Registered Partnership or Joint Concern or Proprietary concern), name of manager/proprietor/authorized agent.
 - viii. A statement mentioning name and value of work done in the last five years for a government department, semi-government or Organization or local body. The single work value not less than 50% of the Tender Value.
 - ix. Reference or testimonials from the Engineer-in-charge under whom the tenderer had worked regarding the manner or performance.
 - x. Condition if any as mentioned in the tender document.
 - xi. UCAN Certificate.
2. Affidavit stating bidder's agreement with the general rules, conditions of contract, and special conditions of contract must be submitted with bid in pdf format. The bidder who disagrees on the conditions will not be eligible to participate in the tender.
3. Duly filled in & digitally signed BOQ.

- 119
4. Uploaded documents of successful bidder will be verified with the original before finalizing Tender/ signing the agreement. The successful bidder has to provide the originals to the concerned authority on receipt of such letter, which will be sent through registered post or delivered by hand.
 5. Each uploading shall be digitally signed by the bidders.
 6. Scan copy of all documents should have index and page no.
 7. Corrigendum/Addendum/Corrections if any, will be published only in the website <http://jharkhandtenders.gov.in.& www.jharkhandkhadi.net>

Sharma
19/05/26

CEO
JSKVIB, Ranchi

AFFIDAVIT

1. I,the undersigned swear that, I will employ one no diploma holder engineers with at least 5 years' experience for the above work.
2. I,do authorize the CEO, JSKVIB, Ranchi to cancel the award and also forfeit the security money already deposited with the department in case the Para 1 as mentioned above is not fulfilled.

.....
(Signed by an authorized officer of the Firm)

.....
Title of officer

.....
Name of Firm

.....
DATE

Handwritten signatures and initials

I,S/o.....Address.....of..... (Name of the firm) do here by solemnly affirm as follow:

- 1. That all papers submitted by me in the F2 form of e-tender reference numberdated..... For (Name of work) is correct to best of my knowledge. At any stage if it, is found that the information given is not genuine or any of the papers submitted by me is not correct, department is free to forfeit my EMD and may initiate process of blacklisting against the firm.
 - 2. That I have read Bid document and I am accepting all terms and condition as mentioned in it.
 - 3. That no near relative (Husband/wife/father/own Brother or Sister) is working as Accountant or Junior Engineer or Higher of this post in this JSKVIB, Ranchi, Jharkhand.
 - 4. That I/my firm/company is not blacklisted or debarred anywhere.
- Sworn and signed onI..... do hereby declare that above statements are true and correct.

Deponent

Identified by

Handwritten signatures and initials

Bill Of Quantity

NAME OF WORK :- REPAIRING AND FURNISHING WORK OF JOHAR EMPORIUM AT RIADA BUILDING MAIN ROAD, RANCHI.

Sl. No.	Item of Work	Quantity	unit	Rate	Amount
1	Providing and applying white cement based putty of average thickness 1mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	114.03	Square Meter (Sqm)		-
2	Providing and fixing 12 mm (Plywood ISI Mark, Termites) on Counter Top Basin/WALL PANNELING and Pasting with 1 mm mica with material and labour all complete as per building specification and direction of E/I.	90.33	Square Meter (Sqm)		-
3	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	441.47	Kilograms (Kgs.)		-

4.	<p>Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1 .6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. 12.5 mm thick square edge PVC Laminated Gypsum Tile of size 595x595 mm, made of Gypsum plasterboard, manufactured from natural gypsum as per IS 2095 part I and laminated with white 0.16 mm thick fire retardant PVC film on the face side and 12 micron metalized polyester on the back side with all edges sealed with the face side PVC film which goes around and wraps the edges and is bonded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.</p>	34.85	Square Meter (Sqm)		
5	<p>Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc. to be paid separately).</p>	2.60	Square Meter (Sqm)		
6	<p>SITC of Toughened glass 12 mm thickness all complete as per building specification and direction of E/I.</p>	1.67	Square Meter (Sqm)		
7	<p>Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge.</p>	4.00	Each		
8	<p>Point wiring in PVC conduit, with modular type switch:- Wiring for light poinVfan poinU exhaust fan point/call bell point v/ith 1.5 sq.mm FR PVC insulated copper conductor single core in surface/recessed PVC conduit, with modular sw'itch, modular plate suitable GI box etc as required . Group C</p>	25.00	Per Point (P.Pt.)		

[Signature]

[Signature]

[Signature]

[Signature]

9	Twin Control point wiring in PVC conduit, with modular Type switch :- Wiring for tw'in control point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed PVC conduit, 2 way with modular switch, modular plate suitable GI box etc as required	1.00	Per Point (P.Pt.)	-
10	Power plug wiring in PVC conduit (2 x 4 sq.mm) - Wiring for light/power plug with 2 x 4 sq.mm. FR PVC insulated copper conductor single core cable for loop earthing as required.	10.00	Meter (mtr)	-
11	Circuit/submain wiring in PVC conduit - Wiring for Circuit/submain wiring along with earth wire the following sizes PVC insulated copper conductor, single core cable in surface/recessed PVC conduit as required. 2x1.5 sqmm. + 1x1.5 sqmm. Earth wire	55.00	Meter (mtr)	-
12	Circuit/submain wiring in PVC conduit - Wiring for Circuit/submain wiring along with earth wire the following sizes PVC insulated copper conductor, single core cable in surface/recessed PVC conduit as required. 2x2.5 sqmm. + 1x2.5 sqmm. Earth wire	40.00	Meter (mtr)	-
13	Circuit/submain wiring in PVC conduit - Wiring for Circuit/submain wiring along with earth wire the following sizes PVC insulated copper conductor, single core cable in surface/recessed PVC conduit as required. 2x6 sqmm. +1x6 sqmm. Earth wire	30.00	Meter (mtr)	-
14	Circuit/submain wiring in PVC conduit - Wiring for Circuit/submain wiring along with earth wire the following sizes PVC insulated copper conductor, single core cable in surface/recessed PVC conduit as required. 2 x10sqmm. +1x10 sqmm. Earth wire	20.00	Meter (mtr)	-
15	S/F piano type switch/socket - Supplying and fixing following piano tyep switch/socket on the existing switch box/cover including connections etc. as required. 5/6 amps, one way switch	4.00	Each	-
16	S/F piano type switch/socket - Supplying and fixing following piano tyep switch/socket on the existing switch box/cover including connections etc. as required. S/F 5/6 Amp. Switch & Socket (on boarel)	3.00	Each	-
17	S/F rewirable double pole/TP&N switch disconnecter - Providing and fixing following capacity double pole/TP&N sheet metal switch disconnecter fuse unit in existing metal board with rewirable type fuses, including drilling holes in metal board, making connections, etc as required. 32 amps, double pole	2.00	Numbers (nos.)	-
18	S/F rewirable double pole/TP&N switch disconnecter - Providing and fixing following capacity double pole/TP&N sheet metal switch disconnecter fuse unit in existing metal board with rewirable type fuses, including drilling holes in metal board, making connections, etc as required 100 amps, TP&N	1.00	Per Set (P.Set)	-
19	S/F busbar chamber -Providing and fixing following capacity busbar chamber with 4 strips of suitable size made of copper, heavy duty, complete with all accessories including connections, earthing the body, etc. as required.100 amps	1.00	Per Set (P.Set)	-
20	S/F Batten / Angle Holder:- Supplying and fixing batten / angle holder including connection etc as required.	2.00	Each	-

21	S/F 'B' series, MCB - Supplying and fixing following 240 volts, 'B' series, miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connection, testing and commissioning etc. as required. 6/32 amps, Single Pole	2.00	Each		
22	S/F DP MCB isolator -Supplying and fixing following rating, double pole 240 volts, isilator in the existing MCB DB complete with connections, testing and commissioning etc. as required 40 amps	2.00	Each		
23	S/F DP MCB isolator - Supplying and fixing following rating, double pole 240 volts, isilator in the existing MCB DB complete with connections, testing and commissioning etc. as required 63 amps	2.00	Each		
24	S/F Ceiling Rose:- Supplying and fixing 2 pin ceiling rose on the existing junction box/ wooden block including connection etc as required.	6.00	Each		
25	Earthing with G.I. earth pipe 4.5 mtr long . 40mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal and salt as required.	1.00	Set		
26	Supply of 9/10 Watt LED Bulb	6.000	Each		
27	16'(400mm) Wall mounted fan"	6.000	Each		
28	SITC of following rating recess/surface mounted LED round/square shape Down light luminaire with pressure die cast housing for single phase supply voltage. Luminaire shall be confirm to IS:10322 part-5/section-2 or IEC:62722 with all necessary accessories as required	8.000	Each		
29	Supply of LED Batten (20/22W)	4.000	Each		
30	Supply of 12" (300mm) metal exhaust fan	1.000	Each		
Total					
Add GST @ 18%					
Total					
Add LabourCess @ 1%					0.00
Total					
Say Rs.					0.00

[Signature]

[Signature]

[Signature]