



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

**ONGC LTD.
Central LSTK Procurement Group (CLG),
Central Procurement Department (CPD)
15th Floor, Maker Tower-E,
Cuffe Parade, Mumbai-400005**

TEL. No. (022) 2656 3031
Mail: cpd_clg@ongc.co.in

To,
All Bidders

INVITATION FOR BIDS

(International Competitive Bidding under Two Bid System)

Dear Sirs,

- 1.0 ONGC invites Bids under International Competitive Bidding (ICB) for the Scope of Work described in the Bidding Documents through CPPP-GePNIC portal (etenders.gov.in). The bidding documents and terms and condition are annexed. The prescribed Bid Forms for submission of bids are available in the tender document folder.

The general details of tender can be viewed at 'Basic data' under 'Header data' in Bid invitation screen. The details of items tendered can be found by clicking to 'Item data'.
Further details of tender are given below:

a) Tender No	<u>ZW1GC26002</u> - For REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG BARREL ISOLATION VALVE , SUMP CAISSON WITH BLOW-CASE & SWLP CASING REPLACEMENT PROJECT (S&SRP)
b) Brief Description of the project	Refer GCC clause no. 2.1.1. at Part-II of the Bidding Documents.
c) Project Completion date	As per Clause GCC clause no. 6.3.1 at Part-II of the Bidding Documents.
d) Tender Fee	NIL
e) Starting/closing date of downloading tender document	08.05.2026 /17.06.2026
e.1) Last date of submission of queries	14.05.2026 upto 1800 Hrs
e.2) Pre bid conference	19.05.2026 at 1100 Hrs.
f) Closing date and time for submission of bids (both unpriced techno-contractual and priced bid) by bidders to ONGC	17.06.2026 at 1500 Hrs. IST
g) Opening date and time	



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

1) Unpriced Techno-Contractual Bid	18.06.2026 at 1530 Hrs. IST		
2) Price Bid	To be intimated later, after evaluation and short-listing of Unpriced techno-contractual Bids.		
h) EMD / Bid security	Refer clause 17.0 of ITB- Part-I for further details. (To be submitted with Unpriced Techno - contractual Bid) 1) Foreign bidder: US\$ 4,16,000/- (in case Bid Security is submitted in USD) <u>OR</u> INR 3,92,13,000/- (in case Bid Security is submitted in INR) 2) Indian bidder: INR 3,92,13,000/-		
i) Bid Bond validity up to	One Hundred Sixty-five (165) days from the date of opening of the Unpriced techno-contractual Bids.		
j) Bid validity up to	One hundred twenty (120) days from the from the date of opening of the Unpriced techno-contractual Bids.		
k) Warranty period	i) Twelve (12) months from the date(s) of completion and handing over of complete facilities to the Company. Refer clause no. 6.1 of GCC.		
l) (i) Performance Guarantee	Refer clause no. 3.3 of GCC.		
Amount & Validity	Performance Security Towards	% of Contract Value	Validity Up to
	LSTK part	10% of Contract Value	Scheduled completion date or the extended completion date as the case may be, of the LSTK part, plus ninety (90) days for Indian Bidders/One Hundred Twenty (120) days for Foreign Bidders.
	Warranty of LSTK part	5% of Contract Value	Expiry of warranty period plus Ninety (90) days for Indian Bidders/One Hundred Twenty (120) days for Foreign Bidders.
m) Correspondence			
1) Address	Office of GGM (SCM), Head-CLG Central Procurement Department, ONGC Ltd. Central LSTK Procurement Group (CLG), 15th Floor, Maker tower-E, Cuffe Parade, Mumbai-400005		
2) Telephone No.	022-2656 3044 / 3039		
3) Mail id	cpd_clg@ongc.co.in , kulukuru10_gayathri@ongc.co.in		



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

n) Tender Receiving Officer	The tender receiving officer: Shri Jai Prakash, SE (M) Mobile no.: 9426613251 Leave reserve officer: Shri Vivek Modi, SE (E) Mobile no.: 9426612459
o) E-gate pass	E-Gate pass for visiting the 15th Floor, Maker tower-E, ONGC Premises w.r.t Tender No. ZW1GC26002 for - REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG BARREL ISOLATION VALVE , SUMP CAISSON WITH BLOW-CASE & SWLP CASING REPLACEMENT PROJECT (S&SRP) Bidder to note that for e- Gate Pass for visiting ONGC Offices e gate pass is to be applied in the ONGC e-Pass (Online Visitor Pass Management System) site https://epassvpms.ongc.co.in/ Details of ONGC Officers for e-pass are as under: Maker Towers Office: Shri Vajjha Sekhar, GGM(SCM)- Head CLG Contact No. 022-26563011. 11 High Office: Shri. S Chand, GGM (P), Contact No. 022-24088419.
p) Purchase Preference	Purchase Preference: Refer Instruction to bidders (ITB) clause 23.6.2(b) for purchase preference policy with respect to the tender.

2.0 Organization of the Bidding Documents

This Bidding Documents consist of six separate Annexures as follows:

Volume – I:

- Part-I : Instructions to Bidders.
- Part-II : General Conditions of Contract (GCC), Special terms and Conditions of the Contract (SCC).
- Part-III : Appendices.
- Part-IV : BID EVALUATION CRITERIA.
- Part-IV-A : BID MATRIX
- Part-V : Price Schedule (A-3) and Milestone Payment Formula (A-10).
- Part-V-A : Bidders Response Sheet (BRS)
- Part-VI : INTEGRITY PACT

Volume – II:



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

Part VII: Technical Bid Package (TBP) comprising of Scope of Work, Specifications & Drawings, Functional Specifications and Design Criteria

2.1 Bidding Documents:

The bidding documents including terms & conditions and the prescribed bid forms for submission of bids are downloadable against tender No. ZW1PC26002 from GePNIC-CPPP portal <https://etenders.gov.in>. The general details of the tender can be viewed on GePNIC CPPP portal. Bidders should check for any notes/messages and revision in price bid format under "Other Documents" tab of GePNIC-CPPP portal. Bidder shall download the tender document along with all its amendments/addendum available in the GePNIC-CPPP portal and shall fill the required information accurately.

3.0 Resolution of Clarifications/Exceptions/Deviations to tender terms, Conditions & Specifications.

3.1 ONGC has to finalize its purchase within a limited time schedule. Therefore, it may not be feasible for ONGC to seek clarifications in respect of incomplete offers.

Prospective bidders are advised to ensure that their bids are complete in all respects and conform to ONGC's terms, conditions and bid evaluation criteria of the tender, for avoiding rejection of their offers.

3.2 In order to avoid clarification / confirmation after opening of bids, all the bidders must ensure that their bid is complete in all respects and conforms to tender terms and conditions, BEC and the specifications in toto failing which their bid would be straightaway rejected without seeking any clarifications on any exception/ deviation taken by the bidder in their bid.

Bidder to ensure that after award of Work and during execution, the Contractor shall not seek to alter any agreed contractual terms, conditions & Specifications. In such an event, dealing with such Contractor for future tenders of the Company would be adversely affected.

3.3 Deleted

4.0 Two Bid System shall be followed for this tender. Bidders should take due care to submit tenders in accordance with the requirements of GePNIC-CPPP portal <https://etenders.gov.in>. Bid Evaluation Criteria at Part IV of the Bidding Documents shall be the basis for evaluation of tenders.

5.0 Tender fee is not applicable. The prospective bidders can create their bid online only after registering in the tender on e-portal. Indian Agents cannot register on behalf of their foreign principals, in case of e-procurement tenders.

6.0 The bidding document is not transferable.



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

Firm(s) to whom no further business is to be given or dealings with whom have been banned / suspended are not eligible to participate in the tender and any bid received from such firm(s) shall not be considered.

7.0 Pre-Bid Meeting / Conference:

7.1 Pre-bid conference will be held on **19.05.2026** at 1100 Hrs. (IST) at ONGC, CLG-CPD, Conference Hall, 15th Floor, Maker Tower E, Cuffe Parade, Mumbai-400005 for the purpose of clarification, if any, of points on technical and commercial issues relating to the Bidding Documents. The bidder is requested to submit any query / clarification on Bidding Documents in writing to reach the Company on or before **14.05.2026** by 1800 Hrs. (IST), for the purpose of discussion in pre-bid conference through e-procurement portal only. No further queries/clarification on bidding documents will be entertained/accepted by the Company thereafter and in such case bidders shall not wait for any clarification from the company.

The bidders shall send any request for clarification in the Pre bid conference only through e-procurement site of the company; clarification/query sent by other modes like post/fax/email will not be considered.

The Pre-bid queries shall be restricted to technical specification, scope of work, Technical BEC, special conditions of contract and mobilization/ delivery/ completion period only and that no queries whatsoever shall be entertained on provisions of GCC and other standard provisions/proforma/format of the tender document.

7.2 The bidders meeting following requirement shall only be considered for attending the pre-bid conference (PBC).

- a. The bidders who are in the business of providing similar Services/Goods as per tender requirement only shall be allowed to participate in Pre-Bid conference.

Accordingly, an undertaking in the prescribed format as per Appendix-B-32 shall be submitted by the bidder along with Pre-Bid queries within prescribed date, failing which the bidder shall not be allowed to attend pre-bid conference.

- b. Bidders should depute their employees (preferably) who are competent to present their queries in the pre-Bid conference.
- c. Only those bidders who have submitted queries within prescribed date shall be allowed to attend PBC.
- d. While submitting Pre-Bid queries, bidder(s) shall be required to provide details (Name, Designation, mobile no., e-mail id etc.) of its representatives as per format attached at Appendix-B-32, who will attend PBC and those people(s) only will be permitted to attend the Pre-bid conference.

Maximum of three (03) persons per bidder would be permitted to attend the Pre-bid conference.



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

- 7.3** Any modification to the Bidding Documents listed in Clause 2.0 above, which may become necessary as a result of the pre-bid meeting, shall be made by the Company exclusively through the issuance of an amendment pursuant to Clause 8.0 of Part-I of the Bidding Documents and not through the minutes of the pre-bid meeting.
- 7.4** Non-attendance at the pre-bid conference shall not be a cause for disqualification of a bidder.
- 8.0 Submission of Bids:**
- 8.1 Two Bid System** shall be followed for this tender. Bid Evaluation Criteria of the Bidding Documents shall be the basis for evaluation of tenders.
- 8.2** Bidders to refer Clause No. 6.0 to Clause No. 22.0 of ITB at Part –I wherein the details regarding entire bidding system are provided.
- 8.3** The Tender documents and Amendments are available for viewing and downloading from the e-procurement portal of ONGC. All amendments to tender documents issued by ONGC subsequently, if any, must be uploaded along with the Bid. Bid along with all appendices and supporting documents should be submitted in e-form in GePNIC-CPPP portal under two-bid system as follows:

Part-I - Un-Priced Techno-Commercial Bid:

- To be submitted in the Fee/PreQual/Technical Cover. The unpriced techno commercial Bid along with all appendices and copies of documents (except copies of the documents required in physical form) should invariably be submitted through GePNIC-CPPP (<https://etenders.gov.in>) portal, before the scheduled date and time for the tender closing. All the documents uploaded shall be digitally signed by the authorized signatory of the bidder.
- The Techno-commercial bid shall contain all details without indicating prices of the quoted items. However, a suitable response shall be selected of the given options against each item of the format at Part-V-A (Bidders Response Sheet) to indicate that there is a quote against that item in the Price Bid. The Price bid shall contain only the prices duly filled in the on-line price format of GePNIC-CPPP (<https://etenders.gov.in>). Bidders shall necessarily use the same excel sheet for price bid. The price bids submitted in physical form against e-procurement tenders shall not be given any cognizance.
- However, the following documents should be submitted in physical form also, in a sealed envelope super-scribed as "Physical documents against e-procurement Tender Number, due on To be opened by Tender Opening Officers at 15:30 Hrs, on due date for opening of bid"

[[Documents should reach to the purchaser's office on or before 15:00 Hrs. of the closing date specified for submission of bid through GePNIC-CPPP. Wherever any other time for receipt/ opening of documents have been specified in the tender document, same should be appropriately indicated/ followed in place of 15:00 Hrs. / 15:30 Hrs.] :

i) (Applicable only in case bid security is submitted in the form of SFMS BG/Insurance Surety Bond. The envelope contains only the SFMS BG/Insurance Surety Bond should be superscribed on the face of the envelope. Not applicable in case bid security is submitted via NEFT/RTGS/Electronic fund transfer or e-BG).



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

The original SFMS BG towards bid security (along with SFMS delivery report /message copy which has been transmitted by issuing bank through SFMS system to beneficiary's i.e., ONGC's bank) or the original Unconditional Irrevocable Insurance Surety Bond towards bid security.

Part-II Priced Bid:

- To be submitted as attachments under 'Finance Cover'. The Price bid shall contain only the prices, without any condition whatsoever.
- Bid cannot be submitted after the submission deadline is reached. The system time that will be displayed in the e-procurement portal shall decide the submission deadline. Bidders are advised in their own interest to ensure that bid is uploaded in the system well before closing date & time of the tender.
- The price bids submitted in physical form against e-procurement tenders shall not be given any cognizance.
- Bidders are advised not to request for extension of Bid submission date.

8.4 All the prospective bidders have access to 'Bidder Manual Kit' available in the home page of website.

8.5 Please note that for details of this tender including corrigendum if any, bidders should logon to "etenders.gov.in". In case of exigencies ONGC at its option may decide to extend Techno-commercial bid closing/ opening date/ time in future which will be posted on the above referred website for information. Bidders should regularly visit etenders.gov.in for the latest information in this regard.

8.6 New vendors must apply for Creation of bidder login account using 'Online Bidder Enrollment' option available at the e-Procurement site <http://eprocure.gov.in/eprocure/app>. For enrollment, kindly refer 'Bidder Manual Kit' available in the home page of website.

8.7 The password protected e-bids (Techno-commercial / Price bids), which require the password to open the file, will not be considered.

9.0 Post bid conference:

In order to avoid delay in processing of tenders ONGC shall hold post bid conference with the interest bidders.

For holding Post Bid conference following process shall be followed:

- i) Clarifications / confirmations / deficient documents required, if any, from bidders shall be conveyed to the bidders.
- ii) To address bidders' doubts, if any, only on the clarifications / confirmations / deficient documents being sought, a post bid conference shall be held by ONGC with bidders who seek to have the meeting on one-to-one basis. Interested bidders may attend the same. No issues other than the listed queries pertaining to clarifications / confirmations / deficient documents sought by ONGC shall be discussed in post bid conference.



**Bid Package
For
REPLACEMENT OF SUMP CAISSON, VENT BOOM , PIG
BARREL ISOLATION VALVE , SUMP CAISSON WITH
BLOW-CASE & SWLP CASING REPLACEMENT PROJECT
(S&SRP)**

**INVITATION
FOR BIDS**

- iii) In case bidder chooses not to seek/request for a post bid meeting, it will be noted by ONGC that such bidder(s) has well understood the query of ONGC.
- iv) Accordingly, in case bidder has completely understood the queries and they have no doubts, they may submit their replies within the date specified for submission of clarifications.
- v) Bidders who attend the post bid conference shall provide the following undertaking immediately on conclusion of the post-bid conference:

"This is to confirm that we (Name of the bidder) have attended the post bid conference on ... and have fully understood the queries of ONGC issued vide their Letter No. ... Dated...."
- vi) Bidders shall depute their competent employee(s) /authorised representative(s) for the Post-Bid Conference.
- vii) Only those bidders from whom clarifications are being sought shall be eligible for post bid conference.
- viii) Bidder(s) shall be required to provide details (Name, Designation/status, mobile no. e-mail id etc) of its employee(s)/authorised representative(s), who will attend Post Bid Conference and those persons(s) only will be permitted to attend the post-bid conference.

Yours faithfully,

For GGM (SCM), Head LSTK Procurement Group

CPD- CLG- Mumbai