

U.P. STATE CONSTRUCTION AND INFRASTRUCTURE DEVELOPMENT

CORPORATION LTD.

(A Govt. of U.P. Undertaking)

(AN ISO 9001:2000 certified Organisation)

Reg. Office : Berihana nikat Dakghar Lucknow Road Hardoi (U.P.)

Short Terms Notice Inviting E-Tender

Tender Notice No- 22 /E.E/Hardoi/ E-Tender /2026-27 Dated: 16.05.2026

1. U.P. State Construction & Infrastructure Development Corporation Ltd, Berihana nikat Dakghar Lucknow Road Hardoi (U.P.) invites in 2 bids system online tenders on percentage rate bids from eligible and registered contractors in "D" class or above class in U.P. State Construction and Infrastructure Development Corporation Ltd. Bidders are advised to note the minimum criteria.

S. N.	Name of work	Estimated Cost (Rs. in lacs)	Earnest Money (Rs. in lacs)	Cost of Bid Document in Rs.	Time of Completion (in month)	Address of sale of tenders	Place of submission of tender
1	2	3	4	5	6	7	8
1.	Construction of Proposed Building of Community Centre at Gram Panchyat Dhondhi Block Billgram Distt. Hardoi.	Rs 48.91	Rs 0.98	Rs.1655.00 (including GST)	06 Months	To be downloaded from the e-tender portal of nic "etender.up.nic.in"	To be uploaded on e-tender portal of nic

2. The contractors who fulfill the following requirements shall be eligible to apply.
- Should not have incurred any loss in more than two years during the last three years. Solvency certificate form Bankers issued within 06 month from the date of NIT or issued by District Magistrate to be submitted.
 - Character certificate form issued by District Magistrate to be submitted.
 - Information regarding projects in hand, current litigation, orders regarding exclusion, expulsion or black listing, if any should be submitted/uploaded.
 - Registration of labour and PAN No, GSTIN should be uploaded.
 - Certificate issued by C.A. for detail of GSTR-1 and GST-3B ending Financial Year March 2025 should be uploaded.
 - Security shall be deducted @ 5% from the payment amount from each running bills.
 - G.S.T. shall be paid as sanctioned or as per approval by client.
 - The bidder shall mandatorily upload a bar chart for completion of the work within the stipulated time.
 - Payment shall be made as per Availability of Fund from Client.
 - Handing over to client department of project after completion will be the responsibility of contractor.
3. The bids shall remain valid for acceptance for a period of 180 (one hundred eighty days) days from the last date of submission of bids.
4. Bidders shall upload two separate covers marked "technical bid" and fee in PDF format and "financial bid" in cover "b" in Excel format.
5. Financial bids shall be opened of those bidder whose bids are technically qualified, Tender fee and E.M.D. properly submitted and other required documents uploaded found eligible. Scanned copy of E.M.D/Tender Fee to be uploaded with technical bid. In financial bid, rates shall be quoted by contractor Exclusive of taxes (GST as applicable shall be paid extra).
6. A set of Bidding documents may be downloaded from the e-tender portal of NIC as mentioned in column-7 between dated mentioned in N.I.T.
7. A Pre bid meeting shall be held in the office of the Executive Engineer, U.P.State construction and Infrastructure Development Corporation Ltd., Berihana nikat Dakghar Lucknow Road Hardoi.

Bhawan on date ...~~11.11.2026~~...2026.

8. Bid will be uploaded on e-tender portal of NIC on date ...~~1.6.2026~~...2026 at ~~4.00 P.M~~ and shall be submitted up to ...~~2.5.2026~~...2026 at ...~~1.2.00 P.M~~...The technical bids will be opened on ...~~2.5.2026~~...2026 at ...~~2.1 P.M~~... in the office of Executive Engineer, U.P.State construction and Infrastructure Development Corporation Ltd., Berihana nikat Dakghar Lucknow Road Hardoi and the name of qualified bidders Shall be uploaded to portal, The financial bids shall be opened on dated mentioned in N.I.T. of NIC portal and name of successful bidder shall be uploaded and displayed.
9. The tenderer must be transfer the tender fee online and earnest money via RTGS to the U.P. State Construction and Infrastructure Development Corporation Limited, Hardoi bank name **I.D.B.I. BANK**, Account number **34210400007894**, IFSC Code **IBKL0000342**, Cinema chauraha lucknow road hardoi. A photocopy of the receipt/UTR number confirming the transfer of the tender fee and security deposit must be uploaded with the tender.
10. No Engineer of gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the state/ Central Government is allowed to work as a contractor for a period of two years after his retirement from government service, without Government permission. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government as aforesaid before submission of the tender or engagement in the contractor's service.
11. Any bidder who is having criminal record is not allowed to participate in the bidding process. photo attested by gazetted officer.
12. Any bidder who is registered with the state bar council is not allowed to participate in the bidding process.
13. The successful bidder will have to submit 5% performance guarantee of the tendered cost in the form of bank guarantee or FDR/DD of nationalized bank/Scheduled bank (HDFC/ICICI/AXIS BANK only).If the rates quoted by the bidder is below the BOQ, additional performance guarantee will have to be deposited with reference to G.O. No. 622/23/12-2012-2 Audit/08 T.C. -2 Dt. 08-06-2012 of UPPWD-Anubhag-12, as per following:-
 - (a) 0.50% per 1.00% below up to 10%, below of BOQ.
 - (b) 1.00% per 1.00% below, above 10%, below of BOQ.
14. UPSCIDCO reserve the right to accept or reject any or all tenders or in part thereof without assigning any reason whatsoever. UPSCIDCO also reserve the right to increase or decrease the quantity to be ordered.
15. All document including demand draft and certificate must be uploaded at website (<https://etender.up.nic.in>) and L1 have to verify uploaded documents by hard copy at the office of Executive Engineer, U.P.State construction and Infrastructure Development Corporation Ltd., Berihana nikat Dakghar Lucknow Road Hardoi.
16. The required papers uploaded as tender Fee, EMD. Affidavit etc. for qualification should be uploaded with Seal & signature.
17. The required papers uploaded for tender should be proper readable with Seal & signature Blurred or misprint paper will not be acceptable.
18. Construction work must be completed by contractor in all respect.
19. Bid Capacity (on Rs100 Non-Judicial Stamp papers) should be uploaded with duly verified by C.A/C.M.A. in format Form-A1,A2 as attached in Pre-Qualification document and should be Sign and Seal by both C.A. and Bidder.
20. Other general conditions of contract can be seen at UPSCIDCO Raebareli office in any working day between 10.00 AM to 5.00 PM.
21. All guide lines of M.H.A for Building Construction work to be followed in all respect.
22. L1 Bidder Should Receive all drawing and layout from the office of Executive Engineer, U.P.State construction and Infrastructure Development Corporation Ltd., Berihana nikat Dakghar Lucknow Road Hardoi.
23. The affidavit is to be typed on stamp paper worth Rs. 100/- duly signed and notarized with date, affixing a revenue stamp of Rs. 2/- only.

24. A duly signed agreement (" the Agreement") shall be executed between L1 qualified bidder and the corporation. The N.I.T will be deemed to be part of the Agreement.
Note:-If the tender fee is not deposited online by the registered firm then firm will be disqualified.
25. प्रतिभाग करने वाली फर्म द्वारा नयी पंजीकरण व्यवस्था के अनुसार हैसियत प्रमाण पत्र श्रेणीवार ए+, ए, बी, सी, डी के अनुसार क्रमशः 300.00 लाख, 150.00 लाख, 80.00 लाख, 40.00 लाख एवं 10.00 लाख अपलोड किया जाना अनिवार्य होगा अन्यथा तकनीकी बिड अस्वीकृत कर दी जायेगी जिसकी पूर्ण जिम्मेदारी फर्म की होगी।
26. सभी आवश्यक शपथ पत्र रू0 100.00 के स्टाम्प पेपर पर नोटरी सहित टेण्डर आई0डी0 एवं कार्य का नाम अंकित करना अनिवार्य होगा तथा सभी शपथ पत्र निविदा प्रकाशन की तिथि के बाद के होना अनिवार्य है। सभी शपथ पत्र में प्रथम पक्ष व द्वितीय पक्ष अंकित होना अनिवार्य होगा।
27. निविदा दाता द्वारा साइट निरीक्षण एवं दस्तावेजीकरण के सन्दर्भ में निम्न बिन्दुओं को भी संज्ञान में लिया जाना है:-
1. साइट निरीक्षण अनिवार्यता :-ठेकेदार अथवा ठेकेदार द्वारा अधिकृत प्रतिनिधि द्वारा निविदा प्रकाशन की तिथि के पश्चात् साइट का भली-भाँति निरीक्षण करना अनिवार्य होगा।
 2. नाम पट्टिका का प्रदर्शन :-निरीक्षण के दौरान ठेकेदार अथवा ठेकेदार द्वारा अधिकृत प्रतिनिधि एवं फर्म का नाम पट्टिका स्पष्ट रूप से प्रदर्शित की जानी चाहिए।
 3. जी0पी0एस0 आधारित फोटोग्राफी :-निरीक्षण के दौरान साइट की जी0पी0एस0 लोकेशन सहित फोटोग्राफी करना अनिवार्य होगा। फोटोग्राफ में साइट का स्पष्ट दृश्य और कार्य का नाम स्पष्ट रूप से प्रदर्शित होना चाहिए। साइट निरीक्षणकर्ता का आधार एवं साइट निरीक्षण प्रमाण पत्र अवर अभियन्ता द्वारा सत्यापित कर अपलोड करना अनिवार्य होगा।
 4. फोटोग्राफ का अपलोड करना :-निरीक्षण के उपरान्त ली गयी जी0पी0एस0 फोटोग्राफ को निर्धारित पोर्टल/प्लेटफार्म पर अपलोड करना अनिवार्य होगा ताकि यह सुनिश्चित हो सके कि साइट का निरीक्षण किया गया है।
 5. प्रमाण प्रस्तुत करना :-ठेकेदार को साइट निरीक्षण की पुष्टि हेतु जी0पी0एस0 फोटोग्राफ और कार्यस्थल का विवरण तकनीकी विड के साथ अपलोड करना होगा।
 6. अनुपालन की पुष्टि:-निविदा प्राधिकारी निरीक्षण दस्तावेजों और फोटोग्राफ की पुष्टि करेगा, यदि निरीक्षण का पालन नहीं किया जाता है तो ठेकेदार की विड अस्वीकार कर दी जायेगी।

Note:-1-Any addendum of corrigendum or any other update shall be available on <https://e-tender.up.nic.in>. Therefore Bidders are requested to refer to the e-Tender portal from time to time for any addendum /corrigendum/other documents updated regarding the e-tender.



Executive Engineer
UPSCIDCO, HARDOI

(1)

Construction of Proposed Building of Community
Centre at Gram Panchyat Dhondhi Block Billgram
Distt. Hardoi.

Site Location

(1) Lat 27.225999° Long 79.982885°

Aine

[Signature]

SUMMARY OF COST

FOR TENDER

**NAME OF WORK :- CONSTRUCTION OF PROPOSED BUILDING OF
COMMUNITY CENTRE AT GRAM PANCHYAT-DHONDHI, BLOCK-
BILLGRAM, DISTT-HARDOI.**

Sl. No.	Particular's	Amount
1	COST OF CIVIL & SANITARY WORK	4347206.36
2	COST OF BOUNDARY WALL & GATE	541112.20
3	COST OF ELECTRIFICATION WORK	260370.00
	TOTAL	5148688.56
	SAY Rs.	5148689.00
4	LESS 5% DUE TO WORK DONE BY NIGAM	-257434.00
	TOTAL	4891255.00

Note- GST as per applicable Extra.

(अनिलेश सिंह)

अनंद अभियन्ता

यू०पी० स्टेट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
डेवलपमेंट कारपोरेशन लि०
हरदोई

अधिरासी अभियन्ता
यू०पी० स्टेट कांस्ट्रक्शन एण्ड
इन्फ्रास्ट्रक्चर डेवलपमेंट कारपोरेशन लि०
हरदोई

BILL OF QUANTITY FOR TENDER

NAME OF WORK :- CONSTRUCTION OF PROPOSED BUILDING OF COMMUNITY CENTRE AT GRAM PANCHYAT-DHONDHI, BLOCK-BILLGRAM, DISTT-HARDOI.

S.no	CODE	Description of Items	Unit	Quantity	Rate	Rates 0.757*107/ 107=0.757	Amount
1	DSR 2.31	Clearing of site including labour t&p complete. for Layout	SQM	550.00	17.60	13.32	7326.00
2	MR	Layout of Building including all labours t &p required for proper completion of work as per direction of Engineer in charge.	SQM	540.64	7.90		4271.06
3	DSR 2.6.1	Earth work Excavation in trenches for foundation. in ordinary soil (loan clay or sand) including lift up to 1.50 m and lead upto 50 m.	CUM	128.97	177.50	134.37	17329.70
4	AR	Earth filling in plinth under floors including watering ramming, consolidating and dressing etc. complete including lead upto 30 m. and lift upto 1.5 m. including cost of supplied earth.	CUM	39.15	621.00		24312.15
5	MR	Sand filling in flooring including watering ramming etc complete.	CUM	16.26	2123.75		34532.18
6	DSR 4.1.8	Providing and laying in cement concrete 1:4:8 (1cement:4 coarse sand:8 graded stone aggregate 40 mm nominal size and curing complete, including cost of formwork in foundation and floors.	CUM	54.48	6812.00	5156.68	280935.93
7	DSR 6.1.2	First class brick work in 1:6 cement and coarse sand mortar in foundation including supply of all plants etc. required for proper completion of the work.	CUM	22.84	7132.25	5399.11	123315.67
8	DSR 4.3.3	Centering and shuttering including strutting, propping etc. and removal of form for :column,plinth bend.lintel.sunshade.platform & slab.	SQM	194.66	961.30	727.70	141654.08
9	DSR 5.2	R.C.C. works with cement approved coarse sand and 20 mm approved stone aggregate in the proportion 1:1.5:3 (1 cement:1.5 coarse sand : 3 stone aggregate) excluding supply of reinforcement and its bending & binding.with binding wire including supply of all materials, labours T&P					
A	5.2.2	COLUMN	CUM	24.24	10852.95	8215.68	199148.08
B	5.2.2	GRADE/PLINTH BEAM	CUM	12.08	10852.95	8215.68	99245.41
C	5.3	LINTEL BAND	CUM	15.03	11505.50	8709.66	130906.19
D	5.3	Slab	CUM	8.29	11505.50	8709.66	72203.08
10	DSR 5.22	Reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete.	KG	8469.91	107.10	81.07	686655.60
11	DSR 6.1.1	First class brick work in 1:4 cement and coarse sand mortar in foundation and plinth including supply of all plants etc. required for proper completion of the work.	CUM	1.04	7370.65	5579.58	5802.76
12	DSR 6.4.2	First class brick work in 1:6 cement and coarse sand mortar in superstructure including supply of all plants etc. required for proper completion of the work.	CUM	29.12	9105.95	6893.20	200729.98
13	DSR 6.4.1	First class brick work in 1:4 cement and coarse sand mortar in superstructure including supply of all plants etc. required for proper completion of the work.	CUM	3.55	9344.35	7073.67	25111.53
14	DSR 13.5.2	12/15 mm wall plaster 1:4 cement :coarse sand including cost of all material labour T&P etc.complete.	SQM	507.40	411.75	311.69	158151.51

(अखिलेश सिंह)
 शहर अभियन्ता
 स्टेट कॉन्स्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
 डेव्लपमेंट कारपोरेशन लि
 हरदोई

अभिषारी अभियन्ता
 यू०पी० स्टेट कॉन्स्ट्रक्शन एण्ड
 इन्फ्रास्ट्रक्चर डेव्लपमेंट कारपोरेशन लि०

	DSR 13.5.2	6-10 mm thick ceiling plaster 1:3 cement :coarse sand including cost of all material labour T&P etc.complete.	SQM	54.97	411.75	311.69	17133.60
16	DSR 10.31	Providing, fabrication and fixing of ms angle iron chaukat make of 40*40*6 mm and 35*35*5 mm angle iron including supply of all material Labour T. & P. etc. complete as per direction of Engineer in charge.	Kg	101.05	130.50	98.79	9982.73
17	DSR 10.31	Providing, fabrication and fixing of Z-section windows, ventilators openable type with 10 mm sq bar grill as per approved drawing and design including supply of all material Labour T. & P. etc. complete as per direction of Engineer in charge.	Kg	166.95	130.50	98.79	16492.99
18	DSR 4.2.3	Providing of Pcc with 1:2:4 cement coarse sand and stone aggregate for fixing of hold fast.	CUM	0.10	9895.20	7490.67	749.07
19	DSR 9.21.2	Providing and fixing ISI marked flush door shutters conforming to IS :2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	SQM	10.71	2172.10	1644.28	17610.24
20	DSR 9.62	Providing and fixing ISI marked oxidised M.S sliding door bolts with nuts and screws etc. complete					
	9.62.2	250mm x 16mm	No.	6.00	193.70	146.63	879.78
21	DSR 9.66	Providing and fixing ISI marked oxidised M.S handles conforming to IS: 4992 with necessary screws etc. complete					
	9.66.1	125 mm	No.	12.00	39.95	30.24	362.88
22	DSR 9.63	Providing and fixing ISI marked oxidised M.S tower bolts black finish (Barrel type) with necessary screws etc. complete					
	9.63.2	200x10mm	No.	6.00	69.40	52.54	315.24
	9.63.3	150x10 mm	No.	6.00	59.45	45.00	270.00
23	DSR 11.3.1	40mm. thick in flooring 1:2:4 cement: coarse sand:20 mm. stone aggregate with floating coat of neat cement including cost of all materials Labour and T & P etc. complete	SQM	127.73	614.20	464.95	59388.06
24	DSR 11.13.1	Fixing of glass stripsProviding and fixing glass strips in joints of terrazo/ cement concrete floors.40 mm wide and 4 mm thick	RMT	255.46	91.75	69.45	17741.70
25	DSR 8.31	Providing and fixing ceramic glazed wall tiles as per direction of Engineer-in-Charge,over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	SQM	46.93	1267.95	959.84	45045.29
26	DSR 11.38	Providing and laying Ceramic glazed floor tiles as per direction of Engineer in charge laid on 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including pointing the joints with white cement and matching pigment etc. complete.	SQM	10.17	1315.30	995.68	10126.07
27	DSR 11.41.2	Providing and laying vetrified floor tiles of required size or laid on 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including pointing the joints with white cement and matching pigment etc complete as per direction of Engineer in charge.	SQM	246.56	1553.45	1175.96	289944.70
28	DSR 22.6	Providing and laying water proofing treatment on roofs of slabs by applying cement slurry mixed with water proofing cement compound.	SQM	69.04	688.90	521.50	36004.36

Ame

(अखिलेश सिंह)

अवर अभियन्ता

जो. प्रो. संरक्षण एवं इन्फ्रास्ट्रक्चर

कमिश्नरी अभियन्ता
पुणे स्टेट कांस्ट्रक्शन एण्ड

	DSR 13.80	Providing and applying two coat white cement Based wall care putty of approved make over the plastered wall surface to prepared the surface even and smooth complete.	sqm	562.37	156.05	118.13	66432.77
30	DSR 13.46.1	Finishing walls with two coat acrylic smooth exterior paint of approved shade with in new work applied @ 1.67 litr /10 sqm over and including priming coat of exterior primer applied @2.20 kg /10 sqm.	sqm	245.75	160.60	121.57	29875.83
31	DSR 13.41.1	Distemping two coat with oil bound washable distemper of approved brand and manufacture to give an even shade over and including water thinnable priming coat with cement primer.	sqm	316.62	185.65	140.54	44497.77
32	DSR 13.61.1	Painting with synthetic enamel paint two coats of approved brand and manufacture of required colour to give an even shade.	sqm	326.44	155.90	118.02	38526.45
33	DSR 10.30.1	Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with :4.0 mm thick glass panes	SQM	6.21	1064.65	805.94	5004.89
34	DSR 12.41.2	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion,(i) Single socketed pipes.	RMT	54.00	377.40	285.69	15427.26
35	MR	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.	KG	6460.18	110.00		710619.80
36	DSR 12.50	Providing and fixing precoated galvanised iron profile sheets size ,shape and pitch of corrugation as approved by Engineer -in-charge)0.50 mm(+0.05%) total coated thickness with zinc coating,120 grams per Sqm. as per IS:277 in 240 mpa steel grade 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns epoxy primer on both side of the sheet should have protective goard filmof 25 microns minimum to avoide scratches during tranportation and should be supplide in single length upto 12 meter or as including cutting sheets to size and shape wherever required.	SQM	297.49	738.65	559.16	166344.51
37	DSR 12.51	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete.	RMT	18.40	532.35	402.99	7415.02
38	AR	Making of apron drain.	RMT	83.13	2051.00		170499.63
39	AR	Construction of Septic tank 25User.	No.	1.00	73391.00		73391.00
40	AR	Construction of soak pit 2.00 m dia and 2.50 m depth with all respect.	No.	1.00	18454.85		18454.85
41	AR	Construction of manhole 600x600x450 mm with all respect.	No.	5.00	5254.98		26274.90
42	AR	Boring with submersible (1 HP) complete.	No.	1.00	110830.00		110830.00
		TOTAL A					110830.00
B	Sanitary work						4217272.30

(अखिलेश सिंह)
अथर अभियन्ता
इंजीनियरिंग कॉन्सल्टिंग एण्ड इन्फ्रास्ट्रक्चर
इन्फोर्मेसन्ट कार्पोरेशन लि०
हरदोई

अभियन्ता
इंजीनियरिंग कॉन्सल्टिंग एण्ड
इन्फोर्मेसन्ट कार्पोरेशन लि०
हरदोई

9

	DSR 18.9	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge.					
	18.9.2	20MM DIA	rmt	15.00	274.30	207.65	3114.75
	18.9.3	25MM DIA	rmt	15.00	355.40	269.04	4035.60
2	DSR 18.8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
a	18.8.2	20 mm dia	rmt	60.00	537.60	406.96	24417.60
3	DSR 18.17.1A	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :20MM DIA	no	3.00	539.95	408.74	1226.22
4	DSR 18.18.1	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :15 mm nominal bore	no	3.00	406.85	307.99	923.97
5	DSR 18.21.2.1	Providing and fixing uplasticised P.V.C. connection pipe with brass unions 45 cm length and 15 mm nominal bore	mt	12.00	97.75	74.00	888.00
6	DSR 18.48	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	no	1000.00	11.00	8.33	8330.00
7	MR	Making plate form for supporting the water storage tank of required size including brick work with 1:4 cement coarse sand and 20 mm thick plaster in 1:3 cement coarse sand mortar and neat cement finishing complete	no	2.00	3550.00	2687.35	5374.70
8	DSR 18.15.1	Providing and fixing brass bib cock 15 mm of approved quality prayag or equivalent make.	no	12.00	353.25	267.41	3208.92
9	DSR 18.53.1	Providing and fixing c.p angle valve of approved quality prayag or equivalent make.	no	14.00	574.30	434.75	6086.50
10	DSR 18.76	Cutting holes upto 30x30 cm in walls including making good the same :					
		With F.P.S. bricks.	no	12.00	416.80	315.52	3786.24
11	DSR 18.77	Cutting holes upto 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including finishing complete so as to make it leak proof.	no	4.00	452.00	342.16	1368.64
12	MR	Providing and fixing of C.P. soap disc of approved quality.	no	4.00	175.00	132.48	529.92
13	MR	Making of brick pillars for supply to hold the GI/CI pipe line of 230x230x230mm size including B/w and plaster complete	no	2.00	180.00	136.26	272.52
14	NIGAM	Making of water tank connection inlet, outlet, overflow, clean outlet each point	no	4.00	205.00	155.19	620.76

Sima
 (अश्विनेश सिंह)
 शहर अभियन्ता
 नगर कार्यपालन एण्ड इन्फ्रास्ट्रक्चर
 डेवलपमेंट कारपोरेशन लि०
 हरदोई

(Signature)
 अधिशारी अभियन्ता
 पू०पी० स्टेट कार्पोरेशन एण्ड
 इन्फ्रास्ट्रक्चर डेवलपमेंट कारपोरेशन लि०
 हरदोई

DSR 17.1	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete including cutting and making good the walls and floors wherever required :						
17.1.1	White Vitreous china Orissa pattern W.C. pan of size 580x440mm with integral type foot rests.	no	4.00	6767.40	5122.92	20491.68	
16	DSR 17.4.1	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :One urinal basin with 5 litre white P.V.C. automatic flushing cistern	No.	3.00	6258.75	4737.87	14213.61
17	DSR 17.7	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps,32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require :					
17.7.3	White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps.	no	5.00	2301.75	1742.42	8712.10	
18	DSR 17.10.2.1	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm,including painting of fittings and brackets, cutting and making good the walls wherever required :Kitchen sink without drain board 610x510 mm bowl depth 200 mm	no.	3.00	4940.80	3740.19	11220.57
19	DSR 17.32.2	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :Rectangular shape 453x357 mm	No.	2.00	1361.80	1030.88	2061.76
20	AR	Providing and fixing P.v.c waste and vent pipes of approved make					
A	110 mm dia.	mt	10.00	555.00		5550.00	
21	MR	Providing and fixing of Pvc nahani trap 90 mm of approved make	no.	10.00	350.00		3500.00
		TOTAL B				129934.06	
		TOTAL A+B				4347206.36	
		Say Rs in Lakhs				43.47	

(अभिषेक सिंह)

अध्यक्ष अभियन्ता
यू.पी. स्टेट कॉन्स्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
डेवलपमेंट कारपोरेशन लि.
हरदोई

अभिषेक सिंह
यू.पी. स्टेट कॉन्स्ट्रक्शन एण्ड
इन्फ्रास्ट्रक्चर डेवलपमेंट कारपोरेशन लि.
हरदोई

BILL OF QUANTITY FOR TENDER**NAME OF WORK :- CONSTRUCTION OF PROPOSED BUILDING OF
COMMUNITY CENTRE AT GRAM PANCHYAT-DHONDHI, BLOCK-
BOUNDARY WALL & GATE**

S.no	PWD/DSR CODE	Description of Items	Unit	Quantity	Rate	Amount
1	AR	Construction of Boundary wall having height 1.80 metre, including earth work, concrete work 1:4:8 cement : sand and brick aggregate 40 mm, brick work in foundation 1:6 cement coarse sand and 1:4 cement coarse sand in super structure, R.C.C. band in 1:1.5:3 reinforcement, plaster 1:6 cement coarse sand and wall finishing including supply of all materials labour and T&P etc required for proper completion of work	RMT	90.00	5488.00	493920.00
2	AR	P/F of MS Gate of size 3.60x2.00m from Outer Frame of 50x50mm Hollow square pipe, Vertical member inside Frame is 50x25mm Hollow Rectangular Pipe, Vertical square Bars of 10x10mm & MS sheet of 0.80mm with fabrication and fixing complete.	NO.	1.00	47192.20	47192.20
		TOTAL				541112.20
		Say Rs in Lakhs				5.41

Ame
(अखिलेश सिंह)
अवर अभियन्ता
पुंभी स्टेट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
डेवलपमेंट कारपोरेशन लि०
हरदोई

P
अभिशांत अभियन्ता
पुंभी स्टेट कांस्ट्रक्शन एण्ड
इन्फ्रास्ट्रक्चर डेवलपमेंट कारपोरेशन लि०
हरदोई

ANALYSIS OF RATES

Making of MS Gate of size 3.60x1.50m from Outer Frame of 40X40mm Hollow square pipe, Vertical member inside Frame is 40x25mm Hollow Rectangular Pipe, Vertical square Bars of 10x10mm & MS sheet of 0.80mm with fabrication and fixing complete.

S.no	uppwd/dsr code	Description	Unit	No.	L	B	wt. kg/m	Qty	Rate	Amount
1	DSR 10.25.2	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works								
A		Frame Hollow square pipe 40x40x3mm								
		Horizontal	Rmt	2	3.60		3.45	24.84		
		Vertical	Rmt	4	1.50		3.45	20.70		
B		Hollow rectangular Pipe 40x25x3								
		Horizontal	Rmt	1	3.60		2.66	9.58		
		Vertical	Rmt	36	1.50		2.66	143.64		
C		MS Sheet 0.80mm thick	sqm	2	3.60	0.60	6.28	27.13		
D		Vertical Bars ISSQ 10mm	Rmt	24	0.20		0.80	3.84		
			Kg					229.73	130.66	30016.52
		Fabrication chages @71.5/kg		1				229.73	71.50	16425.70
		Add 2.5% wastage on Rs 39651.52								750.00
		Total								47192.22
		Say Rs.								47192.20
		Say Rs.(in Lakh)								0.47

(अखिलेश सिंह)

अवर अभियन्ता

यूपीए स्टेट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
डेवलपमेन्ट कारपोरेशन लि०
हरदोई

अधिशासी अभियन्ता
यूपीए स्टेट कांस्ट्रक्शन एण्ड
इन्फ्रास्ट्रक्चर डेवलपमेन्ट कारपोरेशन लि०
हरदोई

Analysis of Rate

NAME OF WORK :- CONSTRUCTION OF PROPOSED BUILDING OF COMMUNITY CENTRE AT GRAM PANCHYAT-DHONDHI, BLOCK-BILGRAM, DISTT-HARDOL.

RATE EFFECTIVE FROM-(DSR RATE X 0.735 X DISTRICT COST INDEX/107=DSR RATE X 0.735 X 108/107)

S.N o.	P.W.D/ D.S.R	Particulars	Unit	No.	L	B	D/H	Qty	Rate	Rates 0.735*10 7/107=0. 735	Amount
		Taken quantity 30.00 rmt									
1	DSR 2.6.1	Earth work Excavation in trenches for foundation pipes,cables etc. in ordinary soil (loan clay or sand)including lift up to 1.50 m and lead upto 50 m dressing of sides and ramming of bottom and disposal of surplus excavated earth as directed by Engineer -incharge within a lead of 50 m.									
		foundation	Cum.	1	30.00	0.60	0.60	10.80	177.50	130.46	1409.00
2	DSR 4.1.8	Providing and laying in cement concrete 1:4:8 (1 cement :4 sand :8 graded brick aggregate 40 mm nominal size and curing complete. including cost of formwork in foundation.in foundation									
		Foundation	Cum.	1	30.00	0.60	0.15	2.70	6812.00	5006.82	13518.41
3	DSR 6.1.1	Class 150 brick work in 1:6 cement and coarse sand mortar in foundation and plinth including supply of all plants etc. required for proper completion of the work.									
		Qty upto G.L.	Cum.	1	30.00	0.46	0.15	2.07			
		upto G.L.	Cum.	1	30.00	0.35	0.150	1.58			
		Total						3.65	7370.65	5417.43	19773.61
4	DSR 5.3	R.C.C. works with cement approved coarse sand and 2 cm. (3/4") gauge approved stone ballast in the proportion 1:2:4 (1cement:6aggregate) in lintels of doors and windows excluding supply of reinforcement and its bending& binding. With 24BWG binding wire including supply of all labours, tools and plants etc required for proper completion of the works. Strength of the concrete shall not be less than M-150.									
		plinth band		1	30.00	0.23	0.15	1.04			
		top band		1	30.00	0.23	0.10	0.69			
		Total	Cum.					1.73	11505.50	8456.54	14629.82
5	DSR 4.3.3	Centering and shuttering including strutting, propping etc. and removal of form for :column,plinth bend.lintel.sunshade.platform & slab.									
		plinth band		2	30.00		0.15	9.00			
		top band		2	30.00		0.10	6.00			
			sqm					15.00	961.30	706.56	10598.33
6	DSR 6.4.1	First class brick work in 1:4 cement and coarse sand mortar in super structure including supply of all materials,labour and tools plants etc. required for proper completion of the work.									
				1	30.00	0.115	1.40	4.83			

अभिषेक सिंह
 अवर अभियन्ता
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर

अभिषेक सिंह
 अवर अभियन्ता
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर
 एच.एस.टी.कॉम्प्लेक्स एण्ड इन्फ्रास्ट्रक्चर

			12	0.23	0.115	1.40	0.44			
		Total	Cum.				5.27	9344.35	6868.10	36194.87
7	DSR 13.5.2	12/15 mm wall plaster 1:6 cement :coarse sand including cost of all material labour complete 120+(160-140)=140								
			2	30.00		1.60	96.00			
			20	0.12		1.60	0.00			
			1	30.00	0.12		3.45			
			12	0.23	0.23		0.63			
		Total	sqm				100.08	395.35	290.58	29081.47
8	DSR 13.80	Providing and applying two coat white cement Based wall care putty of approved make over the plastered wall surface to prepared the surface even and smooth complete.								
		same as above	sqm				100.08	156.05	114.70	11478.85
9	DSR 13.46.1	Finishing walls with 2 Coat Premium Acrylic Smooth exterior paint with Silicone additives of required shade								
		same as above	sqm				100.08	160.60	118.04	11813.54
10	DSR 5.22A	Mild steel or iron in plain work such as reinforced concrete or reinforced brick work (when not included in over all rates) wrought to required shape as necessary including bending for proper completion of the work including supply of all steel and wastage & over lapping & hooks.								
			1	1.73	1.50%	7850.00	203.71			
		Total	Kg				203.71	107.85	79.27	16148.04
		Total Amount for 30.00 mts								164645.95
		Rates per rmt								5488.20
		Say Rate per rmt								5488.00

Ane
 (अखिलेश सिंह)
 जयद अभियन्ता
 जेड कॉन्स्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
 प्रोपर्टी कारपोरेशन लि०
 हरदोई

B
 अखिलेश अभियन्ता
 जेड कॉन्स्ट्रक्शन एण्ड
 इन्फ्रास्ट्रक्चर प्रोपर्टी कारपोरेशन लि०
 हरदोई

ANALYSIS OF RATE

Name of work:- Boring and Installation of Submersible Pump(1HP)

S.No.	Particulars	Unit	Quantity	Rate	Amount
1	Drilling including running of necessary pilot bore by reverse direct circulation rotary rig in alluvial soil (except of rock) etc.,including transportation and all accessories and returning back from site after completion.				
	150 mm Dia bore from G.I.to 45 meter	m	45.00	200.00	9000.00
	150mm Dia bore from G.I. to 46-85 meter	m	40.00	255.00	10200.00
2	Supply and packaging the bore with gravel of 1.5mm to 5.00 mm nominal size.	Cum	1.50	2750.00	4125.00
3	P/F of 110 (O.D.) P.V.C. 6kg/sq.cm. screen of superior quality I.S.I	rmt	20.00	390.00	7800.00
4	P/F of 110 (O.D.) P.V.C. 6kg/sq.cm. I.S.I. mark superior quality pipe with socket and joining special of complete extra teflon roll.	rmt	60.00	390.00	23400.00
5	P/F at required depth 110mm bottom bail plug with hook complete and screwed.	no.	1.00	125.00	125.00
6	P/F of M.S. Clamp made up 75x12mm with 30cm projection on either side to be fixed surrounding the pipe with cost of concrete block to embedden in floor.	no.	1.00	280.00	280.00
7	P/F at required depth 110mm M.S. well cap 6mm thick M.S. sheet duly threded on side surface.	no.	1.00	450.00	450.00
8	Development of bore well by compressor/high discharge pump and removal of mud etc. complete the discharge should be free from sand and silt.	job	1.00	10500.00	10500.00
	Total A				65880.00
1	P/F of BESTEN/KSB/VARUNA/CROMPTON make submersible pump of ISI (1.00 HP) 1/3 phase of AC type or DC tpe complete with starter panel and making connection of starter to source of electric supply. Including no. of stages as required to sufficient discharge and head for AC tye warranty will be 1years and for DC type 5years.	Job	1.00	11500.00	11500.00
2	S/F of submersible cable of 3core 2.5sqm copper wire water proof.	rmt	95.00	80.00	7600.00
3	S/F of steel wire for clamping of submersible pump.	rmt	90.00	45.00	4050.00
4	P/F of 40mm HDP pipe rool/32mm G.I. Pipe.	rmt	60.00	300.00	18000.00
5	40mm elbow	no.	2.00	250.00	500.00
6	Lowering of submersible pumpm with complete clamping steel wire,cable and jointing of 32mm PVC pipe with teflon roll and fixing of starter panel etc.	job	1.00	1500.00	1500.00
7	S/F of M.S.clamp for Submersible pump.	job	1.00	200.00	200.00
	Total B				43350.00
8	Testing of water to find all data required for RO	job	1.00	1000.00	1000.00
9	Construction of brick chamber 450x450x300mmwith RCC cover	job	1.00	600.00	600.00
	Total C				1600.00
	Total A+B+C				110830.00
	Say Rs in Lakhs				1.11

(Signature)
 (अखिलेश सिंह)
 अवर अभियन्ता
 जेट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
 प्रोजेक्ट कारपोरेशन लि
 हरदोई

(Signature)
 अधिशासी अभियन्ता
 जूनी० स्टेट कांस्ट्रक्शन एण्ड
 इन्फ्रास्ट्रक्चर डेवलोपमेन्ट

ANALYSIS OF RATE DRAIN 300X300

RATE EFFECTIVE FROM-(DSR RATE X 0.735 X DISTRICT COST INDEX/107=DSR RATE X 0.735 X 108/107)

S.No.	PWD	Description of Item	Measurement				Qty.	Unit	Rate	Rates 0.735*107/ 107=0.735	Amount
			No.	L (m)	B (m)	H/D (m)					
1	2.6.1	Earthwork in Excavation	1	1.00	0.80	0.35	0.28	cum	177.50	130.46	36.53
2	4.1.8	P.C.C 1:4:8	1	1.00	0.80	0.10	0.08	cum	6812.00	5006.82	400.55
3	6.1.1	B/W in 1:4 Cement Coarse Sand	1	1	0.76	0.075	0.06				
			2	1.00	0.23	0.30	0.14				
							0.20	cum	7370.65	5417.43	1083.49
4	13.10	15 mm thick plaster (1:3) coarse sand	2	1.00	0.23		0.46	sqm	506.60	372.35	171.28
			2	1.00		0.30	0.60	sqm	506.60	372.35	223.41
5	11.3.1	40mm thick c.c. Flooring	1	1.00	0.30		0.30	sqm	614.20	451.44	135.43
GRAND TOTAL											2050.68
SAY Rs.											2051.00

Am
 (खिलेश सिंह)
 अकर अभियन्ता
 इन्फ्रास्ट्रक्चर एण्ड इन्फोर्मेशन टेक्नोलॉजी
 डेवलपमेंट कॉरपोरेशन लि०
 हरदोई

B
 क. विशाशी अभियन्ता
 कृषी एण्ड इन्फोर्मेशन टेक्नोलॉजी
 डेवलपमेंट कॉरपोरेशन लि०
 हरदोई

Detail of Septic Tank , Soakpit , Sanitary and Water Supply

NAME OF WORK :- CONSTRUCTION OF PROPOSED BUILDING OF COMMUNITY CENTRE AT
GRAM PANCHYAT-DHONDHI, BLOCK-BILLGRAM, DISTT-HARDOI.

S.N.	Particulars	No.	L	B	H/D	Qty	Unit	Rate	Amount
1	Earth work in filling under floor upto plinth including watering ramming by Cartage Earth								
	Spetic tank	1	3.46	2.46	1.80	15.32			
	Soakpit	3.14	1.00	1.00	2.50	7.85			
						23.17	Cum.	130.46	3022.82
2	PCC 1:4:8 Cement:Coarse sand:stone ballast 40mm size Under Floor								
	Spetic tank	1	3.46	2.46	0.10	0.85			
	Soakpit	3.14	1.00	1.00	0.10	0.31			
						1.16	Cum.	5006.82	5807.91
3	class m-150 Brick Work in 1:4 Cement:C.sand Mortor including supply of all material, Labour T.P.Complete of Work in Super Structer								
	Spetic tank	2	3.46	0.23	2.05	3.26			
		2	2.00	0.23	2.05	1.89			
	soakpit	2	1.06	0.23	2.50	1.22			
		2	0.60	0.23	2.50	0.69			
						7.06	Cum.	5417.43	38247.04
4	RCC Work 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size) in Stair case, Mumty Slab & Parapet Patta including Supply of all Material, Labour T.P etc. Complete pf Work.								
		1	3.46	2.46	0.10	0.85			
		3.15	1.00	1.00	0.10	0.32			
						1.17	Cum.	8709.66	10156.86
5	M.S. Work in R.C.C. Work								
		1	1.17	0.01	7850.00	91.54	Kg.	81.07	7421.44
6	20mm. Thick 1:3 Cement:C.sand Mortor Plaster with Neat Cement Finish								
		1	10.00		2.05	20.50			
		1	11.84		0.25	2.96			
						23.46	Sqm.	372.35	8735.35
								Total	73391.42
								SAY Rs.	73391.00

(Signature)
(अखिलेश सिंह)
 अपर अभियन्ता
 यू०पी० रीट कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
 डेवलपमेन्ट कारपोरेशन लि०
 हरदोई

(Signature)
अधिसासी अभियन्ता
 यू०पी० रीट कांस्ट्रक्शन एण्ड
 इन्फ्रास्ट्रक्चर डेवलपमेन्ट कारपोरेशन लि०
 हरदोई

Analysis of Rates (Manhole)

Construction of manhole 600x600x450 mm with excavation,refilling, cc 1:4:8 cement coarse sand 40 mm stone aggregate; brick work 1:4 cement coarse sand , plastering 1:3 cement coarse sand with neat cement finishing, R.C.C work 1:1.5:3 cement coarse sand and 20 mm stone grit in cover with shuttering and reinforcement work complete with all respect.

S.NO.	uppwd/ dsr code	Decription	Unit	No	L	B	H/D	Qty.	Total qty	Rate	Amount
1	DSR 2.6.1	Earth work in excavation	cu.m	1	1.10	1.10	0.45	0.54	0.54	130.46	70.45
2	DSR 4.1.8	L.C.1:4:8 c:c/s:40 m.m.stone /ballast	cu.m	1	1.10	1.10	0.10	0.12	0.12	5006.82	600.82
3	DSR 6.1.1	Brick work 1:4 c:c/s mortar		2	1.06	0.23	0.45	0.22			0.00
				2	0.60	0.23	0.45	0.12			0.00
		Total	cu.m					0.34	0.34	5417.43	1841.93
4	DSR 5.3	R.C.C.1:1.5:3 c:c/s/g mortar									0.00
		Top cover		1	1.10	1.10	0.10	0.12			0.00
		channel		1	0.60	0.60	0.08	0.03			0.00
		Total	cu.m					0.15	0.15	8709.66	1306.45
5	DSR 5.22A	Tmt -Steel									0.00
		Same as above qty of rcc work		1	0.15	1.00%	7850.00	11.78			0.00
		Total	kg					11.78	11.78	81.07	955.00
7	DSR 13.9.1	12 mm thick plaster 1:3 c:c/s mortar with neat cement finishing		4	0.60		0.45	1.08			0.00
		outer		4	1.06		0.05	0.21			0.00
		Total	sqm					1.29	1.29	372.35	480.33
		Total									5254.98

(अधिरासी सिंह)
अवर अभियन्ता
कॉन्स्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर
उपरोक्त कारपोरेशन लि०
हरदोई

अधिरासी अभियन्ता
यूपी० स्टेट कॉन्स्ट्रक्शन एण्ड
इन्फ्रास्ट्रक्चर कारपोरेशन लि०
हरदोई

Analysis of Rates (Soak pit)

Construction of soak pit 2.00 m dia and 2.50 m depth with excavation,refilling, cc 1:4:8 cement coarse sand 40 mm stone aggregate; honey comb brick work 1:4 cement coarse sand , R.C.C work 1:1.5:3 cement coarse sand and 20 mm stone grit in cover with shuttering, reinforcement and filling of brick bats complete with all respect.

S.NO.	uppwd/ dsr code	Decription	Unit	No	L	B	H/D	Qty.	Total qty	Rate	Amount
1	DSR 2.6.1	Earth work in excavation (3.14/4)=0.785	cu.m	0.785	2.00	2.00	2.50	7.85	7.85	140.21	1100.65
2	DSR 4.1.8	L.C.1:4:8 c:c/s:40 m.m.stone /ballast	cu.m	2	0.90	0.23	0.08	0.03			0.00
				2	0.45	0.23	0.08	0.02			0.00
		Total						0.05	0.05	5381.16	269.06
3	DSR 6.1.1	Honey comb Brick work 1:4 c:c/s mortar		2	0.90	0.23	2.50	1.04			0.00
				2	0.60	0.23	2.50	0.69			0.00
		Total	cu.m					1.73	1.73	5822.47	10072.87
4	DSR 5.3	R.C.C.1:1.5:3 c:c/s/g mortar									0.00
		Top cover (3.14/4)=0.785		0.785	2.00	2.00	0.10	0.31			0.00
		Total	cu.m					0.31	0.31	9088.80	2817.53
5	DSR 5.22a	Tmt -Steel									0.00
		Same as above qty of rcc work		1	0.31	1.00%	7850.00	24.34			0.00
		Total	kg					24.34	24.34	85.20	2073.77
7	MR	Filling of brick bats (3.14/4)=0.785		0.785	2.00	2.00	2.50	3.93			0.00
		deduction		-1	0.91	0.91	2.50	-2.28			0.00
		Total (800+10%+110)=990	cu.m					1.65	1.65	1850.00	3052.50
		Total									19386.38

(खिलास सिंह)

अवर अभियन्ता

कांस्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर

इन्फ्रास्ट्रक्चर डेवलोपमेंट कारपोरेशन लि०

हरदोई

अधिशारी अभियन्ता

पुणेपिठ स्टेट कांस्ट्रक्शन एण्ड

इन्फ्रास्ट्रक्चर डेवलोपमेंट कारपोरेशन लि०

हरदोई

(20)

U.P. State Construction & Infrastructure Development Corporation Ltd.


Name of work:- Bill of Quantity For Community Hall Under Ekikrit Vikas Yojna Samaj Kalyan Vibhag at Gram Panchayat-Dhondhi, Block-Billgram, Hardoi (Total Area-278.32 sq.mtr. (Shed+Slab))

Bill of Quantity

(For Tender)


U.P.P.W.D Schedule of rates 01 April 2018

Sl. No	Description	Code	Unit	Qty.	Rate	Amount
1	2	3	4	5	6	7
1	Wiring point for light with 1.5 Sq. mm FRLSH PVC insulated multistrand single core copper conductor cable in PVC conduit pipe partly concealed in the wall and partly laid in slab with 1.5 Sq. mm FRLSH PVC insulated multistrand copper conductor cable as earth wire drawn inside. GP Box, Modular type switch & ceiling rose/angle/ batten holder on 3mm thick phenolic laminated bakelite sheet etc. complete in all respect.	138C +187A	Nos	45	654.00	29430.00
2	Wiring point for fan/fresh air fan (light duty exhaust fan) with 1.5 Sq. mm FRLSH PVC insulated multistrand single core copper conductor cable in PVC conduit pipe partly concealed in the wall and partly laid in slab with 1.5 Sq. mm FRLSH PVC insulated multistrand copper conductor cable as earth wire drawn inside. GP Box, Modular type switch & ceiling rose on 3 mm. thick bakelite sheet etc. complete in all respect	140C +187A	Nos	27	715.00	19305.00
3	Wiring point for plug with 1.5 Sq. mm FRLSH PVC insulated multistrand single core copper conductor cable in PVC conduit pipe partly concealed in the wall and partly laid in slab with 1.5 Sq. mm FRLSH PVC insulated multistrand copper conductor cable as earth wire drawn inside. GP Box, Modular type switch & socket etc. complete in all respect.	141C +187C	Nos	11	410.00	4510.00
4	Supply & wiring of submains with two number 4 sq.mm FRLSH PVC insulated 1100 Volt grade multistrand single core copper conductor cable in 20 mm dia heavy duty (2 mm thick) PVC conduit with one no. 2.5 sq.mm FRLSH PVC insulated multistrand copper conductor cable as earth continuity wire drawn in conduit. complete in all respect.	221C	Rm	175.00	149.00	26075.00
5	Supply & wiring of submains with two number 6 sq.mm FRLSH PVC insulated 1100 Volt grade multistrand single core aluminium conductor cable in 25 mm dia heavy duty (2 mm thick) PVC conduit with one no. 4 sq.mm FRLSH PVC insulated multistrand copper conductor cable as earth continuity wire drawn in conduit. complete in all respect.	222 C	Rm	15.00	204.00	3060.00
6	S&F of 32 Amp. double pole change over switch on 25mm x 25mm x 3mm angle iron frame, including the cost of labour, T&P, painting and other material required for proper completion of the work as per direction and satisfaction of Engineer in charge.	374	Nos	1	1590.00	1590.00
7	Supply & Laying of 25 mm x 3 mm G.I. Strip from earth electrode directly in the ground as required complete in all respect.	716	Rm	20.00	90.00	1800.00
8	Supply and burring of Safe Earthing Electrode T-19, (Hot Dip Galvanized), Length up to 2000 mm, Outer pipe 50 mm, inner pipe 25, terminal Dia 12 mm, outer G.I. pipe of 16 swg and inner G.I. pipe of 12 swg with Hot Dip Galvanization up to 100 micron filled with crystalline conductive mixture (CCM) having anti corrosive & conductive property with 50 kgs activated soil (BFC) capable of reducing the soil resistivity with good mixture of retaining capacity along with 30cm square C.I. frame with hinged cover & masonry husing (from electrode terminal to switch board, cost of 25 x 3 G.I. strip will be extra) Complete in all respect.	725 A	Nos	2	6450.00	12900.00
9	S/F of 6 Amp. To 32 Amp. SPMCB (10 KA) Cat-B	1002	Nos	20	206.00	4120.00
10	S/F of 50 Amp. to 63 Amp. SPMCB (10 KA) Cat-B	1003 B	Nos	1	390.00	390.00
11	S/F of 40Amp. DP MCB (10 KA) Cat.-B	1010	Nos	1	880.00	880.00
12	S/F of 63 Amp 4 pole MCB - (10KA) Cat-B	1020 (A)	Nos	1	1720.00	1720.00


 (J. K. कुमार)
 जयप्रियान्ता (वि०)
 यूपीसिडको, लखनऊ मण्डल

1	2	3	4	5	6	7
13	S/F of surface/flush mounting 12 ways SPN distribution board with additional metal door without MCB complete in all respect, as directed by Engineer in charge. Cat-B	1025 A	Nos	1	1850.00	1850.00
14	S/F of surface/Flush mounting 4 ways TPN distribution board with additional metal door without MCB complete in all respect, as directed at site by Engineer in charge. Cat.-B	1026 A	Nos	1	2890.00	2890.00
15	Erection and testing of ceiling fan and regulator etc. excluding supply of down rod, complete in all respect.	1115	Nos	24	80.00	1920.00
16	Erection and testing of exhaust fan on the existing hole with suitable size of rag bolts, nuts and washers etc. complete in all respect.	1120	Nos	3	195.00	585.00
17	S&F of 16 gauge M.S. drum duly painted including making hole in the wall for exhaust fan and finishing properly complete in all respect.	1122	Nos	3	810.00	2430.00
18	S&F of Power plug with 20A/250 volt flush type modular switch and 5 pin 20A/250V flush type universal modular socket switch on concealed M.S. box including supply of all material, labour T&P etc. required for completion of work.	1139A	Nos	7	625.00	4375.00
19	S/F of hexagonal/Round G.P. fan box of approved make made up 1.0 mm thick ISI Marked G.P. sheet spot welded four to Eight holes of 25.4 mm for pipe entry of the box. Holes should be semi-shuttered type with 0.5 mm G.P. sheet made upper & lower cover duly screwed fitted with 300 mm round zink coted M.S. bar x 12 mm & brand name should be embossed. Fixing with wiring conduit laid in the R.C.C. roof before concreting along with supply of all material, labour, T&P etc. required for proper completion of work.	1149	Nos	24	150.00	3600.00
20	Supply & fixing of Electronic fan regulator(Modular) 120-280 V. ISI marked, on the existing switch board including making connections, required material, labour T&P etc. for proper completion of work to the satisfaction of Engineer in charge of	1203 C	Nos	24	517.00	12408.00
21	Supply and fixing of LED Tube Light with batten suitable for up to 1 x 22 watt LED tube light fitting including tube On surface complete in all respect. Cat-AA	1413	Nos	35	1020.00	35700.00
22	Supply and fixing of water tight oblong 10 watt LED bulkhead luminaire with driver set confirming to IP 65 and above protection. complete in all respect. Cat-AAA	1417	Nos	1	1400.00	1400.00
23	Supply and fixing of LED Street light Fitting having die cast aluminium body and diffuser with driver set suitable for 52 watt to 72 watt. Confirming to IP 66 protection complete in all respect Cat-AA	1422	Nos	4	4680.00	18720.00
24	Supply & Fixing of Fan Sheet of Bachelite	MR	Nos	24	38.00	912.00
25	S/f of ceiling fan 1200 mm sweep. Usha / Crompton/Bajaj make Single Star Rated.	MR	Nos	24	2150.00	51600.00
26	S/F of LED Bulb 9 watt ISI	MR	Nos	5	150.00	750.00
27	Supply & Fixing of light duties exhaust fan (not fresh air Fan) 12"dia double ball bearing metallic Usha / Crompton/Bajaj make	MR	Nos	2	2500.00	5000.00
28	Supply & Fixing of heavy duties exhaust fan 12"dia ISI double ball bearing metallic Usha / Crompton/Bajaj make	MR	Nos	1	3000.00	3000.00
29	Supply & Fixing of Exhaust fan luvvers 12"dia.	MR	Nos	3	500.00	1500.00
30	S/L of Flat twin Service cable 10 sq.mm x 4 core weather proof	MR	Rm	70.00	85.00	5950.00
	Total					260370.00
	Say In Lacs					2.60

Note:- G.S.T. Extra as applicable.


 अनिल कुमार
 अ. अभियन्ता (वि.ग)
 सुरेशिवाजी, लखनऊ मण्डल

FORM FOR BIDDER'S BIDDING CAPACITY
(on or after the date of publication of tender)

Name of the Firm / Bidder:.....

Name of Work:- "Construction of -----

1. The Bidding capacity of the bidder should be equal to or more than the estimated cost of the work put to tender. The bidding capacity shall be worked out by the following formula:

$$\text{Bidding Capacity (Rs.)} = \{A \times N \times 2.5\} - B$$

Where,

A = Maximum turnover in construction works executed in any one year during the last five years taking into account the completed as well as works in progress. The value of completed works shall be brought to current costing level by enhancing at a simple rate of 7% per annum.

N = Number of years prescribed for completion of work for which bid has been invited.

B = Value of existing commitments and ongoing works to be completed during the period of completion of work for which bid has been invited (Value of B worked out from "Form A2").

Signature of Chartered Accountant with Seal

Seal & Signature of Bidder

Project Under Execution

FORM A2

S. No.	Details	
1.	Name of work/ project and location	
2.	Owner or sponsoring organization	
3.	Cost of work in Rs. (in Lacks)	
4.	Date of commencement as per contract	
5.	Stipulated date of completion	
6.	Up to Date % Financial Progress	
7.	Value of Balance Commitment to Complete work till Period for which Bid Invited (Lacks)	
8.	Slow progress if any and reasons thereof	
9.	Name and Address (Postal & E-mail) / telephone number of officer (Executive Engineer/Project Manager) to whom reference may be made	
10.	Remarks	

It is to undertake that above is the total list of works under progress in any department and information furnished is true and nothing has been hiding. Further that, if such a violation comes for hiding information or incorrect information to the notice of Department, then we shall be debarred for bidding in UPSCIDCO in future forever.

Note:

1. In Row No 6 above, only the percentage of financial progress shall be mentioned. In substantiation of financial progress, the bidder shall submit the statement of up to date payment made against each work, obtained from the Executive Engineer/Project Manager in charge of the work or by the chartered accountant.

SIGNATURE (S) OF BIDDER(S) (WITH STAMP)

