

(Notice Inviting e-Tender)

No .II-11012/B-II/Kumarsain-AR&M/24-25/1889-90
 Govt. of India (M.H.A.)
 Directorate General
 East Block-V, R. K. Puram
 New Delhi-110066

Dated:- 11. MAY. 2026

The Executive Engineer O/o The Director General, East Block-5, FHQ,SSB, R.K.Puram New Delhi-110066 on behalf of the President of India invites **Percentage Rate** e-Tender from the approved and eligible contractor of CPWD and those of appropriate list of MES, Railways, State PWD and PWO's for the following work.

NIT No.	18/Kumarsain/25-26
Name of Work & location	Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .
Estimated cost put to tender	Rs. 10,94,690/ only
Earnest Money	Rs 22,000/- only
Period of Completion	120 Days
<u>Tender processing fees</u> (Payable to Account Officer, PAO, SSB, MHA, through Demand Draft and should be deposited physically in the office of the Executive Engineer, FHQ, SSB, R. K. Puram, New Delhi-110066 on or before last date & time of opening of tender)	Exempted as per MoF OM No. F. 9/04/2020 PPD dated 12/11/2020
NIT issue date	12/05/2026
Bid Document download start date	12/05/2026 from 1600 hrs
Pre bid conference	14/05/2026 at 1600 hours
Bid submission start date	14/05/2026 at 1800 hours
Bid submission end date	21/05/2026 up to 1200 hrs
Technical Bid opening date	22/05/2026 at 1530 hours
Date of Opening Of Financial Bid Online	Will be intimated after opening of Eligibility Bids

Terms & Conditions

1) All details, tender terms and condition along with tender documents of **ibid e-tender** are available on our website www.ssb.nic.in and <https://www.eprocure.gov.in>. Any changes/modification in the tender enquiry will be intimated through above website only. Contractors/Firms/Bidders are therefore, requested to visit our website regularly to keep themselves updated.


Executive Engineer
Force Head Quarter, SSB

Copy to:-

1. The Commandant, ATC SSB Kumarsain (HP).
2. The Commandant (Commn): with the request to publish the NIT in SSB website.
3. Office Copy.



Government of India, (MHA)
Sashastra Seema Bal
Office of the Director General
East Block-V, R. K. Puram,
New Delhi-110066.

NIT

18/Kumarsain/25-26

Name of Work: - Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.).

Estimated Cost : Rs. 10,94,690/ only

INDEX

Name of Work : Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .

SL No	<u>Description</u>	<u>Page No.</u>
1	Cover Page	
2	Index	
3	Notice Inviting e –Tender)	
A	ELIGIBILITY BID	
4	Information& instructions for Bidders' for e-tendering	
5	List of documents to be scanned and uploaded.	
6	Form "A" (Structure of Organization)	
7	Form "B" (Affidavit)	
8	General Conditions for Civil Work	
9	Additional specification and conditions.	
10	General Conditions for supply of materials.	
11	Details as per Technical Evaluation sheet	
B	FINANCIAL BID	
12	CPWD – 6 for e-Tendering	
13	CPWD FORM– 7	
14	Performa of Schedules	
15	Schedule of Quantities	

Certified that this NIT contains Pages 1 to ____ only


 Executive Engineer
 Force Head Quarter, SSB

Notice Inviting E- Tender

The Executive Engineer O/o The Director General, East Block-5, FHQ,SSB, R.K.Puram New Delhi-110066 on behalf of the President of India invites **Percentage Rate** e-Tender from the approved and eligible contractor of CPWD and those of appropriate list of MES, Railways, State PWD and PWO's for the following work

NIT No.	18/Kumarsain/25-26
Name of Work & location	Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .
Estimated cost put to tender	Rs. 10,94,690/ only
Earnest Money	Rs 22,000/- only
Period of Completion	120 Days
<u>Tender processing fees</u> (Payable to Account Officer, PAO, SSB, MHA, through Demand Draft and should be deposited physically in the office of the Executive Engineer, FHQ, SSB, R. K. Puram, New Delhi-110066 on or before last date & time of opening of tender)	Exempted as per MoF OM No. F. 9/04/2020 PPD dated 12/11/2020
NIT issue date	12/05/2026
Bid Document download start date	12/05/2026 from 1600 hrs
Pre bid conference	14/05/2026 at 1600 hours
Bid submission start date	14/05/2026 at 1800 hours
Bid submission end date	21/05/2026 up to 1200 hrs
Technical Bid opening date	22/05/2026 at 1530 hours
Date of Opening Of Financial Bid Online	Will be intimated after opening of Eligibility Bids

All details, tender terms and condition along with tender documents of ibid e-tender are available on our website www.ssb.nic.in and <https://www.eprocure.gov.in>. Any changes/modification in the tender enquiry will be intimated through above website only. Contractors/Firms/Bidders are therefore, requested to visit our website regularly to keep themselves updated.

Executive Engineer
Force Head Quarter, SSB

PART-A

ELIGIBILITY BID

INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR E-TENDERING
FORMING PART OF NIT AND TO BE POSTED ON WEBSITE.

The Executive Engineer O/o The Director General, East Block-5, FHQ, SSB, R.K.Puram New Delhi-110066 on behalf of the President of India invites **Percentage Rate** e-Tender from the approved and eligible contractor of CPWD and those of appropriate list of MES, Railways, State PWD and PWO's in two bid system for the following work

NIT No.	18/Kumarsain/25-26
Name of Work & location	Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .
Estimated cost put to tender	Rs. 10,94,690/ only
Earnest Money	Rs 22,000/- only
Period of Completion	120 Days
Tender processing fees (Payable to Account Officer, PAO, SSB, MHA, through Demand Draft and should be deposited physically in the office of the Executive Engineer, FHQ, SSB, R. K. Puram, New Delhi-110066 on or before last date & time of opening of tender)	Exempted as per MoF OM No. F. 9/04/2020 PPD dated 12/11/2020
NIT issue date	12/05/2026
Bid Document download start date	12/05/2026 from 1600 hrs
Pre bid conference	14/05/2026 at 1600 hours
Bid submission start date	14/05/2026 at 1800 hours
Bid submission end date	21/05/2026 up to 1200 hrs
Technical Bid opening date	22/05/2026 at 1530 hours
Date of Opening Of Financial Bid Online	Will be intimated after opening of Eligibility Bids

INSTRUCTIONS TO BIDDER

1. The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
2. Information and Instructions for bidders posted on website shall form part of bid document.
3. The bid / tender document consisting of plans, specifications, the Schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from **website www.eprocure.gov.in** or www.ssb.nic.in . All tenderers are requested to visit the website regularly to check any changes, if any, in the Tender Documents. Tenderers must ensure Up-Loading of legible documents..
4. Receipt of depositing of original EMD issued by the office of Executive Engineer, O/O The Director General, East Block-V, FHQ SSB, R K Puram, New Delhi-110066 within the period of bid submission and uploading the mandatory scanned documents such as Demand Draft or Pay Order or Banker'S Cheque or FDR of any Schedule Bank toward EMD in favor of respective Accounts Officer, PAO, SSB, MHA payable at SBI RK Puram, New Delhi.
5. Contractor/Firm will have to upload an affidavit for having of fully automatic batch type hot mix plant for execution of bituminous work and all required road rollers conforming to MORTH Specifications all in good working condition as on date of uploading of Bid Or an MOU with the owner of Hot Mix Plant with above specification.
6. The intending bidder must have valid class-III digital signature to submit the bid.
7. On opening date, the contractor can login and see the bid opening process. After Opening of bids he will receive the competitor bid sheets.
8. Contractor can upload documents in the form of JPG format and PDF format.
10. Contractor must ensure to quote rate of each item for Item Rate Tender. If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below/at par, in percentage rate tender on the total amount of the tender or any section/sub head in percentage rate tender, the tender shall be treated as invalid.
11. The Contractor shall inspect the site before submitting E-Tender
12. The enlistment of the contractors should be valid on the last date of submission of tenders, if applicable. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders, if applicable.



List of Documents to be scanned and uploaded within the period of tender submission:-

1. Copy of Enlistment order, registration of eligible class.
2. PAN Card issued by Income Tax Department, GOVT OF INDIA.
3. Receipt of depositing of original EMD issued by the office of Executive Engineer, O/O The Director General, East Block-V, FHQ SSB, R K Puram, New Delhi-110066, within the period of bid submission and uploading the mandatory scanned documents such as Demand Draft or Pay Order or Banker's Cheque or FDR of any Schedule Bank toward EMD in favor of respective Accounts Officer, PAO, SSB, MHA payable at SBI RK Puram, New Delhi.
4. GST registration Certificate of the State in which the work is to be taken up, if already obtained by the bidder. If the bidder has not obtained GST registration in the State in which the work is to be taken up, or as required by GST authorities, then in such a case the bidder shall scan and upload following under taking along with other bid documents. "If work is awarded to me, I/we shall obtain GST registration Certificate of the State, in which work is to be taken up, within one month from the date of receipt of award letter or before release of any payment by SSB, whichever is earlier, failing which I/We shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and /or for any action taken by SSB or GST department in this regard.
5. Copy of completion certificate amounting to at least three similar works each of value not less than **Rs 4.38 Lakhs** or two similar work each of value not less than **Rs. 6.57 Lakhs** only or one similar work of value not less than **Rs 8.76 Lakhs** in last 7 years ending last day of the month previous to the one in which the tenders are invited.
6. Scanned copy of FORM-A dully filled and signed to be uploaded at the time of submission of Bid.
7. Scanned Copy of Affidavit FORM-B (Affidavit shall be executed on stamp paper with minimum value of Rs.10/-)
8. **Scanned Copy of Bank solvency (Issues after published of Tender and should be 40% of the ECPT).**
9. Document regarding Bid Validity of 75 days signed and to be uploaded.
10. All Documents mentioned as per Technical Evaluation Sheet.


 Executive Engineer
 FHQ, SSB, R.K.Puram, New Delhi.

FORM 'A'

STRUCTURE & ORGANISATION

1. Name & address of the bidder
2. Telephone no/Telex no./Fax no.
3. E-Mail ID
4. Legal status of the bidder
(attach copies of original document defining the legal status)
 - (a) An individual
 - (b) A proprietary firm
 - (c) A firm in partnership
 - (d) A limited company or Corporation
5. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization/ Place of registration	Registration No.
1.	
2.	
6. Name and titles of Directors & Officers with designation to be concerned with this work
7. Designation of individuals authorized to act for the organization
8. Has the bidder or any constituent partner in case of partnership firm Limited Company/ Joint Venture, ever been convicted by the court of law? If so, give details.
9. In which field of Civil Engineering construction the bidder has specialization and interests?
10. Any other information considered necessary but not included above.

SIGNATURE OF BIDDER(S)

DATED



FORM 'B'**AFFIDAVIT**

Name of work – Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of department, then I/We shall be debarred for bidding in SSB in future forever. Also, if such a violation comes to the notice of department before the date of start of work, the Engineer-In-Charge shall be free to forfeit the entire amount of earnest money deposit/performance guarantee. **(scanned copy of this affidavit to be uploaded at the time of submission of bid).**

NOTE : "A work is said to have been executed on "back to back " basis when the entire work or substantial part of the wor forming the basis for evaluation of the eligibility of the bidder is got executed by the bidder through another contractor either by direct nomination or by call of tender".

Place
Date

.....
Signed by an Authorized
Officer of the firm with stamp



GENERAL CONDITIONS FOR CIVIL WORKS

1. The work in general shall be carried out in accordance with the CPWD Specifications 2019 Vol. I to II with up-to-date correction slips hereinafter referred as CPWD Specifications.
2. The order of preference in case of any discrepancy as indicated in condition no. 8.1 under "Conditions of Contract" given in the Standard CPWD Contract form may be read as the following:
 - a) Nomenclature of item as per Schedule of Quantities
 - b) Particular specifications and special conditions for civil and electrical.
 - c) General conditions
 - d) Additional conditions
 - e) Contract Clauses Standard CPWD Contract form 2014 amended upto to DG/CON/304 dated 15.10.2018
 - f) CPWD Specifications for civil and electrical as applicable.
 - g) Architectural/structural drawings and specifications mentioned in drawings.
 - h) Indian Standard Specifications of BIS
 - i) Sound engineering practice as per directions of the Engineer-in-Charge.
 - j) Manufacturers specifications.

A reference made to any Indian Standard specification in these documents, shall imply to the latest version of that standard. Including such revision/amendments as issued by the bureau of Indian standard up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian standard applicable to the work at site.

3. The contractor (s) shall inspect the site of work before tendering and acquaint himself with the site condition and no claim on this account shall be entertained by the department.
4. The contractor shall make his own arrangements for obtaining electric connection for carrying out any maintenance activity and make necessary payment directly to the department concerned. In the absence of electric connection or failure of power supply, the contractor shall make his own arrangement of generators.
5. Other agencies doing works related with this project may also simultaneously execute their works and the contractor shall afford necessary facilities for the same. The contractor shall leave such necessary holes, openings etc. for laying/burying in the work, pipes cables, conduits, clamps, boxes and hooks for fan clamps etc. as may be required for the other agencies. Nothing extra over the Agreement rates shall be paid for doing these.
6. Some restrictions may be imposed by the security staff etc. on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on account of the same.
7. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, labour laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Government as well as State Government.

8. If as per local Municipal regulations, huts for labour are not to be erected at the site of work, the contractor shall be required to provide such accommodation at a places is acceptable to the local body and nothing extra shall be paid on this account.
9. It shall be ensured by the contractor that no electric live wire is left exposed or unattended to avoid any accidents in this regard.
10. The contractor shall maintain in perfect condition, all portions executed till completion of the entire work allotted to him. Where however phased delivery of work is contemplated these provisions shall apply separately to each phase.
11. The contractor shall issue Identity card to all labourers and engineers/staff engaged by him and nothing shall be paid on this account.
12. The contractor shall prepare an integrated program chart for the execution of work and the detailed provision in clause-5 of GCC shall be followed.
13. If the work is carried out in more than one shift or during night no claim on this accounts shall be entertained.
14. The contractor shall be responsible for the watch and ward/guard do fall materials by him against pilferage and breakage during the period of fixing and there after till the site is physically handed over to the department. No extra payment shall be made on this account.
15. The contractor shall bear all incidental charges for cartage, storage and safe custody of materials issued by department.
16. Samples of all items to be used in the work shall be got approved from the Engineer-in-Charge, well in advance of actual execution.
17. The contractor shall give performance test of the entire installation(s) as per the specifications in the presence of the Engineer-in-charge or his authorized representative before the work is finally accepted and nothing extra what-so-ever shall be payable to the contractor for the test.
18. The work shall be carried out in accordance with the Architectural drawings and structural drawings, to be issued form time to time, by the Engineer-in-Charge.
19. Soft copy of architectural drawings in PDF format are uploaded for tendering purpose only.
20. Before commencement of any item of work the contractor shall correlate all the relevant architectural and structural drawings, nomenclature of items and specifications etc. issued for the work and satisfy himself that the information available there from is complete and unambiguous. The figure and written dimension of the drawings shall be super seeding the measurement by scale .The discrepancy, if any, shall be brought to the notice of the Engineer-in-charge before execution of the work. The contractor alone shall be responsible for any loss or damage occurring by the commencement of work on the basis of any erroneous and or incomplete information and no claim whatsoever shall be entertained on this account.
21. The contractors shall quote their rates inclusive of all sorts of taxes, cartage, royalties etc. complete.



22. The contractor shall make his own arrangement of water required for the work as per clause-31 of the general conditions of the contract for CPWD works and clause-31 A of the said conditions stands deleted. However 1% (one percent) water charges shall be recovered on the gross amount of bill from the contractor, if government water is used.
23. 1% Labour Cess shall also be recovered on the gross amount of the bill of the contractor.
24. All malba/rubbish/silt/waste/garbage etc. generated due to any operation from houses, office building and other open spaces whatsoever shall be disposed off on daily basis by the contractor to the specified common disposal point in colony and nothing extra shall be paid on this account. After the collection of full truck load of the said malba (approx. 4.5 cubic metre), the same shall be disposed off by the contractor to the authorized municipal dhalao/dumping ground within Seven (7) day. In case of nonremoval/disposal in the specified period, a Penalty of Rs. One Thousand per day shall be recovered from the contractor.
25. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
26. The contractor shall make all safety arrangement required for the labour engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained /accepted by the department.
27. Contractor shall be fully responsible for any damages caused to govt. Property or allottee's property by his labour / staff in carrying out the work and shall be rectified by the contractor at his own cost.
28. GST/ WCT/ Income Tax/ other taxes as applicable shall be recovered from the contractor's bill.
29. Chases, holes & drilling works etc. shall be done using power operated tools.
30. Dismantling of cement concrete slabs, floors etc. inside the quarters/building shall be done with the help of mechanized vibratory hammer, drills etc. The work shall be carried out in such a way that there should be least disturbance to the nearby/ adjoining allottees /occupants. The work should be completed within least possible time. The contractor must ensure that there should be no damage to the supporting RCC/structural member of the buildings.
31. The contractor shall take all safety precautionary measures to prevent any incident or accident causing injury /injuries to official/occupants of the area where work is being executed.
32. The contractor shall take all necessary measures for the safety of labour/public traffic during construction and provide, erect and maintain such barricades, including signs, markings, flags, lights and flagman, as necessary at either end of the excavation embankment and at such intermediate points as directed by the Engineer-in-Charge for the proper identification of construction area. He shall be responsible for all damages and accidents caused due to negligence on his part.
33. Along with each R/A bill the contractor has to submit the following documents:-

Payment to Labour: - The contractor shall submit proper documents/proof of wages paid along with the details of PF A/C No., EPF & ESIC deducted from the wages of the labour/worker duly certified by the Junior Engineer/Assistant Engineer.

ADDITIONAL SPECIFICATIONS AND CONDITIONS

1. No claim for idle laborers on any account shall be entertained. The contractor shall depute his representative daily to the site of work. His name and signature shall be attested by the contractor for record in the department.
2. The work is to be executed on any day shall be got approved from the representative of Engineer in-charge at the site of work in writing. No work shall be carried out without the approval of the representative of the Engineer-in-charge.
3. Any work carried out without the approval of the representative of the Engineer-in-charge at the site of work shall be rejected and will not be measured and paid for.
4. Before the start of execution of work materials shall be brought in adequate quantity to be sufficient at least for 50% of the total requirement of the whole work. Remaining 50% of the materials shall be brought after the completion of 1/3rd of work.
5. The manufacturing date and batch No. will be inscribed or printed on packs/containers by manufacturers are only acceptable for all the above said materials. Fresh material shall be brought at site as far as possible and material more than 4 months old from the date of manufacturing will be rejected.
6. The contractor shall have to get the shades of all types of paints, distemper, water proofing cement paint etc. approved from the Engineer-in-charge before procurement of materials.
7. The paints/other material shall be issued by the junior Engineer/Assistant Engineer to the contractors after breaking the seal of the containers/packing and quantity to be issued shall be as per the daily requirement at the site. After days use balance quantity of paints etc., if any left, will be returned by the contractor to the Department. After use the empty container shall have to be returned to the Department and shall be preserved by JE In charge and will not be returned back to agencies till the finalization of the work.
8. The site for the collection and stacking of the material shall be got approved from the Engineering-charge.
9. Nothing extra shall be paid to the contractor for excess consumption of material.
10. The contractor shall prepare one sample of item which shall be got approved from the Engineering-charge. Only on acceptance of sample work, contractor will be allowed to commence the work and sample is to be preserved by the JE-in-charge of work till the whole work is completed. The quality of entire work should confirm to the approved samples.
11. The contractor and/or his Engineer should see the site order book every day and get the compliance noted by the junior Engineer/Assistant Engineer/Engineer-in-charge.



12. All the items of work shall have to be taken up-sequentially i.e. after the patch repairs are carried out in one room, white/color washing will be taken in the same quarter and thereafter painting shall have to be got completed.

13. All the malba or rubbish obtained from dismantling or otherwise during the execution of the work shall be brought down through the staircase and shall not be thrown to the ground directly from first floor or second floor etc. this shall be carried and stacked properly to the specified common disposal point on the same day and site shall be left clear as per the instructions of the Engineer-in-charge. A compensation of Rs.100/- shall be recovered from the contractor for each complaint/default.

14. Any damage to the building structure, fitting or any other articles etc. done by the contractor or his workman during the execution of the work shall be made good by the contractor at his own cost.

15. The contractor shall clear the site properly after the completion of the work.



GENERAL CONDITIONS FOR SUPPLY OF MATERIALS

1. The sample of all the items shall have to be got approved by the Contractor from the Engineer-in-charge before the supply commences and shall be without prejudice to the right of Engineer-in-Charge to get random samples tested out of the actual lot received.

2. The contractor shall if required furnish the manufacturer's certificate that the material supplied satisfy the requirements of the relevant specifications.

3. The Engineer-in-charge shall be at liberty to take respective sample (s) of each item of schedule of quantity in any approved laboratory as decided by him. The sample for testing shall be provided by the contractor. All other expenditure required to be incurred for taking sample; conveyances and packing etc. shall be borne by the contractor himself. The cost incurred in collection of samples and its packing and transportation to the approved lab/field laboratory including testing charges shall be borne by the contractor.

In case any sample particular lot fails in testing the contractor shall be bound to replace the entire lot with fresh material of prescribed specification and the rejected lot shall be returned to the contractor only after fresh lot is supplied.

4. Rejected materials shall have to be removed by the contractor at his own cost immediately of the instructions of doing so.

5. In case of any dispute regarding rejection of quality of materials the decision of the Engineer-in-charge shall be final and binding upon the contractor.

6. Royalty octroi terminal, tax etc. at prevalent rates shall have to paid by the contractor himself and the rates quoted by him shall include these duties and nothing extra on this account shall be payable.



TECHNICAL EVALUATION SHEET

SL. NO	DETAIL OF REQUIREMENT AS PER ELIGIBILITY CRITERIA		REMARKS
N/W	Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .		
A	GENERAL		
1	Tender Fee	Exempted	Receipt of depositing of original EMD issued by the office of Executive Engineer, O/O The Director General, East Block-V, FHQ SSB, R K Puram, New Delhi-110066 within the period of bid submission and uploading the mandatory scanned documents such as Demand Draft or Pay Order or Banker'S Cheque or FDR of any Schedule Bank toward EMD in favor of respective Accounts Officer, PAO, SSB, MHA payable at SBI RK Puram, New Delhi.
2	Earnest Money Deposit	Rs. 22,000/- only	
3	Bid validity	75 days	
4	Registration certificate	Contractor registration with validity Approved and eligible contractors CPWD and those of appropriate list of MES, Railways, State PWD and PWO's in two bid system for the following work	
5	PAN card copy		
6	GST Registration		
7	Scanned copy of FORM-A		
8	Scanned copy of FORM-B		
9	Scanned Copy of Bank solvency (40% of the ECPT).		
B	WORK EXPERIENCE		
10	General construction experience	Three similar works each of value not less than <u>Rs. 4.38 Lakhs</u> or two similar work each of value not less than <u>Rs. 6.57 Lakhs</u> only or one similar work of value not less than <u>Rs. 8.76 Lakhs</u> in last 7 years ending last day of the month previous to the one in which the tenders are invited.	

PART-B

FINANCIAL BID

CPWD-6 FOR e-TENDERING

Percentage rate tenders are invited on behalf of President of India from the agencies / firm, having experience in similar nature of work.

Name of work: - Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.)

The enlistment of the contractors should be valid on the last date of submission of tenders.

In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

1.1 The work is estimated to cost **Rs. 10,94,690/ only** . This estimate, however, is given merely as a rough guide.

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the tenders. He will also nominate Division which will deal with all matters relating to the invitation of tenders. **-N.A.-**

1.2 Intending tender is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of tender documents:

Three similar works each of value not less than ~~Rs. 3.81 Lakhs~~ ^{4.28} or two similar work each of value not less than ~~Rs. 5.71 Lakhs~~ ^{5.71} only or one similar work of value not less than ~~Rs. 7.61 Lakhs~~ ^{8.76} in last 7 years ending last day of the month previous to the one in which the tenders are invited.

1.3 To become eligible for issue of tender, the tender shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in CPWD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)

2. Agreement shall be drawn with the successful tender on prescribed Form No. CPWD 7/8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Tender shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.

3. The time allowed for carrying out the work will be **120 Days** from the date of start as defined in schedule „F“ or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.

4. The site for the work is available.



5 The tender document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from website www.eprocure.gov.in or www.ssb.nic.in free of cost.

6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.

7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.

8. When tenders are invited in three stage system and if it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

9 Receipt of depositing original Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Fixed deposit receipt (drawn in favour of **Accounts Officer PAO, SSB, MHA NEW DELHI** shall be scanned and uploaded to the e-tendering website within the period of tender submission and original should be deposited in office of **Executive Engineer FHQ, SSB, MHA NEW DELHI**. Interested contractor who wish to participate in the tender has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-tendering website within the period of tender submission:

E-Tender Processing Fee - Rs. **00.00** in the form of Demand Draft shall be payable to **Accounts Officer PAO, SSB, MHA NEW DELHI** and should be deposit in original before opening of Tender and should be deposited physically in the office of the Executive Engineer, FHQ, SSB, R.K.Puram, New Delhi-110066 on or before last date & time of opening of tender.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice shall have to be submitted by the lowest bidder uploaded within a week physically in the office of tender opening authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited e-Tender Processing fee in favour of **Accounts Officer PAO, SSB, MHA NEW DELHI** and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall be opened on dated [Company Fax]

10. ~~The bid submitted shall become invalid, e-tender processing fee shall not be refunded if:~~

- ~~i) The bidder is found ineligible.~~
- ~~ii) The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded.~~
- ~~iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.~~
- ~~iv) The lowest bidder does not deposit physical EMD on or before last date of submission of tender~~

11. The contractor whose tender is accepted will be required to furnish performance guarantee of **5% (Five Percent)** of the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule „F“. including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The performance guarantee shall be released after completion of work.

12. Intending Tenders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tender shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tender shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tender implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

13. The competent authority on behalf of the President of India does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tender shall be summarily rejected.

14. Canvassing whether directly or indirectly, in connection with tender is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

15. The competent authority on behalf of President of India reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

16. The contractor shall not be permitted to tender for the works in the SSB, responsible for award and execution of contract, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the name of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazette Officer in the SSB or in the Ministry of Home. Any breach of this condition by the contractor would render him liable to be removed from the participation in the tender.

17. No Engineer of gazette rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the contractor's service.

18. The tender for the works shall remain open for acceptance for a period of seventy five (75) days from the date of opening of tenders/seventy five days from the date of opening of financial bid in case tenders are invited on 2/3 bid system (**strike out as the case may be**) if any tender withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.

19. This notice inviting Tender shall form a part of the contract document. The successful tender/contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

- a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard C.P.W.D. Form 7/8 or other Standard C.P.W.D. Form as mentioned



CPWD FORM -7

STATE - NEW DELHI
 DEPARTMENT - SASHASTRA SEEMA BAL
 DIVISION - FORCE HEAD QUARTER,
 SEC-1, R.K. PURAM, N.D-66
 BRANCH - ENGINEERING DIRECTORATE

NIT No.	18/Kumarsain/25-26
Name of Work & location	Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .
Estimated cost put to tender	Rs. 10,94,690/ only
Earnest Money	Rs. 22,000/- only
Period of Completion	120 Days
<u>Tender processing fees</u> (Payable to Account Officer, PAO, SSB, MHA, through Demand Draft and should be deposited physically in the office of the Executive Engineer, FHQ, SSB, R. K. Puram, New Delhi-110066 on or before last date & time of opening of tender)	Exempted as per MoF OM No. F. 9/04/2020 PPD dated 12/11/2020
NIT issue date	12/05/2026
Bid Document download start date	12/05/2026 from 1600 hrs
Pre bid conference	14/05/2026 at 1600 hours
Bid submission start date	14/05/2026 at 1800 hours
Bid submission end date	21/05/2026 up to 1200 hrs
Technical Bid opening date	22/05/2026 at 1530 hours
Date of Opening Of Financial Bid Online	Will be intimated after opening of Eligibility Bids



TENDER

I/We have read and examined the e-notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the President of India within the time specified in Schedule „F“, Viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule –I of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for by, and in respects in accordance with, such conditions so far as applicable.

We agree to keep the tender open for **Seventy Five (75) days** from the due date so submission thereof and not to make any modifications in its terms and conditions.

If I/We, fail to furnish the prescribed performance guarantee within prescribed period and further, if I/we fail to commence work specified I/We agree that President of India or his successors in office shall without prejudice to any other right or remedy in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviation as may be ordered, upto maximum of the percentage mentioned in Schedule „F“ and those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2, 12.3 and 12.5 of the tender form.

~~I/We have already furnished security to the President of India in lieu of earnest money and have deposited with the Director General of Works, Central Public Works Department, New Delhi, a lump-sum security of Rs..... As earnest money in individual cases and I/We, therefore claim exemption in terms of the Bond executed by me/us and bearing No..... dated..... The day of 19..... Against the necessity of depositing earnest money in respect of the above tender for work. I/We agree that should the President of India or his successors in office decide to forfeit earnest money mentioned for this work, unless a sum equal to the earnest money is paid by us forthwith, the competent authority, President of India may at his option recover it out of the deposit and in the event of deficiency, out of any other money due to me/us under this contract or otherwise.~~

I/We hereby declare that I/we shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person other than a person to whom I/we am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We agree that should I/we fail to commence the work specified in the above memorandum, an amount equal to the amount of the earnest money mentioned in the form of invitation of tender and performance guarantee shall be absolutely forfeited to the President of India and the same may be at option of the competent authority on behalf of the President of India be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.

Dated.....

Signature of Contractor
Postal Address

Witness:
Address:
Occupation:



ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of the President of India for a sum of Rs.....
.....(Rupees
.....
..)

The letters referred to below shall form part of this contract Agreement: -

- i) Award letter with schedule of work
- ii) Letter of Intent
- i) NIT with Schedule of work
- ii) Terms and condition of contract
- iii) Safety code
- iv) Drawings & specification
- v) Any other document related to work.

For & on behalf of the President of India.

Signature.....

Designation.....

Dated.....



SCHEDULES**SCHEDULE 'A'**

Schedule of quantities

Enclosed

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of Issue
1	2	3	4	5

-NIL-**SCHEDULE 'C'**

Tools and plants to be hired to the contractor

Sl.No.	Description	Hire charges per day	Place of Issue
1	2	3	4

-NIL-**SCHEDULE 'D'**

Extra schedule for specific requirements/document for the work, if any.

	General Conditions	Additional Specification & Conditions
--	--------------------	---------------------------------------

SCHEDULE 'E'

Schedule of component of Cement, Steel, Other Materials, Labour etc. for price escalation.

-NIL-

SCHEDULE 'F'

Reference to Latest CPWD General Conditions of contract. (GCC 2020)

Name of work: - Construction of SPT Toilet block for Mahila trainees at ATC SSB Kumarsain (H.P.) .

(i)	Estimated cost of work:	Rs. 10,94,690/ only
(ii)	Earnest money:	Rs. 22,,000/- only
(iii)	Performance guarantee:	5% of the tendered value.
(iv)	Security deposit:	2.5% of the tendered value

General Rules & Directions:

Officer inviting tender

Executive Engineer, SSB,
Force Head Quarter, SSB,
East Block-V, R.K.Puram,
New Delhi-110066.

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3. See below

Definitions:

2 (i)	Engineer-in-charge	Executive Engineer, SSB, Force Head Quarter, SSB, East Block-V, R.K.Puram, New Delhi-110066.
2 (ii)	Accepting Authority	Executive Engineer, SSB, Force Head Quarter, SSB, East Block-V, R.K.Puram, New Delhi-110066 or as authorized by him.
2 (iii)	Percentage on cost of materials and labour to cover all overheads and profits.	15%
2 (iv)	Standard schedule of Rates	Delhi Schedule of Rates-2023 with C.I. 23.81%
2 (v)	Department	<u>SASHASTRA SEEMA BAL, MHA, GOI.</u>
2 (vi)	Standard CPWD contract Form &	GCC 2020 CPWD form 7/8 as modified corrected.
Clause 2:	Authority for fixing compensation	Superintending Engineer, SSB, Force Head Quarter, SSB, East Block-V, R.K.Puram, New Delhi-110066.

Clause 5: Time allowed for execution of work. **120 Days**

Authority to give fair and reasonable

Executive Engineer, SSB,

Extension of time for completion of work

Force Head Quarter, SSB, East Block- V
R.K.Puram, New Delhi-110066.

Table of Milestone

S. No.	Financial Progress	Time Allowed (from date of start)	Amount to be withheld in case of non-achievement of milestone
1.	1/8 th (of the whole work)	1/4 th (of the whole work)	In the event of non-achieving the necessary progress as assessed from the running payments, 1 % of the tendered value of work will be withheld for failure of each milestone.
2.	3/8 th (-do-)	1/2 (-do-)	
3.	3/4 th (-do-)	3/4 th (-do-)	
4.	full	Full	

Clause 6, 6A

Clause applicable -----

Clause- 6A

Clause 7: Gross work to be done together with net payment/adjustment of advances for material Collected, if any, since the last such payment for being eligible to interim payment.

Interim payment will be made if require

Clause 10A:

List of testing equipment to be provided By the contractor at site lab

As per Site Requirement

Clause 10 CC

Component of Cement
Expressed as per cent of total value of work
Component of Steel
Expressed as per cent of total value of work
Component of Materials
Expressed as per cent of total value of work
Component of Labour
Expressed as per cent of total value of work
Component of POL
Expressed as per cent of total value of work

Xc %
Xs %
Xm %
Y %
Z %

Clause 11: Specifications to be followed for Execution of work

CPWD Specifications
Vol. I & II, 2019 and current as amended upto date & as per approved Brand.

Clause 12:

- 12.1.2 (i): Schedule of rates for determining rates for additional, altered or substituted items that cannot be determined under 12.1.2(i) & (ii) **Deleted**
- 12.1.2 (ii): Plus/minus the % over the rate entered in the schedule of rates. **Deleted**
- 12.1.2 (iii):A Deviation Limit beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 & 12.3 shall apply. **Deleted**
- 12.1 (vi): B (a) Limit for value of any item of any individual trade beyond which sub-clauses (i) to (v) shall not apply and clauses 12.2 & 12.3 shall apply. **Deleted**

12.2. & 12.3	Deviation limit beyond which clauses 12.2 & 12.3 shall apply for work station and storage work	As per latest CPWD works Manual
--------------	--	--

Clause 16:

Competent Authority for deciding reduced rates.	Superintending Engineer, Force Head Quarter, SSB, East Block-V, R.K. Puram, New Delhi-110066.
---	---

Clause 17

Defect Liability Period will be **one year** after recording completion certificates

Clause 18

Mandatory machinery tools & plants to be deployed by the contract or at site as per requirements to complete the work within stipulated time.

Clause 36 i): Maximum Qualifications & experience required for Principal Technical Representative.

- | | | |
|-----|---|---|
| i) | For works with estimated cost put to tender more than | } Graduate or retired AE possessing at least recognized diploma |
| i) | Rs.10 Lakhs for Civil Work. | |
| ii) | Rs.5 Lakhs for Elec/Mech Works | } Recognized Diploma holder |
| j) | For works with estimated cost put to tender. | |
| i) | More than Rs.5 Lakhs but less than Rs.10 Civil Works | } Lakhs for |

- | | | |
|------|--|-----------------------------------|
| ii) | More than Rs.1 Lakh but less than Rs.5 Lakh
for Civil/Elect/Mech Works. | Recognized Diploma Holder |
| iii) | Discipline to which the Principal Technical Representative should belong. | Civil. |
| iv) | Minimum experience of works. | 03 years. |
| v) | Recovery to be effected from the contractor in the event of not fulfilling provision of clause 36 (i). | } As per provision in CPWD Manual |

Clause 42 :

- | | | | |
|-----|---|---|--|
| i) | a) | Schedule/ statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates 2021 printed by CPWD | D.S.R. 2023 with correction slips issued upto the day previous to last date of submission of bid. |
| ii) | Variations permissible on theoretical quantities | | |
| | a) | Cement for works with estimated cost put to tender not more than Rs. 5 lakhs.
For works with estimated cost put to Tender is more than Rs. 5 lakhs | 3% plus/minus
2% plus/minus |
| | b) | Bitumen all works | 2.5% plus & nil on minus side. |
| | c) | Steel reinforcement and structural steel Sections for diameter, section and category. | 2% plus/minus. |
| | d) | All other materials | Nil |



Amendment clause – 16

Sub-standard work must be got rectified and if necessary should be redone. Acceptance of Sub-standard work at reduced rates should be done only under exceptional circumstances, total value of items at agreement rate for which the SE accepts Sub-standard work not exceeding 5% of the contract value.

Amendment to Clause-17 of GCC for CPWD Works-2014

If the contractor or his working people or servants shall break, deface, injure or destroy any part of materials and building in which they may be working, or if any damage shall happen to the repair work while in progress, from any cause whatever or if any defect, shrinkage or other faults appear in the work within 12 months after a certificate final or otherwise of its completion shall have been given by the Engineer-in-Charge as aforesaid arising out of defect or improper materials or workmanship the contractor shall upon receipt of a notice in writing on that behalf make the same good at his own expense or in default the Engineer-in-Charge cause the same to be made good by other workmen and deduct the expense from any sums that may be due or at any time thereafter may become due to the contractor, or from his security deposit or the proceeds of sale thereof or of a sufficient portion thereof. The security deposit of the contractor shall not be refunded before the expiry of 12 months and contractual obligations after the issue of the certificate final or otherwise, of completion of work, or till the final bill has been prepared and passed whichever is later.



Receipt of Deposition of Original EMD (#)

(Receipt No. _____ Date _____)

Name Of Work :-

1. NIT No.
2. Estimated Cost-
3. Amount of Earnest Money deposited :
4. Last date of submission of Bid

(# To be Filled By The Bidder)

Form Of Receipt of Original Earnest Money Deposit

By The Receiving Division

1. Name of Contractor _

2. Form Of EMD -

3. Amount Of Earnest Money Deposit _

4. Date of Submission of EMD _

(*) To Be Filled by EMD receiving EE)

Signature

Name and Designation

Of EMD receiving Office

(Executive Engineer)

Along with Office stamp



Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: Executive Engineer, Force Headquarter SSB New Delhi

Name of work:- C/o 01 no. SPT toilet block for Mahila trainees at ATC SSB Kumarsain.

Contract No:

PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.					
2	All kinds of soil.	21.63	cum	129.85	2808.66	INR Two Thousand Eight Hundred & Eight and Paise Sixty Six Only
3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth. consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	5.41	cum	196.00	1060.36	INR One Thousand & Sixty and Paise Thirty Six Only
4	Providing and laying cement concrete excluding work of centering and shuttering . all work upto plinth level					
5	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	5.53	cum	8519.20	47111.18	INR Forty Seven Thousand One Hundred & Eleven and Paise Eighteen Only
6	Centering and shuttering including strutting, propping etc. and removal of form work for :					
7	Foundations, footings, bases for columns	107.97	sqm	392.15	42340.44	INR Forty Two Thousand Three Hundred & Forty and Paise Forty Four Only

8	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone - III) : 6 graded stone aggregate 20 mm nominal size) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	11.69	sqm	749.30	8759.32	INR Eight Thousand Seven Hundred & Fifty Nine and Paise Thirty Two Only
9	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :					
10	1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	2.92	cum	8583.40	25063.53	INR Twenty Five Thousand & Sixty Three and Paise Fifty Three Only
11	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :					
12	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size)	3.10	cum	10852.95	33644.15	INR Thirty Three Thousand Six Hundred & Forty Four and Paise Fifteen Only
13	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size).	0.54	cum	11505.50	6212.97	INR Six Thousand Two Hundred & Twelve and Paise Ninety Seven Only
14	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.					
15	Thermo-Mechanically Treated bars of grade Fe-500D or more	249.40	kg	107.85	26897.79	INR Twenty Six Thousand Eight Hundred & Ninety Seven and Paise Seventy Nine Only
16	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.					
17	Thermo-Mechanically Treated bars of grade Fe-500D or more.	224.23	kg	107.85	24183.21	INR Twenty Four Thousand One Hundred & Eighty Three and Paise Twenty One Only
18	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in:					
19	Cement Mortar 1:6 (1 cement : 6 coarse sand).	15.05	cum	6295.15	94742.01	INR Ninety Four Thousand Seven Hundred & Forty Two and Paise One Only
20	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :					
21	Cement mortar 1:6 (1 cement : 6 coarse sand)	10.35	cum	9105.95	94246.58	INR Ninety Four Thousand Two Hundred & Forty Six and Paise Fifty Eight Only

22	Providing half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in cement mortar 1:3 (1 Cement : 3 coarse sand) in superstructure for closing cavity 5 to 7.5 cm wide incavity wall complete with 10cm / 11.4 cm wide bitumen felt type 3grade 1.	11.52	sqm	300.75	3464.64	INR Three Thousand Four Hundred & Sixty Four and Paise Sixty Four Only
23	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	31.41	sqm	1267.95	39826.31	INR Thirty Nine Thousand Eight Hundred & Twenty Six and Paise Thirty One Only
24	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :					
25	300x16 mm	6.00	each	303.25	1819.50	INR One Thousand Eight Hundred & Nineteen and Paise Fifty Only
26	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :					
27	150x10 mm	12.00	each	82.55	990.60	INR Nine Hundred & Ninety and Paise Sixty Only
28	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :					
29	125 mm	12.00	each	66.25	795.00	INR Seven Hundred & Ninety Five Only
30	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete:					
31	125x63x4 mm	24.00	each	126.65	3039.60	INR Three Thousand & Thirty Nine and Paise Sixty Only

32	24 mm thick factory made PVC door shutters made of styles and rails of a uPVC hollow section of size 59x24 mm and wall thickness 2 mm (± 0.2 mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 20x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x24 mm and 2 mm (± 0.2 mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multi-chambered singlepanel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (± 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge. (For W.C. and bathroom door shutter).	12.60	sqm	2969.25	37412.55	INR Thirty Seven Thousand Four Hundred & Twelve and Paise Fifty Five Only
33	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.					
34	Hot finished welded type tubes	327.84	kg	194.40	63732.10	INR Sixty Three Thousand Seven Hundred & Thirty Two and Paise Ten Only
35	Providing & fixing glass panes with putty and glazing clips in steel doors, windows, clerestory windows, all complete with :					
36	4.0 mm thick glass panes	1.54	sqm	1064.65	1639.56	INR One Thousand Six Hundred & Thirty Nine and Paise Fifty Six Only
37	Providing and fixing angle iron frames for doors, windows and ventilators of mild steel Angle sections of size 35x35x5 mm, joints mitred and welded by angle iron 35x35x5 mm or 35x 5 mm flat pieces to the existing T-iron frame or to the wall with dash fastener, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer, all complete as per the direction of Engineer-In-charge.	83.01	kg	130.50	10832.81	INR Ten Thousand Eight Hundred & Thirty Two and Paise Eighty One Only
38	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	17.67	sqm	1096.55	19376.04	INR Nineteen Thousand Three Hundred & Seventy Six and Paise Four Only

39	<p>Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to</p>					
40	12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- Part I	25.46	Sqm	1355.80	34518.67	INR Thirty Four Thousand Five Hundred & Eighteen and Paise Sixty Seven Only
41	<p>Providing and fixing pre-coated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.</p>	29.63	sqm	738.65	21886.20	INR Twenty One Thousand Eight Hundred & Eighty Six and Paise Twenty Only
42	<p>Providing and fixing pre-coated galvanized steel sheet roofing accessories 0.50 mm (+ 0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :</p>					

43	Ridges plain (500 - 600mm)	10.00	mtr.	532.35	5323.50	INR Five Thousand Three Hundred & Twenty Three and Paise Fifty Only
44	12 mm cement plaster of mix :					
45	1:4 (1 cement: 4 fine sand)	70.29	sqm	347.05	24394.14	INR Twenty Four Thousand Three Hundred & Ninety Four and Paise Fourteen Only
46	15 mm cement plaster on the rough side of single or half brick wall of mix :					
47	1:6 (1 cement: 6 fine sand)	47.03	sqm	383.00	18012.49	INR Eighteen Thousand & Twelve and Paise Forty Nine Only
48	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade :					
49	New work (two or more coats) over and including water thinnable priming coat with cement primer	32.54	sqm	185.65	6041.05	INR Six Thousand & Forty One and Paise Five Only
50	Finishing walls with Acrylic Smooth exterior paint of required shade :					
51	New work (Two or more coat applied @ 1.67 lt/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	40.39	sqm	160.60	6486.63	INR Six Thousand Four Hundred & Eighty Six and Paise Sixty Three Only
52	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:					
53	White Vitreous China Wash basin size 550x400 mm with a single 15 mm C.P. brass pillar tap	2.00	each	1879.20	3758.40	INR Three Thousand Seven Hundred & Fifty Eight and Paise Forty Only
54	Providing and fixing white vitreous china water closet squatting pan (Indian type) :					
55	Orissa pattern W.C. pan of size 580x440 mm	3.00	each	3160.05	9480.15	INR Nine Thousand Four Hundred & Eighty and Paise Fifteen Only
56	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.	1.00	each	2784.95	2784.95	INR Two Thousand Seven Hundred & Eighty Four and Paise Ninety Five Only
57	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.					
58	10 litre capacity - White	4.00	each	1190.65	4762.60	INR Four Thousand Seven Hundred & Sixty Two and Paise Sixty Only
59	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	2.00	each	1607.95	3215.90	INR Three Thousand Two Hundred & Fifteen and Paise Ninety Only
60	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour.					
61	450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms	2.00	each	673.40	1346.80	INR One Thousand Three Hundred & Forty Six and Paise Eighty Only

62	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/e fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.					
63	15 mm dia nominal bore	30.00	meter	497.80	14934.00	INR Fourteen Thousand Nine Hundred & Thirty Four Only
64	20 mm nominal bore	11.00	meter	537.60	5913.60	INR Five Thousand Nine Hundred & Thirteen and Paise Sixty Only
65	Providing and fixing uplasticised PVC connection pipe with brass unions :					
66	45 cm length					
67	20 mm nominal bore	8.00	each	97.75	782.00	INR Seven Hundred & Eighty Two Only
68	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	liter	11.00	22000.00	INR Twenty Two Thousand Only
69	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :					
70	15 mm nominal bore	8.00	each	506.80	4054.40	INR Four Thousand & Fifty Four and Paise Forty Only
71	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS.8931					
72	15mm nominal bore	5.00	each	574.30	3445.80	INR Three Thousand Four Hundred & Forty Five and Paise Eighty Only
73	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	2.00	each	111.45	222.90	INR Two Hundred & Twenty Two and Paise Ninety Only
74	Constructing brick masonry manhole in cement mortar 1:4 (1 cement: 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement :1.5 coarse sand (zone- III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone- III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :					

10

75	Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions. total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) :					
76	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	each	12770.55	12770.55	INR Twelve Thousand Seven Hundred & Seventy and Paise Fifty Five Only
77	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required.					
78	Group B Point	18.00	Point	1466.00	26388.00	INR Twenty Six Thousand Three Hundred & Eighty Eight Only
79	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	125.00	Mtr	334.00	41750.00	INR Forty One Thousand Seven Hundred & Fifty Only
80	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.					
81	15/6 A switch	18.00	each	103.00	1854.00	INR One Thousand Eight Hundred & Fifty Four Only
82	3 pin 5/6 A socket outlet	4.00	each	122.00	488.00	INR Four Hundred & Eighty Eight Only
83	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)					
84	6 way, Double door	1.00	each	2206.00	2206.00	INR Two Thousand Two Hundred & Six Only
85	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.					
86	Single pole	10.00	each	256.00	2560.00	INR Two Thousand Five Hundred & Sixty Only
87	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.					
88	40 A	1.00	each	435.00	435.00	INR Four Hundred & Thirty Five Only

89	Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 meter long etc. (but without charcoal/ coke and salt) as required.	1.00	each	12622.00	12622.00	INR Twelve Thousand Six Hundred & Twenty Two Only
90	Providing and fixing of lightning conductor finial, made of 25 mm dia 300 mm long, G.I. tube, having single prong at top, with 85 mm dia 6 mm thick G.I. base plate including holes etc. complete as required.	1.00	each	518.00	518.00	INR Five Hundred & Eighteen Only
91	Jointing copper / G.I. tape (with another copper/ G I tape, base of the finial or any other metallic object) by riveting / nut bolting/ sweating and soldering etc. as required.	4.00	each	113.00	452.00	INR Four Hundred & Fifty Two Only
92	Providing and fixing G.I. tape 20 mm X 3 mm thick on parapet or on surface of wall for lightning conductor complete as required.(For horizontal run)	5.00	Mtr	126.00	630.00	INR Six Hundred & Thirty Only
93	Providing and laying G.I. tape 32 mm X 6 mm from earth electrode directly in ground as required.	2.00	each	195.00	390.00	INR Three Hundred & Ninety Only
94	providing & laying PVC pipe 100 mm dia for waste water line complete as per direction of engineer-in-charge	10.00	meter	455.00	4550.00	INR Four Thousand Five Hundred & Fifty Only
95	Supplying, fixing and installation of PL Lamp 11 watts philips all approved and direction of E in C.	10.00	each	311.00	3110.00	INR Three Thousand One Hundred & Ten Only
96	Add GST correction on DSR item No 1 to 98	902346.05	%	0.973	877982.71	INR Eight Lakh Seventy Seven Thousand Nine Hundred & Eighty Two and Paise Seventy One Only
97	add Cost Index @ 23.81 % (on DSR Items)	877982.71	%	0.2381	209047.68	INR Two Lakh Nine Thousand & Forty Seven and Paise Sixty Eight Only
Total in Figures					1094690.39	Ten Lakh Ninety Four Thousand Six Hundred & Ninety and Paise Thirty Nine Only
Quoted Rate in Figures			Select	0.00	0.00	INR Zero Only
Quoted Rate in Words			INR Zero Only			

PO