

U.P. STATE BRIDGE CORPORATION LTD.,



**Office of the Chief Project Manager (Prayagraj)
U.P. State Bridge Corporation Ltd.
63/16/9A Lowther Road, George Town
Prayagraj.**

BIDDING DOCUMENTS

FOR

**SUPPLY OF DIFFERENT GRADE
OF READY MIX CONCRETE (RMC)**

FOR

Construction of 2 lane ROB in lieu of level X-ing No. 38C
in Km. 826/258-27 of Hawarh Delhi Railway Route
of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki
High Court Road in District -Prayagraj.

[Handwritten signatures and initials]
M.R.G. K.E.C.

OFFICE OF THE CHIEF PROJECT MANAGER
U.P. STATE BRIDGE CORPORATION LTD.
63/16/9A Lowther Road, George Town
PRAYAGRAJ.



TENDER DOCUMENT

(Total no. of pages: 28)

(E-Tendering System)

NIT No. : 325/E-TENDER -53 /2026-27 Date 02.05.2026

Name of Work : Construction of 2 lane ROB in lieu of level X-ing No. 38C in Km. 826/258-27 of Hawarh Delhi Railway Route of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki High Court Road in District – Prayagraj .

Sub work : Production and Pouring of Different Grades of Ready Mix Concrete (RMC as per design and Technical Specifications from RMC Batching Plant and also pouring by Pump with operator (if required) at 2 lane ROB in lieu of level X-ing No. 38C in Km. 826/258-27 of Hawarh Delhi Railway Route of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki High Court Road in District –Prayagraj under construction by U.P.SBC Ltd., Bridge Construction Unit, Prayagraj including Cost of Aggregates, all Machines, P.O.L., Generator and other site arrangements etc Complete except Cement and Admixtures. Cement & Admixtures will be provided by the UP SBC Ltd. free of Cost for which no deduction shall be made from Bills of Bidder.

Estimated Value of Work : Rs. 81,50,000.00 without GST
Earnest Money : Rs. 6,07,500.00 Lacs (Rs. Six Lacs Seven Thousand Five Hundred Only)
Tender Document cost : Rs. 5000.00 + 18 % G.S.T.=5900.00

Validity of Bid : 60 days

Sl. No.	Description	Date	Time
1	Document Downloading start date	04.05.2026	10:00 A.M
2	Document Downloading end date	25.05.2026	05:00 P.M.
3	Online bid submission start date	04.05.2026	10:00 A.M.
4	Online bid submission closing date	25.05.2026	05:00 P.M.
5	Tender hardcopy submission closing date	26.05.2026	02:00 P.M.
6	Technical bid opening date	26.05.2026	03:00 P.M.
7	Financial bid opening date	After evaluation of Technical Bids	

Regd. Office :- 16, Madan Mohan Malviya Marg Lucknow – 226001 Phone No. 0522-2209792, 2207442 Fax # 0522-2209798 e-mail : upsbc ltd@gmail.com



OFFICE OF THE CHIEF PROJECT MANAGER

U.P. STATE BRIDGE CORPORATION LTD.

63/16/9A Lowther Road, George Town

PRAYAGRAJ

SECTION I

List of Important dates of bids

Sl. No.		
1	Name of work	Production and Pouring of Different Grades of Ready Mix Concrete (RMC as per design and Technical Specifications from RMC Batching Plant and also pouring by Pump with operator (if required) at 2 lane ROB in lieu of level X-ing No. 38C in Km. 826/258-27 of Hawarh Delhi Railway Route of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki High Court Road in District -Prayagraj under construction by U.P.SBC Ltd., Bridge Construction Unit, Prayagraj including Cost of Aggregates, all Machines, P.O.L., Generator and other site arrangements etc Complete except Cement and Admixtures. Cement & Admixtures will be provided by the UP SBC Ltd. free of Cost for which no deduction shall be made from Bills of Bidder.
2	Period of completion	04 Months
3	Date and reference of notice inviting bid22.05/E-TENDER-53 /2026-27 Date ...02.05-2026
4	Period of availability of bidding documents On website http://etender.up.nic.in	From 04.05.2026 to 25.05.2026 (From 10.00 AM to 5.00 PM)
5	Date time and place of pre-bid meeting	Not Applicable Place:- Office of the Chief Project Manager, Prayagraj, 63/16/9A Lowther Road, George Town, Prayagraj-211002.
6	Deadline for receiving the bids online	Date 25.05.2026 time 05:00 P.M.
7	Time place and deadline for receiving hard copy of Bids/Tender	Date N.A. time 02:00 P.M. Place:- Office of the Chief Project Manager, Prayagraj, 63/16/9A Lowther Road, George Town, Prayagraj-211002.
8	Date Time and Place of Opening Technical Bids	Date:- 26.05.2026 , Time:- 3:00 P.M. Place: Office of the Chief Project Manager, Prayagraj, 63/16/9A , Lowther Road, George Town, Prayagraj-211002.
9	Date Time and Place of Opening Financial Bids	After evaluation of Technical Bids Place:- Office of the Chief Project Manager, Prayagraj, 63/16/9A Lowther Road, George Town, Prayagraj-211002.
10	Last date of bid validity	60(Sixty) days
11	Officer inviting Bids	Chief Project Manager, Prayagraj, 63/16/9A Lowther Road, George Town, Prayagraj-211002.



**OFFICE OF THE CHIEF PROJECT MANAGER
U.P. STATE BRIDGE CORPORATION LTD.
63/16/9A Lowther Road, George Town
PRAYAGRAJ.**

No:325/TENDER -53 /2026-27

Date: 02.05.2026

Short Terms Notice Inviting E-Tender

(Percentage Base BOO)

1. The Chief Project Manager, Prayagraj Zone, U.P. State Bridge Corporation Ltd., Prayagraj on behalf of Managing Director , U.P. State Bridge Corporation Ltd.,16, Madan Mohan Mmalviya Marg, Lucknow invites the item rate bid from the eligible and approved Contractors registered with UP PWD/UPSBC Ltd. "Class - 'A' & ' B' " as the case may be.

Sl. No	District	Name of work	Qty.	Rate without GST	Estimated Cost (Rs.) in lacs	Bid Security (Rs.) in lacs	Cost of Bid Document in Rs.	Time of Completion	Address of Chief Project Manager
1	2	3	4	5	6	7	8	9	10
1-	Prayagraj	Production and Pouring of Different Grades of Ready Mix Concrete (RMC as per design and Technical Specifications from RMC Batching Plant and also pouring by Pump with Operator at ROB 38 D Pani Ki Tanki near High Court, Allahabad in District Prayagraj under construction by U.P.SBC Ltd., Bridge Construction Unit, Prayagraj including Cost of Aggregates, all Machines, P.O.L., Generator and other site arrangements etc Complete except Cement & Admixtures. Cement & Admixtures shall be provided by the UP SBC Ltd. free of Cost for which no deduction shall be made from Bills of Bidder . Pouring from concrete Pump if required in Foundation, sub structure & super structure	2300 Cum	Rs. 3500.00	80.50	Rs. 6.08 Lacs (Rupees Six Lacs Eight Thousand) (Online Transfer RTGS/ NEFT only)	5,000.00 + 18% = 5900.00 (Online Transfer RTGS/ NEFT only)	04 (Four) months	Office of the Chief Project Manager U. P. State Bridge Corporation Ltd. 63/16/9A George Town Lowther Road Prayagraj.
2			1000	100.00	1.00				
		Total			81.50	Rs. 6.08 Lakh	5900.00		

- Time allowed for completion of whole work is as mentioned in column no. 9, including rainy season.
- The bids shall remain valid for acceptance for a period of 60 (Sixty) days from the last date of submission of bids. Bids once submitted cannot be withdrawn.
- Bids must be accompanied by non-refundable fee as indicated in Column 6 of the above table, in the form of Online Transfer from any Schedule bank, through RTGS/NEFT to the under mentioned Details.
 - The Bidder shall proceed with payment of the Non refundable Tender Document fee and bid security amounts through the online payment mechanism developed by UPSBC as below;
 - Visit the website <https://upsbcl.procure247.com/TenderPay/x-login>
 - (b) Valid Bidder having class III DSC used for uploading the bid on <https://etender.up.nic.in/nicgep/app> shall fill out the registration form and create a valid login ID. Any discrepancy in the difference between the name of the bidder submitting the bid and that making payments shall be considered non-responsive.
 - (c) Log in to the EMD portal and search for the tender the Bidder is interested in submitting.
 - (d) Navigate to the "Payment Dashboard" in the Action tab of the selected tender.
 - (e) Choose the appropriate payment option (Online/Challan) and complete the payment process.
 - (f) After completing the payment, The Bidder shall download the payment receipt and upload it on the NIC portal <https://etender.up.nic.in/nicgep/app> for submitting the bid. A set of bidding documents will be available online on website <http://etender.up.nic.in>.

6. Bids can be downloaded only from date 04.05.2026 at 10.00 AM to 25.05.2026 at 5.00 PM. and Bid can be submitted online on or before 25.05.2026 at 5.00 PM. The technical bids will be opened online on date 26.05.2026 at 03:00 PM . If the office happens be closed on the date of opening of the bids as specified, the bids will be opened online on the next working day respectively, at the same time and validity of bid will be considered from the original date. The date and time of opening of the financial bid shall be notified on website. The Financial bids shall be accordingly opened online.
7. Bids must be accompanied with security of the amount specified (in column no. 7) above for the work in the table. Bid security will have to be deposited through RTGS/NEFT as specified in the bidding document and shall be valid beyond the validity of the bid. For successful bidder shall provided the performance security at the time of agreement.
8. A bidder shall not be permitted to bid for works in the Division / Circle responsible for award and execution of contracts in which his or his spouse's near relatives (defined as first blood relations, and their spouses) is posted as Divisional Accountant or as an officer in any capacity between the grades of Chief Project Manager (Prayagraj) to Junior Engineer (both inclusive) bidder shall also submit an affidavit clearly mentioning the names and designation of relatives working in any capacity in the Division / Circle responsible for award and execution of work.
9. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the State / Central Government is allowed to work as a Contractor for a period of two years after his retirement from Government service, without Government permission. This contract is liable to be cancelled if either the Contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government as aforesaid before submission of the tender or engagement in the Contractor's service.
10. Bid documents and other details consisting of qualification information and eligibility criterion of bidders, plans, specifications, drawings, the schedule of quantities of the various classes of work to be done and the set of terms & conditions of contract to be complied with by the Contractor can be seen in the office of the of Chief Project Manager (Prayagraj) mentioned in column 8 of the table corresponding to the respective work between hours of 10.00 AM and 05.00 pm on any working day between 04.05.2026 and 25.05.2026.
12. Any bidder who is having criminal record is not allowed to participate in the bidding process.
13. Any bidder who is registered with the state Bar Council is not allowed to participate in the bidding process.
14. Each bidder is required to furnish an affidavit online on a non-judicial stamp paper of Rs. 100/- giving all information on prescribed proforma required for evaluation of the bidding capacity of the bidder.
15. Bidder must submit information/document on prescribed proforma i.e. attested copies of T4 & T5 and T6 in original with bid and photocopy of GST No., PAN, Labour Registration (if applicable).
16. According to the provisions of Government Order No. 1/2018/3070/78-2-2018/42 IT/2017 (22) Dt. 03.01.2018 after opening of the technical and financial bids, the bidder has to submit original documents personally in department/office. In the event of non submission of original documents by the bidders, the appropriate action will be taken in accordance with the provision of G.O.
17. Undersigned reserves the right to reject any or all the e-tenders without assigning any reason what so ever.
18. The aggregates (Stone grit and Coarse Sand) used for RMC by the Contractor must be approved by U.P. PWD quarry as per specifications of IS Code/Morth..
19. All work shall be carried out as per direction of Project Manager/ Chief Project Manager (Prayagraj).
20. Rates shall be inclusive of Supply of concrete at site, Contractor's Profit, royalty, T & P and all taxes etc. except GST. GST shall be paid extra as per rule/as applicable.
21. The contractor must have experienced of supply/Executing at least 3,000 cum of R.M.C. in Government Department or reputed private organisation in last 2 years through RMC batching Plant.
22. The supplier must have turnover of amount equal to the tender cost in last 2 years with audit proof.
23. The Bidder/Tenderer shall supply the RMC at site as per Instruction of E/I and as per norms of IS Code/MORTH/UP PWD Specifications. The payment of RMC will be made after submission of the strength of Cube Testing report as per Specifications and norms applicable.
24. The contractor must have Class 'A' & 'B' registration in UP PWD or Bridge Corporation and must be first owner of Plant & minimum 2 Nos. Transit Mixer and should hold all necessary NOC's such as no pollution certificate etc.
25. **RMC Batching Plant must be installed within 10.00 km. radius from the site location.**

FOR; U. P. STATE BRIDGE CORPORATION LTD.

(Anirudh Kumar) 05/05/2026
Chief Project Manager
U.P. State Bridge Corporation Ltd.,
Prayagraj

AE (C)



OFFICE OF THE CHIEF PROJECT MANAGER
U.P. STATE BRIDGE CORPORATION LTD.
PRAYAGRAJ

SECTION-7

BILL OF QUANTITIES FOR PERCENTAGE RATE BIDS

Sl. No.	Name of Work	Unit	Qty.	Rate Exclusive GST		Total Amount (Without Taxes)	
				In Figure	In Words	In Figure	In Words
1.	Production and Pouring of Different Grades of Ready Mix Concrete (RMC as per design and Technical Specifications from RMC Batching Plant and also pouring by Pump with operator (if required) at 2 lane ROB in lieu of level X-ing No. 38C in Km. 826/258-27 of Hawarh Delhi Railway Route of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki High Court Road in District -Prayagraj under construction by U.P.SBC Ltd., Bridge Construction Unit, Prayagraj including Cost of Aggregates, all Machines, P.O.L., Generator and other site arrangements etc Complete except Cement and Admixtures. Cement & Admixtures will be provided by the UP SBC Ltd. free of Cost for which no deduction shall be made from Bills of Bidder.	M ³	2300	3500	Three Thousand Five Hundred	80,50,000.00	Eighty Lacs Fifty Thousand
2	Pouring from Concrete Pump if required in super structure/sub structure	Cum.	1000	100.00	One Hundred	1,00,000.00	One Lac
	Total in Figures : (Rupees Eighty One Lacs Fifty Thousand Only)					81,50,000.00	Eighty One Lacs Fifty Thousand

TENDERER / CONTRACTOR

Asst. Accountant
Bridge Construction Unit
Prayagraj

Asstt. Engineer(Civil)
Bridge Construction Unit
Prayagraj

Project Manager
Bridge Construction Unit
Prayagraj

Chief Project Manager
U.P. State Bridge Corporation Ltd
Prayagraj

**UP State Bridge Corporation Ltd.
E-Tender for the Supply of R.M.C.
Condition of Contract**

1. E.M.D./E-tender cost as mentioned E-N.I.T. shall be uploaded and deposited by the contractor on prescribed date and time. E.M.D. shall to be deposited online in favour of "UP State Bridge Corporation Ltd." as per NIT/ITB.
2. The Person Whose tender may be accepted shall, before the date fixed for commencing the work, if so required, sign a bond of which forms are deposited in the Project Manager/ Chief Project Manager (Prayagraj)'s Office. The earnest money paid by the Contractor when submitting his tender, will be retained as security for the due performance of his Contract. All damages payable by the Contractor under the terms of his contract, may be deducted by the Project Manager from this security deposit, or from any other sums due, or which may become due to him by Government.
3. In every case in which the Contractor fails to proceed with work accordance with the terms of the Progress Statement, mentioned in the above clause the Project Manager/ Chief Project Manager (Prayagraj) shall have power either to rescind the contract altogether or to have the supply completed without further notice at the contractor's risk and expenses as he may deem best suited to the interest of Government, and the contractor, shall have no claim to compensation for any loss that he may incur in any way.
4. If the Contractor finds hindrance in the work so as to necessitate as extension of the time allowed in this tender, he shall apply in writing to the Project Manager/ Chief Project Manager (Prayagraj) who shall grant it in writing if reasonable ground be shown for it, and without such written authority of the Project Manager/ Chief Project Manager (Prayagraj), the contractor shall not claim exemption from the fine leviable under clause 3.
5. The R.M.C. shall be of the best description and in strict accordance with the specifications MORTH/UP PWD, and the contractor shall receive payment for such work only as are approved and passed by the Project Manager or his assistant. Contractor will return empty cement Bags to Department otherwise the cost of empty cement (E.C.) Bag @ Rs. 1.00 per bag will be deducted from running bill of Contractor.
6. In the event of the R.M.C. being considered by the Project Manager or E/I to be inferior as compared with the desired/provided mix design to that described in the specification the contractor shall on demand in writing forthwith remove the same at his own charge and cost and in the event of his neglecting to do so with in such period as may named by the Project Manager or his assistant, that officer may have such rejected R.M.C. removed at the contractor's risk and expenses incurred being liable to be deducted from any sums due; or which may become due to the contractor.
7. If the Contractor or his work –people break deface any building, road, fence, enclosure or grass land or cultivated land he shall make good the same at his own expenses, and in the event of his refusing or failing to do so the damages shall be repaired at his expenses by the Project Manager who shall deduct the cost from any sums or which may become due to the contractor.
8. This contract shall not be sublet without the written permission of the Project Manager / Chief Project Manager (Prayagraj) In the event of the contractor subletting his contract without such permission, he shall be considered to have there by committed a breach of contract and Project Manager shall forfeit his security deposit and Contractor shall have no claim to any compensation for any loss that accrue from the materials he may have collected or engagements entered in to.
9. The contractor shall not employ any labour under 18 year's of age and with in the limit of any cantonment shall not employ any female labour. Should the contractor fail to complete with this condition the Engineer In charge may deduct from any sums which may at any time hereafter become due to the contractor from his security deposit, or from the proceed of sale thereof such as he considered proper by way of liquidated damages for each infringement of his condition.
10. The contractor shall in carrying out this contract pay the rate of wages and observe the hours of labour usual and correct for similar works in the neighborhood of the locality in which the work for carrying out this contract is to be performed or such rate of wages and hours as are equivalent or approximate there to.



11. If the contractor fails to carry out any condition here to agreed upon for which no liquidated damages are herein before provided he shall be bound to pay such sum not exceeding the amount of his security by way of liquidated damages to the Government of Uttar Pradesh as the Engineer may asses.
12. Corporation shall have the right to accept at reduced rate sub-standard or defective materials/work and to cause and audit and technical examination of the work and the running and final bills of the contractors including all supporting vouchers , abstract etc, to be made before or after the payments or be bill and if as a result of such acceptance of substandard or defective work on audit an technical examination any sum is found to have been over paid in respect of any work done by the contractor under the contractor any work claimed to have been by him under the contract but found not to have been actually executed the contractor shall be liable to refund the amount to the over payment and it shall be lawful for Corporation to recover the same from his in the manner prescribed in clause 1 above or in any other manner legally permissible and if it is found that the contractor was paid less than was due to him under the contract in respect of any work executed by him the amount of such under payment be duly paid by Corporation to the contractor, provided the sub-standard or defective work accepted not considered to be seriously defective by the Engineer In charge and the rate of work so accepted is suitably reduced by him to compensate the Corporation and such deduction will be binding on the contractor.
13. Quantity shown in the bill of quantity may vary 20% on either side which will be completed on the same rates and conditions.
14. The decision of the Chief Project Manager (Prayagraj) for any dispute shall be final, binding and conclusive of all questions relating to the meaning of the specification.
15. Criminals are prohibited from bidding
 - a. Any bidders having criminal record is not allowed to participate in the bidding process. Any person who is having criminal cases against him or involved in the organized crime or gangster activities or Mafia or Goonda or Anti-social activity are strictly prohibited to participate in the bidding process. If it is established that any bidder has criminal record, his bid shall be automatically cancelled.
 - b. The bidder has to produced character certificate, Solvency certificate, self-decoration affidavit (on the prescribed proforma which is attached with the bid document) etc., issued by the competent authority in original with bid document.
16. Any bidder who is an Advocate and Registered with any State Bar Council Shall not be allowed to participate in the bidding. If it is established that the contractor is registered with the state bar council, his bid shall be automatically cancelled.
17. The earnest money of unsuccessful bidder will be returned within 28 days of the end of bid validity period.
18. The contractor must have class 'A' & 'B' registration in PWD or Bridge Corporation and must be first owner of Plant and should hold all necessary NOC's such as no pollution certificate etc.

Signature of Tenderer

Chief Project Manager (Prayagraj)

General Terms and Conditions for Pouring and Production of Ready Mix Concrete (RMC).

- 1- Earnest money as mentioned in N.I.T.(Column No. 7) details given in bidding documents shall have to be deposited through RTGS/NEFT and receipt to be uploaded.
- 2- Conditional tender shall not be entertained in any case.
- 3- The contractor must have Class 'A' & 'B' registration in PWD or Bridge Corporation(UP SBC) and must be first owner of Plant and should hold all necessary NOC's such as no pollution certificate etc.
- 4- Within 07 (Seven) days after receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer a Performance Security of 10(Ten) percent of the Contract Price(5% in form of Bank Guarantee from Nationalized Bank at the time of agreement and remaining 5% shall be deducted from running bill @ 10% till total amount reaches to 10% of the Contract value) which shall be released after completion of satisfactorily whole assigned work with E/I certificate of work in good quality & as per MORTH Specifications and the time for completion of works as per General Conditions of Contract and sign the contract.
- 5- The performance security shall be either in the form of a Bank Guarantee or fixed deposit Receipts, in favour of "U. P. State Bridge Corporation Ltd." payable at Prayagraj from a scheduled Commercial Bank.
6. Failure of the successful Bidder to comply with the requirements of general conditions of contract will also be debarred from participating future bids under U. P. State Bridge Corporation Ltd. for two year.
7. The rates offered by the contractor should be inclusive of all material (except cement & admixture). Cement and admixture shall be provided by UPSBC free of cost for which no deduction shall be made bills of bidder), machine, labour, P.O.L., all duties, royalty, toll tax, loading of RMC unloading of aggregates carriage etc. complete F.O.R. at site excluding G.S.T.. Volume of concrete shall be measured as per component concreted at site not by RMC supplied. Bidder shall provide proof of payment of royalty & GST R1 for payment of GST paid to him by the department as per rule/as applicable.
8. The aggregates (Stone grit and Coarse Sand) used for RMC by the Contractor must be approved by U.P. PWD quarry as per specifications of MORTH/UP PWD.
9. Income Tax/Cess/GST etc. shall be deducted from bill of contractor as per rule as applicable for which TDS certificate shall be issued.
10. Schedule of supply of R.M.C. shall be provided by the Engineer- in- Charge of the work from time to time to the contractor in one day advance and supplier too will produce/supply the flow of R.M.C. in writing to E/I as per requirement and work programme of the work.
11. In case contractor fails to supply the RMC at site as per work programme, the same shall be arranged from other sources and any differences on this account shall be recovered from the contractor.
12. An Assistant Engineer (Civil) of the U.P. SBC. Ltd, shall be Engineer-in-charge for work and in case any dispute or extension of time, the decision of Chief Project Manager (Prayagraj), shall be final and binding upon the contractor.
13. The rates of supply of R.M.C. at site shall be firm and no escalation, for any reason, will be paid except than the offered rate during the entire work period or extended work period.
14. Payment shall be made after receiving the bill from site officials. However, due to financial crises if there is delay in payment, no claim shall be entertained in this regard.
15. The e-tender is to be uploaded at website only with scanned copies of tender cost, E.M.D., B.O.Q and all other necessary documents. "Technical Bid" comprising E.M.D., copies of registrations and all other required documents such as proof of experience, G.S.T Registration, I.T. Registration, E.M.D., tender cost etc. shall be submitted in the office of undersigned in attested forms.
16. Undersigned reserves the right to reject any or all the e-tenders without assigning any reason what so ever.
17. The Tenderer is deemed to have inspected the site thoroughly and made himself aware and acquainted of site conditions.

Signature of Tenderer

Chief Project Manager
U.P. State Bridge Corporation Ltd.,
Prayagraj

**Technical Specifications & Special Conditions of Contract for Supply
of Ready Mix Concrete (RMC).**

- (1) Unless otherwise specified or ordered, all the work of supply of R.M.C. shall be in accordance with the MORT & H Specifications, IS. 383 latest editions, IS: 4925:2004, IS: 4926:2003 IS: 456 latest edition and up to satisfaction of Engineer- In- charge.
- (2) Fine aggregate shall be brought from Ken river Banda or any other quarry approved by U.P. PWD and up to satisfaction of E/I and sample shall be tested before commencement of work from Govt. Engineering College or National Accreditation Board for Testing and Calibration Laboratories NABL labs.
- (3) Aggregate should be clean hard, strong, dense, well graded, non porous and durable pieces of crushed stone.
- (4) Aggregate should not consist, clay, foreign material, pieces of disintegrated stone, soft, flaky, elongated particles, salt, alkali, vegetable matter or other deleterious materials in such quantities as to reduce the strength and durability of concrete or to attack steel reinforcement.
- (5) Coarse aggregate having positive alkali-silica reaction shall not be used.
- (6) All the coarse aggregate shall confirm to IS:383 latest revision and tests for conformity shall be carried out an per IS:2386 part I to VIII
- (7) Maximum nominal size of coarse aggregate shall confirm to section 1700 of MORT&H Specification for bridge work published by Indian Road Congress.
- (8) The maximum value for flakiness index shall not exceed 30 percent. Coarse aggregate shall satisfy the grading as mentioned in IS 383 latest edition.
- (9) Fine aggregate shall consists clean, hard, strong and durable pieces of crushed stone or gravel or suitable combination of natural sand, crushed stone or gravel.
- (10) Fine aggregate/Coarse sand shall not contain dust, lumps, soft or flaky materials, mica or other deleterious materials beyond the permissible limits as bet forth in IS 383 latest edition and test acceptance vide IS: 2386 part I to part IV.
- (11) Fine aggregate having positive alkali-Mica reaction shall not be used and they should conform to the grading requirement for zone I, zone II or zone III C. sand as per IS 383 latest editions.
- (12) Fineness Modulus of fine aggregate shall not be less than. 2.5.
- (13) Use of chemical admixtures shall be permitted in accordance with the provisions of IS 456 (latest edition) and approved design mix from Government Engineering College and satisfaction of E/I.
- (14) It shall be the responsibility of the producer to establish compatibility and suitability of any admixture with the other ingredients of the mix and to determine the dosages required to give the desired effect.
- (15) Admixtures should be stored in a manner that prevents degradation of the product and consumed within the time period indicated by the admixture supplied. Any vessel containing an admixture in the plant or taken to site by the contractor shall be clearly marked as to its content.
- (16) When offering or delivering a mix to the corporation at site it should be indicated if such a mix contains an admixture or combination of admixtures or not. The admixtures may be identified generically and should be declared on the delivery ticket.



- (17) The amount of admixture added to a mix shall be recorded in the production record. In special circumstances, if necessary, additional dose of admixture may be added at project site to regain the workability of concrete with the mutual agreement between the contractor and the UP SBC Ltd.
- (18) Water used shall be in accordance with the requirements of IS 456 latest edition Unless otherwise agreed, the testing frequencies for water shall be in consecutive 3 months.
- (19) The total amount of water added to the mix shall be recorded in the production record. The water content of concrete shall be regulated by controlling its workability or by measuring and adjusting the moisture contents of its constituent materials. The contractor's production staff and truck-mixer drivers shall be made aware of the appropriate responses to variations in concrete consistence of a particular mix caused by normal variations in aggregate moisture content or grading.
- (20) All concrete will be supplied and invoiced in terms of cubic meters (full or part) of compacted fresh concrete. All proportioning is to be carried out by mass except water and admixture, which may be measured by volume.
- (21) RMC supplied shall be measured on the basis of volume of component concreted at site not by actual RMC supplied at site.
- (22) Ready-mixed concrete(RMC) shall be transported from the batching plant to the point of placing and supply as rapidly as practicable by methods that will maintain the required workability and will prevent segregation, loss of any constituents or ingress of foreign matter or water. The concrete shall be placed as soon as possible after delivery, as close as is practicable to its final position to avoid re-handling or moving the concrete horizontally by vibration. If required by the corporation the contractor can utilize admixtures to slow down the rate of workability loss, however this does not remove the need for the corporation to place the concrete as rapidly as possible.
- (23) The general requirement is that concrete shall be discharged from the truck-mixer within 2 hours of the time of loading. However, a longer period may be permitted if retarding admixtures are used or in cool humid weather or when chilled concrete is produced.
- (24) The time of loading shall start from adding the mixing water to the dry mix of cement and aggregate or of adding the cement to the wet aggregate whichever is applicable.
- (25) Ready-mixed concrete plant shall have test facilities at its premises to carry out routine tests of aggregates as per the requirement of the IS 383 and maintained all records accordingly.
- (26) The sampling for Quality Control (Q.C.) test shall be carried out jointly by the corporation and the supplier with its frequency mutually agreed upon. However, it will not absolve the supplier of his responsibility from supplying / RMC at site as per the requirements given in this standard or otherwise agreed to where so permitted in the standard.
- (27) Compliance shall be assessed against the requirements of IS 456 latest edition and other agreed Indian Standard. The contractor may perform his own sampling and testing or may enter in to an arrangement with the supplier to provide his testing requirements.
- (28) The contractor should ensure that traffic routes will be chosen to avoid sensitive areas where practicable and to minimize fuel consumption. Vehicles should be



maintained in a clean condition and action should be taken to minimize the incidence of concrete spillage on public highways.

- (29) The contractor shall provide working conditions which have regard to the health and safety of employees as per Labour Act and Covid guideline on his own risk.
- (30) The contractor should utilize appropriate technology to prevent or minimize dust emissions in line with local or National Rules and Regulations issued by the Government of India and State Government of U. P. issued time to time..
- (31) The contractor should take steps to ensure that plant and vehicle noise are minimized through plant design, the use of appropriate technology and the location of the plant.
- (32) The contractor should take appropriate measures to prevent pollution of surrounding surface and groundwater from accidental effluent discharges and fuel, oil or chemical spillage.
- (33) The contractor shall maintain a record of all mix designs and modifications current on the plant.
- (34) The contractor shall be able to demonstrate that a documented plant maintenance procedure is in place. Regular plant inspections should be carried out with faults reported and rectified.
- (35) The contractor shall be able to demonstrate that a documented calibration procedure is in place. Calibration records should contain details of any corrective action required, the date of the next calibration, confirmation that any required corrective; action has taken place and the signature of the designated manager for that plant. The contractor shall also maintain a daily production record for that plant, including details of Production & Pouring, which mixes were supplied and which delivery dockets were dispatched. There should be a record of what materials were used for that day's production including water and admixture. The use of electro-mechanical weighing and metering systems, that is, load cells, flow meters, magnetic meters etc, is preferable over purely mechanical systems, that is, knife edge and lever systems.
- (36) No additional water, other than the amount required to produce the specified workability, shall be added to the truck mixer drum before discharge unless specifically requested and signed for by the corporation.
- (37) It is important to maintain the water cement ratio constant at its correct value. The amount of added water shall be adjusted to compensate for any observed variations in the moisture contents in the aggregates. Suitable adjustments should also be made in masses of the aggregates due to this variation as per IS 456 latest editions. Any change in water content due to change in aggregate grading shall be taken care of by forward control by suitable modifications to mix design.
- (38) The contractor shall operate a materials stock control procedure to enable verification of total quantities used and to confirm that only approved materials from UP PWD quarry/ have been received.
- (39) Records shall be maintained by the contractor to provide confirmation of the quality and quantity of concrete produced. They shall cover the following aspects:
 - a) Production and delivery:
 - 1) Batching instructions,
 - 2) Batching records,
 - 3) Delivery tickets, and
 - 4) Equipment calibration and plant maintenance.



- 5) Materials and production control:
- 6) Concrete production and materials purchase, usage and stocks, and
- 7) Certificates or test results for materials both out house & in house.
- 8) Pouring details at site for different components.
- 9) Silt content in fine aggregates.
- 10) Sieve analysis record of coarse aggregates and fine aggregates.
- 11) Moisture content of fine aggregates.

(40) Ready Mixed Concrete (RMC) plants shall be equipped with computer, monitor and printer. Delivery slips of RMC plants shall contain the following information:

- 1) Name of RMC plant contractor with logo and address,
- 2) Delivery note No.,
- 3) Name of receiving party,
- 4) Ordered quantity in m³,
- 5) Recipe number,
- 6) Number of batches,
- 7) Batch size in m³,
- 8) Date,
- 9) Starting time,
- 10) Moisture percentage of each material at the time of batching,
- 11) Weighing chart of each type of component with total for each component Independently,
- 12) Total quantity delivered in m³,
- 13) Remarks column,
- 14) Transit mixer number and capacity,
- 15) Transit mixer driver's name,
- 16) Representative of RMC plant (signature column), and
- 17) Representative of customer (signature column).

(41) The plant shall consist of the following components of suitable size related to the capacity of the plant:

- a) Storage arrangement for different types of aggregates and other materials.
- b) Batching equipment:
- c) Concrete mixer:
- d) Control panel:
- e) Material feeding and elevating arrangement: and
- f) Hopper for mixed concrete.

(42) For individual batcher, the following tolerances shall apply, based on the required weight of material being weighed:

Type of Material	Tolerance in Percentage
Cement and other cementitious materials	± 1
Sand aggregates	± 2
Water	± 1
Admixture	± 3

(43) The equipment shall be capable of controlling the delivery of material for weighing or volumetric measurement so that the combined inaccuracies in feeding the material during normal operation shall not exceed 1 percent for

[Handwritten signature]

- water, 2 percent for cement, 3 percent for admixture, 2 percent for sand and 3 percent for aggregates.
- (44) The mixed concrete from the batching and mixing plant can be tested in accordance with the method specified in IS 4634 latest editions with a view to checking its ability to mix the ingredients to obtain a concrete having uniformity within the prescribed limits. The uniformity of mixed concrete shall be evaluated by finding the percentage variation in quantity (mass in water) of cement, fine aggregate and coarse aggregate in a freshly mixed batch of concrete.
 - (45) Notwithstanding any qualification by the customer, the ultimate responsibility for supply of the complete plant and its satisfactory performance and output shall rest with the contractor. He shall guarantee against any defect in the plant, in design, materials or workmanship. The plant and equipment supplied shall be a complete unit and shall conform to the highest standards of engineering design and workmanship.
 - (46) The Tenderer shall provide at least 1 Nos. fully automatic concrete batching plants for producing 300 cum. of concrete per day not older than 2018 model.
 - (47) The Tenderer shall provide minimum 2 Nos. of Transit Mixers (Capacity 6 Cum.) is running conditions not older than 2018 model.
 - (48) The Tenderer shall provide self operated laboratory for testing and maintain quality of R.M.C as per specification of MORTH and UP PWD and up to satisfaction of E/I.
 - (49) The tender should have at-least same amount of turnover/bid capacity equal to tender cost in average in past 2 years with audited reports of similar work. The Turnover/bid capacity shall have to be uploaded & deposited is original or prescribed proforma.
 - (50) Land will be search and suggested by the Tenderer for plant establishment which shall be approved by the UPSBC for sufficient working and storage of RAW material for manufacturing of RMC and department have full access rights to visit anywhere in plant.
 - (51) The Tenderer shall have all machines & plant not older than 2018 model and all plant and machinery registered in his own capacity /title.
 - (52) All Mix design for different grades of concrete will be provided by the UPSBC and Tenderer shall be supplying/Supply RMC at site as per provided Mix design.
 - (53) Generally work shall be carried out in night shifts and it shall be responsibility of contractor for Supply of concrete at site is to be ready at any time in 24 hours of a day as per working process of corporation and as per direction of E/I.
 - (54) All the quality control (Q.C.) Test shall be done in contractors laboratory in process of UPSBC officials and third party quality control shall be done in I.I.T./MNNIT/Government Engineering College or any NABL Lab only on monthly basis & as per instruction of E/I. Without third party test payment could not be made.
 - (55) Rate of Supply of R.M.C. at site shall include the charges of materials (except cement), Labour, water, admixture, plant & machineries with production, transportation of concrete ,all duties & taxes except G.S.T.
 - (56) If any delay occurs in transporting of RMC beyond 2 hours, the R.M.C. shall be rejected and no claim shall be paid in this regards to the Contractor. Deductions on account of cement & other incidental charges borne by UPSBC shall be made from bills of contractor due to delay.

- (57) R.M.C. shall be produced for UP SBC Ltd. by Automatic Batching Plant (min 30m³/hr capacity) of Swing Setter/Putsmizer/Liebherr/Elematic company or equivalent make plant strictly not older than 2018 model.
- (58) The firm/contractor must have experienced technical staff specialized in Supply of R.M.C. at site which have in rich workmanship for every component of the Structure . The information of the same shall be provided by the firm/contractor in tender. All work for Supply of RMC as per design and technical specifications of MORTH/UP PWD and as per instructions/supervisions of E/I.
- (59) The Contractor fully responsible for Quality and Grade of concrete for Supply of RMC at site and it should also be fully ensured by concerned E/I or AE (Civil)/JE (Civil) at site as per approved design mix. The grade of concrete shall have be in accordance with approved mix design.
- (60) The contractor has to submit an affidavit certified with notary in which he will specify that the firm will provide required quality of RMC as pe Specificationsto UP SBC .
- (61) The RMC plant shall be operated for production of concrete under strict guidance and directions of Engineers deputed by the Corporation. The quality control lab established at plant site shall be under supervision of UP SBC Ltd.
- (62) Cement shall be provided and controlled by UPSBC Ltd. and it shall be issued by Engineers of UPSBC Ltd at RMC plant. The account of empty cement bags shall be kept by UP SBC Ltd. officials.
- (63) The UP SBC Ltd officials shall inform to contractor for supplying/Supply of RMC at site one day before in advance but however it shall be the duty of contractor to provide Supply of RMC at site on the notice of 4 hours prior to start the concrete work.
- (64) The slump shall be taken & measured on different pouring points.
- (65) The compressive strength of 7 days & 28 days of cement concrete cubes samples shall be as per latest IS/IRC/MORT & H specifications.
- (66) The cost of operational and maintenance charges of all machines shall be born by the contractor/firm.
- (67) The Tenderer must establish complete lab, tools and plants along with RMC machinery, Boom placer etc. of desired specifications and make, within a period of 20 (Twenty) days from the issue of the letter of acceptance failing which the tender will be summarily rejected and the security forfeited by UP SBC.

Signature of Tenderer



Chief Project Manager
U.P. State Bridge Corporation Ltd.
Prayagraj



Section – 6.

Form of Bid

Notes on Form of Bid

The Bidder shall fill in and submit this Bid form with the Bid.

------(Date)

To

The Chief Project Manager, Prayagraj Zone, U.P. S. B. C. Ltd. . Prayagraj on behalf of Managing Director U.P.S.B.C. Ltd. Lucknow

Description of the work : Production and Pouring of Different Grades of Ready Mix Concrete (RMC as per design and Technical Specifications from RMC Batching Plant and also pouring by Pump with operator (if required) at 2 lane ROB in lieu of level X-ing No. 38C in Km. 826/258-27 of Hawarh Delhi Railway Route of NCR at Khusarubagh-Lukerganj to Pani Ki Tanki High Court Road in District –Prayagraj under construction by U.P.SBC Ltd., Bridge Construction Unit, Prayagraj including Cost of Aggregates, all Machines, P.O.L., Generator and other site arrangements etc Complete except Cement and Admixtures. Cement & Admixtures will be provided by the UP SBC Ltd. free of Cost for which no deduction shall be made from Bills of Bidder.

I/We offer to execute the works described above and remedy any defects there in conformity with the conditions of contract, specifications, drawings, bill of quantities and addenda for

(a.) For percentage rate as quoted online in BOQ percentage below/percentage above/at par with the rate entered in the Schedule of rate, as referred to in clause 13 of ITB.

1. We undertake to commence the works on receiving the notice to proceed with work in accordance with the contract documents.
2. This Bid your written acceptance of if shall constitute a binding contract between us. We understand that you are bound to accept the lowest or any Bid you receive.

We hereby confirm that this bid complies with the Bid validity and earnest money required by the bidding documents and specified in the Appendix to ITB.

Authorized Signature :- _____

Name and title of Signatory:- _____

Name of bidder :- _____

Authorized Address of Communication:- _____

Telephone No(s): (Office) :- _____

Mobile No :- _____

Facsimile (FAX) No :- _____

Electronic Mail Identification (E-mail ID) :- _____

Section 7

Bill of Quantities Preamble

1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, Conditions of Contract Specifications and Drawings.
2. For the construction of works, the quantities given in the Bill of Quantities are estimated, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Engineer and valued at the rates and prices tendered in the Bill of Quantities in the case of item rate tenders.
3. The rates and prices tendered in the priced Bill of Quantities shall, except in so far as it is otherwise provided under the Contract, include all constructional plant, labor, supervision, materials, erection, maintenance, insurance, profit, taxes and duties, together with all general risks, liabilities and obligations set out in the Contract.
4. Arithmetic errors will be corrected by the Employer pursuant to Clause 27 of the instructions to Bidders.



Section 8

Letter of Acceptance and Other Forms

**OFFICE OF THE CHIEF PROJECT MANAGER,
PRAYAGRAJ ZONE,
U.P. State Bridge Corporation Ltd.,
PRAYAGRAJ**

NO.....

DATED.....

LETTER OF ACCEPTANCE

To,

M/s.....

.....

.....

This is to notify you that on behalf of the Employer, the Chief Project Manager..... Zone, U.P.S.B.C.L..... has accepted your Bid dated for execution of the District-..... for the Contract Price of Rs..... Rs.....only) is hereby accepted by our Agency.

You are hereby requested to furnish Performance Security, in the form detailed in Cl.32 of ITB for an amount of Rs..... (Rs.....) Within 10 days of the receipt of this letter of acceptance valid up to 45 days from the date of expiry of Defects Liability Period (i.e. up to) and sign the contract, failing which action as stated in Cl. 32.3 of ITB will be taken.

Yours faithfully,

Chief Project Manager
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj

No. & Dated as above.

Copy to :

The Project Manager.....U.P.S.B.C., for information & necessary action.

Chief Project Manager
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj



**OFFICE OF THE CHIEF PROJECT MANAGER,
PRAYAGRAJ ZONE,
U.P.STATE BRIDGE CORPORATION LTD.,
PRAYAGRAJ**

Issue of Notice to proceed with the work

LETTER NO.....

DATED.....

To,

.....
.....
.....

Dear Sirs:

Pursuant to your furnishing the requisite performance security as stipulated in ITB Clause 32.1 and signing of the contract for the construction offor Dist., you are hereby instructed to proceed with the execution of the said works in accordance with the contract documents.

Yours faithfully,

Chief Project Manager
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj



(c) Standard Form of Agreement

Notes on Standard Form of Agreement

The Agreement should incorporate any corrections or modifications to the Bid resulting from corrections of errors (Instructions to Bidders, Clause 26).

Standard Form: Agreement

Agreement

This agreement, made the day of of Between Chief Project Manager Prayagraj Zone , U.P.S.B.C. Ltd. Prayagraj (Hereinafter called "the Employer") of the one part, and

.....
.....
.....


[Name and address of Contractor] (Hereinafter called "the Contractor" of the other part). Whereas the Employer is desirous that the Contractor execute the Work of

District- (Hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the Execution and completion of such Works and the remedying of any defects therein at a cost of Rupees.....

(Rs.....only)

NOW THIS AGREEMENT WITNESSES as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.



4. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz:

- i) Letter of Acceptance:
- ii) Notice to proceed with the works:
- iii) Contractor's Bid:
- iv) Contract Data:
- v) Special Conditions of contract and General Conditions of Contract:
- vi) Specifications:
- vii) Drawings: if required
- viii) Bill of Quantities: and
- ix) Any other document listed in the Contract Data as forming part of the contract.

In witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The Common Seal of

Chief Project Manager
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj

was hereunto affixed in the presence of:

Signed, Sealed and Delivered by the said To,

.....
.....
.....

In the presence of:



Project Manager

Binding Signature of Employer authorized representative

Chief Project Manager
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj

Binding Signature of Contractor

.....
.....
.....



(d) Form of unconditional Bank guarantee for advance payment

BANK GUARANTEE FOR ADVANCE PAYMENT

To,

**The Chief Project Manager,
Prayagraj Zone,
U.P. State Bridge Corporation Ltd.
Prayagraj.**

Gentlemen:

In accordance with the provisions of the General Conditions of contract, clause 45 ("Advance Payment") of the above-mentioned

Contract, [name and address of Contractor] (Hereinafter called "the Contractor") shall deposit with [Name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of [Amount of guarantee] [in words]. We, the [bank or financial institution], as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to [name of Employer] on his first demand without whatsoever right of objection on our part and without his first claim to the Contractor, in the amount not exceeding [amount of guarantee]. We further agree that no change or addition to or other modification of the terms of the Contract or of Works to be performed there under or of any of the Contractor documents which may be release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until

..... [name of Employer] receives full repayment of the same amount from the Contractor.

Yours truly,

Signature and seal: _____

Name of Bank/Financial Institution: _____

Address: _____

Date: _____

1. An amount shall be inserted by the bank or financial institution representing the amount of the Advance Payment, and

Denominated in Indian Rupees.



(e) Form of unconditional Bank guarantee "Performance Bank Guarantee").

PERFORMANCE BANK GUARANTEE

To,

**The Chief Project Manager,
Prayagraj Zone,
U. P. State Bridge Corporation Ltd.
Prayagraj.**

WREREAS [Name and Address of Contractor]
(Hereinafter called "the Contractor") has undertaken, in pursuance of Contract No. Dated
.....to execute[Name of Contract and brief description of Works]
herein after called "The Contract"

AND WHEREAS it has been stipulated by you in the said contract that the contractor shall furnish you with a bank guarantee by a Nationalized Bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract,

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee;

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of[amount of guarantee][in words], such sum being payable in the types and proportions of currencies in which the Contract price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of [Amount of guarantee] as aforesaid without your needing to prove or to show grounds or reasons for a demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between you and the Contractor shall in anyway release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This Guarantee shall be valid until a date 45 days after the expiry of defect liability period of 5 years after intended completion date.

Signature and seal of the guarantor

Name of Bank

Address

Date



The Bidder shall complete either the following form of Bank Guarantee or may provide another security acceptable to the purchaser.

FORM OF EMD (BANK GUARANTEE)

(To be submitted on the prescribed Stamp as per prevailing Stamp Act in U.P. State)

Whereas.....(Name of Bidder)(hereinafter called "the Bidder") has submitted his Bid dated.....(date) for the execution of.....(Name of Contract) (Hereinafter called 'The Bid')

KNOW ALL PEOPLE by these presents that we.....(Name of Bank) of.....having our registered office at.....(Name of purchaser)(Hereinafter called" the purchaser") in the sum of(A) for which payment will and truly to be made to the said Purchaser the Bank binds himself, his successors and assigns by these presents.

A-The Bidder should insert the amount of the guarantee in words and figures.

SEALED with the Common Seal of the said Bank this.....day of.....20.....

(1)If the bidder withdraws his Bid during the period of Bid validity specified in the form of Bid.

Or

(2) If the bidder, refuses to accept the correction or errors in his Bid.

Or

(3) If the bidder having been notified of the acceptance of his bid by the purchaser during the period of bid validity.

(a) Fails or refuses to execute the form of agreement in accordance with the instruction to bidders, if required

Or

(b) Fails or refuses to furnish the Performance Security, in accordance with the terms and conditions.

We undertake to pay to the purchaser up to the above amount upon receipt of his first written demand without the purchaser having to substantiate his demand provided that in his demand the purchaser will note that the amount claimed by him is due to his owing to the occurrence of one or both of the two conditions specifying the occurred condition or conditions. The Guarantee will remain in force up to and including the date 180 days after the date of expiry of the bid validity deadline for as stated in the terms and conditions or as it may be extended by the purchaser, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Ban k not later than the above date.

DATE;.....

SIGNATURE OF THE BANK.....

WITNESS.....

SEAL.....

SIGNATURE,

NAME & ADDRESS.....

Handwritten signatures

शपथ पत्र

T-6

राजपत्रित
अधिकारी द्वारा
प्रमाणित
पासपोर्ट साइज
का नवीनतम
फोटोग्राफ चस्पा

मैं.....पुत्र श्री.....निवासी

(स्थायी पता).....

(अस्थायी पता).....

का निवासी हूँ। मैं शपथ पूर्वक घोषणा करता हूँ।

1. मैं सेतु निगम एवं अन्य राज्य सरकार विभाग का पंजीकृत ठेकेदार हूँ/नहीं हूँ। (विभाग द्वारा निर्गत श्रेणी संबंधी प्रमाण पत्र संलग्न किया जाय) मेरे पास पर्याप्त चल और अचल सम्पत्ति है और व्यवसायिक रूप से मैं सेतु निगम विभाग के कार्यों को पूरा करने के लिये सक्षम और समर्थ हूँ। मेरे पास आवश्यक मशीने और उपकरण आदि भी हैं तथा मुझे इस कार्य का पर्याप्त अनुभव है।
2. सेतु निगम विभाग द्वारा जो (कार्य का विवरण लिखा जाय).....कराने की निविदा निर्गत की गयी है उसके लिये मैं विभाग द्वारा निर्धारित प्रारूप पर निविदा भर रहा हूँ।
3. मेरे द्वारा दिये जा रहे प्रमाण पत्र: चरित्र प्रमाण पत्र/हैसियत प्रमाण पत्र/आयकर प्रमाण पत्र/बैंक प्रमाण पत्र/बिड सिक्योरिटी प्रमाण पत्र/बिड कैपिसिटी प्रमाण पत्र/जमानत धनराशि आदि का प्रमाण पत्र तथा अन्य सुसंगत अभिलेख आदि मूलरूप में निविदा पत्र के साथ संलग्न कर दिये गये हैं।
4. मेरा पैन नं०.....है। (आयकर विभाग द्वारा प्रदत्त प्रमाण पत्र संलग्न किया जाय)
5. मेरे विरुद्ध अपराधिक मुकदमों का विवरण निम्न प्रकार है यहा पूरा विवरण दिया जाये।
 1. मुकदमा नम्बर.....
 2. धारयें.....
 3. थाना.....
 4. जनपद.....
 5. न्यायालय (जहाँ मुकदमा चल रहा है).....
6. मैं सेतु निगम अथवा राज्य सरकार के अन्य विभागों द्वारा ब्लैक लिस्टेड ठेकेदार की श्रेणी में नहीं आता हूँ। मैं अपराधिक गतिविधियाँ, माफिया तथा गैंगस्टर गतिविधियों और संगठित अपराध करने की गतिविधियों और असामाजिक कार्यों आदि में लिप्त नहीं हूँ। मैं माफिया और अपराधी नहीं हूँ। मेरा चाल-चलन, कार्य तथा आचरण उत्तम है।
7. मेरे विरुद्ध जनपद में तथा प्रदेश में कोई भी मुकदमा दर्ज नहीं है।
8. यदि ठेका प्राप्त करने के पश्चात मेरे विरुद्ध माफिया गतिविधियों/असामाजिक गतिविधियों एवं संगठित अपराधिक गतिविधियों में लिप्त होने के बारे में कोई शिकायत प्रमाणित पायी जाती है तो सक्षम अधिकारी को यह अधिकार होगा कि वह मेरा ठेका/अनुबन्ध निरस्त कर दें। इस पर

मुझे कोई आपत्ति नहीं होगी। मेरे द्वारा यदि विभाग/राज्य सरकार के विरुद्ध कोई अपराधिक कृत्य किया जाता है अथवा सरकारी धन का गबन किया जाता है तो सक्षम अधिकारी को यह अधिकार होगा कि वह मेरे विरुद्ध अपराधिक मुकदमा नियमों अन्तर्गत दर्ज कराये।

9. मैं अनुबन्ध की शर्तों के अनुसार समय से पूरी गुणवत्ता के साथ तथा निर्धारित विशिष्टियों के अनुरूप कार्य पूरा करूंगा और विभाग को पूरा सहयोग प्रदान करूंगा।

10. मेरा कार्य एवं आचरण उत्तम है।

11. मैं शपथपूर्वक घोषणा करता हूँ कि मेरा स्थायी पता और अस्थायी पता निम्न प्रकार है:—

(अ) स्थायी पूरा पता (पिन कोड एवं दूरभाष सहित).....

(ब) अस्थायी पूरा पता (पिन कोड एवं दूरभाष सहित).....

मैं शपथ पूर्वक घोषणा करता हूँ कि मैं उपरोक्त पते पर रहता हूँ तथा विभाग द्वारा प्रदान किये गये कार्य के पूरा होने तक मेरे किसी पते में सामान्यतः कोई परिवर्तन नहीं होगा। यदि अपरिहार्य परिस्थितियों में किसी पते में परिवर्तन होता है तो इसकी सूचना मैं तत्काल अधिशाषी अभियन्ता, लोक निर्माण विभाग और जिला मजिस्ट्रेट/कलेक्टर को दूंगा।

12. मैं यह भी घोषणा करता हूँ कि विभाग के जिस कार्य के लिये मेरे द्वारा ठेका लिया जा रहा है उसके सापेक्ष्य चल एवं अचल सम्पत्ति का हैसियत प्रमाण पत्र जिला मजिस्ट्रेट/कलेक्टर (जनपद का नाम लिखा जाये).....द्वारा प्राप्त करके मूलरूप से संलग्न किया जा रहा है। यह भी घोषणा करता हूँ कि इस हैसियत प्रमाण पत्र का उपयोग अन्य कार्यों के लिये नहीं किया जायेगा।

13. मैं अपनी पूर्ण जानकारी मैं पूरे होशो-हवाश में, स्वस्थचित्त से, पूरी सत्यनिष्ठा से तथा स्वेच्छा से वह शपथ पत्र लिखकर दे रहा हूँ। ईश्वर मेरी मदद करें)

दिनांक

शपथी का पूरा हस्ताक्षर

पूरा नाम.....

पता.....

नोट:—

1. यह स्वघोषणा शपथ पत्र रू0 100/—(रू0 एक सौ) के Stamp Paper (स्टाम्प पेपर) पर नोटरी द्वारा साक्ष्यों की उपस्थिति में सत्यापित कराते हुये दिया जायेगा।
2. असत्य शपथ पत्र देना एक संगीन और संज्ञेय अपराध है।
3. संबंधित व्यक्ति द्वारा पासपोर्ट साइज का अपना नवीनतम फोटोग्राफ, शपथ पत्र के उपर निर्धारित स्थान पर चस्पा किया जायेगा।